

ÉIRE

AN ROINN SLÁINTE

(Department of Health.)

TUARASCÁIL AN ÁRD-CHLÁRAITHEORA

ANNUAL REPORT

OF THE

REGISTRAR-GENERAL

1947.



DUBLIN:

PUBLISHED BY THE STATIONERY OFFICE.

To be purchased directly through the
GOVERNMENT PUBLICATIONS SALE OFFICE, 3-4 COLLEGE STREET, DUBLIN,
or through any bookseller.

1949

Price : Three Shillings and Sixpence.

(P. No. 8936.)

CONTENTS.

PART I.—TEXT.

REPORT:—

INTRODUCTORY REMARKS	Page vii
GENERAL SUMMARY	vii

POPULATION :

Estimated population, natural increase and passenger movement	ix
---	-----	-----	----

MARRIAGES :

Number and rate	ix
Rate in Northern Ireland, England and Wales, and Scotland					ix
Mode of celebration		x
Conjugal condition of persons married				x
Rate for counties, etc.		xi
Marriage rate by quarters		xi
Marriage of Minors	xii
Re-marriages	xii
Licences for marriage		xii
Buildings registered for the solemnisation of marriage				xii

BIRTHS:

Number and rate	xiii
Rate in Northern Ireland, England and Wales, and Scotland					xiii
Rate for counties, etc.		xiii
Illegitimate births	xiii
Registration of births under Legitimacy Act (1931)				xiv
Proportion of male to female births		xiv
Births by quarters	xiv
Multiple births	xiv

REPORT—*continued*.

DEATHS :

	Page
Number and rate	xv
Rate in Northern Ireland, England and Wales, and Scotland	xv
Rate for counties, etc.	xv
Deaths by quarters	xv
Deaths in institutions	xvi
Uncertified deaths	xvi
Inquests	xvi

Causes of Death :

General observations	xvi
Proportion from principal causes	xvii
Epidemic Diseases	xviii
Tuberculosis	xx
Influenza	xxv
Cancer	xxv
Heart disease	xxviii
Bronchitis	xxviii
Pneumonia	xxviii
Diarrhoea and enteritis	xxviii
Childbirth	xxx
Violence	xxxi
Ages at death	xxxi
Infant mortality	xxxii
Rate for Northern Ireland, England and Wales, and Scotland	xxxii
Causes of death by age periods	xxxiii
Principal causes, 1937 to 1947	xxxv
Causes in urban and rural areas	xxxvi

DIAGRAMS.

No. 1. Birth, death and marriage rates	vi
No. 2. Death rates from diphtheria	xix
No. 3. Death rates from tuberculosis	xxii
No. 4. Death rates from influenza	xxiv
No. 5. Death rates from cancer	xxix
No. 6. Infant mortality	xxxiv

PART II.—TABLES.

TABLE No. 1. Estimated population, 1801-1947	2
„ 2. Ages of the population, by sexes, number and proportion per cent.	3-5
„ 3. Number of marriages, births and deaths, and natural increase, 1864-1947	6
„ 4. Annual marriage, birth and death rates, infant mortality and natural increase, 1864-1947	7
„ 5. Marriages, births, and deaths, by quarters, 1937-1947	8
„ 6. Deaths (average number and rate) by causes, 1864-1910	9

PART II.—TABLES—*continued*.

TABLE No.		Page
6A.	Deaths (average number and rate), by causes, 1911-1940 ...	10
7.	„ (number and rate) in Éire and Northern Ireland, 1945-1947 ...	11
8.	„ „ by sexes and ages, 1864-1947 ...	12-14
9.	Marriages, births and deaths, by counties and county boroughs ...	15
10.	Marriage, birth and death rates, by counties and county boroughs ...	16
11.	Births and deaths for principal towns and aggregate urban and rural areas	17
12.	Birth rates and death rates for principal towns and aggregate urban and rural areas	17
13.	Neo-natal mortality (deaths of infants under one month old) by counties and county boroughs	19
14.	Births and deaths for each urban area	20-23
15.	Birth rates and death rates for aggregate urban and rural areas, 1911-1947	24

PART III.—ABSTRACTS.



ABSTRACT I.	Marriages, births (distinguishing illegitimate births), and deaths registered by counties	26-27
„ II.	Marriages registered by counties	28-29
„ III.	Births and deaths by sexes, and ages at death, by counties ...	30-32
„ IV.	Causes of death (intermediate and detailed international lists), by sexes and ages	34-51
„ V.	Causes of death (short list), by sexes, ages and places of occurrence for each county (as under) :—	54-125

	Page		Page		Page
Éire	... 54	Dublin Co.	... 60	Meath	... 74
		Dublin City	... 62	Monaghan	... 124
Leinster	... 56	Galway	... 108	Offaly	... 76
Munster	... 84	Kerry	... 92	Roscommon	... 114
Connaught	... 106	Kildare	... 64	Sligo	... 116
Ulster (part of)	... 118	Kilkenny	... 66	Tipperary N.R.	98
		Leitrim	... 110	Tipperary S.R.	100
Carlow	... 58	Laoighis	... 68	Waterford Co. ...	102
Cavan	... 120	Limerick Co.	... 94	Waterford Co. ...	104
Clare	... 86	Limerick Co. Boro'	96	Boro'	...
Cork Co.	... 88	Longford	... 70	Westmeath	... 78
Cork Co. Boro'	... 90	Louth	... 72	Wexford	... 80
Donegal	... 122	Mayo	... 112	Wicklow	... 82

ABSTRACT VI.	Causes of death for fourteen principal towns	126-127
--------------	---	---------

APPENDIX I.	Number of searches at the General Register Office during the years 1864-1947, with the amount of fees received ...	128
APPENDIX II.	Cases of infectious diseases notified to Department of Health	129-133

DIAGRAM No. 1. Birth, Death and Marriage Rates, 1933 to 1947.



REPORT OF THE REGISTRAR GENERAL FOR THE YEAR 1947.

DO'N AIRE SLÁINTE.

Tá sé d'onóir agam a chur faoi do bhráid Tuarascáil ar Beireatasáí, Básanna agus Pósananna cláraithe sa bhliain, 1947.

P. Ó CINNÉIDE,

Ard-Chláraitheoir.

NOTE.—In this Report births have been assigned to the districts containing the normal residence of the parents and deaths to the district containing the normal residence of the deceased. The number of births shown for each of the years 1943 to 1947 is exclusive of late registrations and the number of deaths for each of the years 1940 to 1947 is exclusive of non-residents of Eire.

GENERAL SUMMARY.

During the year 1947 the number of marriages recorded was 1,235 less than that in 1946; the number of births registered increased by 1,056 and the number of deaths increased by 2,604 when compared with the corresponding figures for the preceding year.

Marriages.—The marriages registered during the year 1947 numbered 16,290, compared with 17,525 for the previous year, and an annual average figure of 16,151 for the decennial period ended with 1946. The rate per 1,000 of the population for the year 1947 was 5·5 while the annual average rate for the period 1937 to 1946 was also 5·5.

In Northern Ireland the rate per 1,000 for 1947 was 7·1; in England and Wales it was 9·3; and in Scotland 8·6.

Births.—The births registered during the year 1947 amounted to 68,978, an increase of 1,056 when compared with the figure for the year 1946. The average annual number for the decennial period 1937 to 1946 was 61,356. The rate for 1947 was 23·2; for 1946 it was 22·9; and for the period 1937 to 1946 the average rate was 20·8.

The rate in Northern Ireland for 1947 was 23·3; in England and Wales it was 20·6; and in Scotland, 22·0.

The number of illegitimate births recorded was 2,348, equivalent to a rate of 3·4 per cent. of the total births, which was 0·5 below that for the year 1946. The corresponding percentage for 1947 in Northern Ireland was 3·8; in England and Wales, 5·3; and in Scotland, 5·6.

Deaths.—During the year 1947 the number of deaths registered was 44,061, a figure which is 2,604 more than the number for 1946 and 1,360 more than the average annual number for the years 1937 to 1946. The rate per 1,000 of the population for the year 1947 was 14·8 compared with 14·0 for 1946 and 14·5 for the decennial period ended with the year 1946.

In Northern Ireland the death rate for 1947 was 12·6; in England and Wales it was 12·0, and in Scotland the rate was 12·9.

Of the deaths registered 25·2 per cent. were stated to be due to heart disease, 9·0 to cancer, 8·4 to tuberculosis (all forms), 6·9 to intra-cranial lesions, 4·2 to pneumonia, and 3·0 to bronchitis.

There were 3,700 deaths from all forms of tuberculosis recorded during the year 1947. This figure is 310 more than that for 1946 and 13 less than the average number of deaths for the decennial period from 1937 to 1946. The figure for the year 1938 was the lowest yet recorded. The rate per 1,000 of the population for 1947 was 1·24; for 1946 the rate was 1·14, and for the decennial period 1937 to 1946 the rate was 1·26.

Deaths from cancer (all forms) numbered 3,962; this figure is 62 less than the figure for 1946 and 66 above the annual average number for the period from 1937 to 1946. The rate per 1,000 of the population for the year 1947 was 1·33, being 0·03 less than that for the preceding year.

During the year 1947 the number of deaths recorded as due to puerperal infection and diseases of pregnancy and childbirth was 130. This figure is equivalent to a rate of 1·88 per 1,000 births, compared with an average of 2·95 in the preceding ten years. The corresponding rate for urban areas for 1947 was 1·41 per 1,000 births, and for rural areas 2·18, as compared with 1·26 and 2·47, respectively, for the year 1946.

There were 4,687 deaths of infants under one year of age registered during the year. This figure is 297 more than for the year 1946 and is equivalent to a rate of 68 per 1,000 births, compared with a rate of 65 for the preceding year. The rates per 1,000 births for urban and rural areas were 80 and 60 respectively in 1947, and 80 and 56 in 1946.

The infant mortality rate in Northern Ireland was 53; in England and Wales it was 41, and in Scotland the rate was 56.

Among legitimate infants the rate of mortality was 63 per 1,000 births, and among illegitimate it was 220. The legitimate infant mortality rate for Northern Ireland was 51 and the illegitimate, 98; and for Scotland 54 and 92 respectively.

The number of deaths registered as caused by violence was 971. Included in this figure are 72 due to suicide, 9 to homicide, and 890 to accidental or unspecified violent causes. During the previous year there were 79 suicidal deaths, 11 homicidal deaths and 790 deaths due to other forms of violence. The number of accidental deaths registered during 1947 as attributable to road traffic was 167 compared with 134 for the previous year.

Issue of Authority for Registration.—Births and deaths which have not been registered within one year of their occurrence may only be registered on the authority of the Registrar-General. During 1947 authority was issued for the registration of 1,783 births and 153 deaths.

The actual number of births registered on the authority of the Registrar-General during the year was 1,597.

Searches and Certificates.—During the year 1947 the number of searches made in the records of marriages, births and deaths in respect of which fees were received was 52,228, the certificates issued numbered 46,706, and the amount of fees received was £9,875. In the year 1946 the corresponding figures were as follows:—searches, 52,577, certificates, 35,982, and fees £8,351.

TABLE A.—MARRIAGES, BIRTHS and DEATHS registered during each of the years 1937 to 1947, with the rates per 1,000 of the estimated population represented thereby, and similar particulars relating to Northern Ireland for the year 1947.

YEARS.	Estimated Population	Numbers Registered.			Rate per 1,000 of Estimated Population.		
		Marriages	Births	Deaths	Marriages	Births	Deaths
1937 ...	2,948,000	14,780	56,488	45,086	5·01	19·16	15·29
1938 ...	2,937,000	14,893	56,925	40,041	5·07	19·38	13·63
1939 ...	2,934,000	15,204	56,070	41,717	5·18	19·11	14·22
1940 ...	2,958,000	15,212	56,594	41,885	5·14	19·13	14·16
1941 ...	2,993,000	15,021	56,780	43,797	5·02	18·97	14·63
1942 ...	2,963,000	17,470	66,117	41,640	5·90	22·31	14·05
1943 ...	2,946,000	17,328	64,375	43,494	5·88	21·85	14·76
1944 ...	2,944,000	16,772	65,425	45,128	5·70	22·22	15·33
1945 ...	2,952,000	17,301	66,861	42,762	5·86	22·65	14·49
1946 ...	2,963,000	17,525	67,922	41,457	5·91	22·92	13·99
Yearly Average, 1937—1946	2,954,000	16,151	61,356	42,701	5·47	20·77	14·46
1947 ...	2,972,000	16,290	68,978	44,061	5·48	23·21	14·83
NORTHERN IRELAND, 1947.							
1947 ...	1,339,000	9,517	31,254	16,913	7·11	23·34	12·63

POPULATION.

It is estimated that the population of Eire at the middle of the year 1947 was 2,972,000. The number of males was estimated to be 1,503,000, and the number of females 1,469,000. These figures are based on the result of the Census of Population taken in 1946, the natural increase (excess of births over deaths), and the balance of the passenger movement (including emigration and immigration). The population in 1936, according to the report on the Census for that year, was 2,968,420—males 1,520,454, and females 1,447,966; according to the Register of Population taken in November, 1941, it was 2,992,034—of which 1,512,727 were males and 1,479,307 females; according to the Register of Population taken in December, 1943, it was 2,949,713—males, 1,489,585 and females, 1,460,128, and according to the Census of Population taken in May, 1946, it was 2,953,452, of which 1,494,384 were males and 1,459,068 females.

In Table I the estimated population for each of the years 1851 to 1947 is given.

TABLE B.—The average excess of births over deaths during the period 1864 to 1870, during each intercensal period between 1871 and 1936, and for each of the years 1936-1947, with the rate per 1,000 of the population, and the balance of the passenger movement from 1936 to 1947.

PERIOD	Excess of Births over Deaths (Natural Increase)		Balance of Passenger Movement (including Migration). Outwards (—); Inwards (+)	
	Number	Per 1,000 of Population	Number	Per 1,000 of Population
1864-70	39,603	9.5	—	—
1871-81	31,855	8.1	—	—
1881-91	19,600	5.4	—	—
1891-1901	14,954	4.5	—	—
1901-11	17,940	5.6	—	—
1911-26	15,820	5.1	—	—
1926-36	16,264	5.5	—	—
Year 1936	15,529	5.2	—21,539	— 7.3
„ 1937	11,402	3.9	—25,936	— 8.8
„ 1938	16,884	5.7	—17,555	— 6.0
„ 1939	14,353	4.9	+ 13,965	+ 4.8
„ 1940	14,709	5.0	+ 17,168	+ 5.8
„ 1941	12,983	4.3	—23,395	— 7.8
„ 1942	24,477	8.3	—53,335	—18.0
„ 1943	20,881	7.1	—37,396	—12.7
„ 1944	20,297	6.9	+ 6,562	+ 2.2
„ 1945	24,099	8.2	— 2,345	— 0.8
„ 1946	26,465	8.9	— 8,973	— 3.0
„ 1947	24,917	8.4	— 9,061	— 3.0

MARRIAGES.

Number and Rate.—There were 16,290 marriages registered during the year 1947 compared with a figure of 14,780 in 1937. The figure for 1947 is 1,235 less than that for the year 1946 and 139 above the average for the decennial period 1937 to 1946.

The annual rate per 1,000 of the population for the year 1947 was 5.48 compared with 5.91 in 1946. The rate for the decennial period ended with 1946 was 5.47 per 1,000. In 1942, 1943, 1944, and 1945, the rates were respectively 5.90, 5.88, 5.70 and 5.86 per 1,000. The figures and rates for each of the years 1937 to 1947 are shown in Table C on page x, and a summary of the figures and rates since 1864 is given in Tables 3 and 4 of Part II of this Report.

The following table shows the marriage-rate for Eire, Northern Ireland, England and Wales, and Scotland for each of the years 1938 to 1947 :—

YEARS	Eire	Northern Ireland	England and Wales	Scotland
1938 ...	5.1	6.7	8.8	7.8
1939 ...	5.2	7.1	10.6	9.2
1940 ...	5.1	7.6	11.3	10.7
1941 ...	5.0	9.3	9.4	9.5
1942 ...	5.9	9.0	8.9	9.5
1943 ...	5.9	7.8	7.2	7.6
1944 ...	5.7	7.2	7.1	7.2
1945 ...	5.9	7.9	9.3	9.5
1946 ...	5.9	7.4	9.0	8.9
1947 ...	5.5	7.1	9.3	8.6

MARRIAGES—continued.

In Abstract II, Part III, the number of marriages recorded for each county is shown together with information regarding the mode of celebration, the number for each quarter, the conjugal condition of the parties married, and the number of persons married who were not of full age at the time of marriage.

Mode of Celebration.—The number of marriages celebrated in accordance with the rites and ceremonies of the Catholic Church during the year 1947 amounted to 15,379 (equal to 94.4 per cent. of the total), and other marriages numbered 911. The number of Catholic marriages is 1,326 less than that for 1946 and the number of all other marriages is 91 more than the figure for the preceding year. In the year 1947 the number of marriages other than Catholic recorded include 623 according to the rites and ceremonies of the Protestant Episcopal Church ; 160 in Presbyterian meeting-houses ; 58 in registered buildings belonging to various other religious denominations ; 54 by civil contract in the registrars' offices ; 6 according to the usages of the Society of Friends, and 10 according to Jewish rites. Comparing these figures with those for 1946, the number according to the rites and ceremonies of the Protestant Episcopal Church shows a decrease of 16 ; in Presbyterian meeting-houses an increase of 52 ; in registered buildings an increase of 22 ; in the registrars' offices an increase of 23 ; an increase of 5 according to the usages of the Society of Friends ; and an increase of 5 according to Jewish rites.

At the Census of 1936, Catholics represented 93.4 per cent. of the population, Protestant Episcopalians 4.9 per cent., Presbyterians 1.0, Methodists 0.3, and all other denominations 0.4.

The number of Catholic marriages recorded during 1947 is equal to a rate of 5.18 per 1,000 of the estimated Catholic population, a rate which is 0.34 below the average rate for the preceding ten years, and the rate for all other marriages was 4.64 per 1,000 of all persons other than Catholics in the population, or 0.11 below the average. Corresponding rates for each year from 1937 to 1947 are shown in Table C below.

TABLE C.—MARRIAGES registered in 1947 and in each of the previous ten years, according to the **MODES OF CELEBRATION** ; with the rate per 1,000 of the population represented by Catholic and all other marriages.

YEARS	Marriages registered other than Catholic							Catholic Marriages	Total Marriages Registered	Rate per 1,000 of estimated corresponding Population represented by		
	Protestant Episcopal	Presbyterian	In Registered Buildings	In the Registrars' Offices	Society of Friends	Jews	Total			Catholic Marriages	All other Marriages	Total Marriages
1937 ...	718	139	46	59	2	8	972	13,808	14,780	5.01	5.00	5.01
1938 ...	680	128	54	49	4	9	924	13,969	14,893	5.09	4.77	5.07
1939 ...	660	132	59	52	4	15	922	14,282	15,204	5.21	4.76	5.18
1940 ...	681	147	75	49	5	3	960	14,252	15,212	5.16	4.92	5.14
1941 ...	668	160	66	55	2	9	960	14,061	15,021	5.03	4.86	5.02
1942 ...	720	153	64	57	3	7	1,004	16,466	17,470	5.95	5.12	5.90
1943 ...	677	152	49	52	3	9	942	16,386	17,328	5.96	4.84	5.88
1944 ...	645	128	49	63	2	3	890	15,882	16,772	5.78	4.58	5.70
1945 ...	632	124	51	57	4	8	876	16,425	17,301	5.96	4.50	5.86
1946 ...	639	108	36	31	1	5	820	16,705	17,525	6.04	4.19	5.91
Yearly Average 1937-46	672	137	55	52	3	8	927	15,224	16,151	5.52	4.75	5.47
1947 ...	623	160	58	54	6	10	911	15,379	16,290	5.18	4.64	5.48

Conjugal Condition.—The figures show that marriages between bachelors and spinsters constitute 94.8 per cent. of the total marriages ; those of widowers and spinsters, 3.4 per cent. ; bachelors and widows, 1.2 per cent. ; and those of widowers and widows, 0.6 per cent. Of the men married, 4.0 per cent. were widowers, and of the women, 1.8 per cent. were widows, or in 58 instances in every 1,000 marriages, one or both of the contracting parties had been married before. The corresponding figures for 1946 were :—widowers, 3.1 per cent., and widows 1.6 per cent. In Table E similar figures from the year 1937 are shown.

MARRIAGES—continued.

TABLE D.—MARRIAGE RATES (per 1,000 of the population) for counties, county boroughs and provinces, for the year 1947, together with comparative figures for the periods 1925 to 1927 and 1935 to 1937, inclusive.

Counties, &c.	Marriages per 1,000 of Population			Counties, &c.	Marriages per 1,000 of Population		
	Annual Average 1925-7	Annual Average 1935-7	Year 1947		Annual Average 1925-7	Annual Average 1935-7	Year 1947
ÉIRE	4.6	4.9	5.5	Kerry	4.2	3.9	4.5
Carlow	4.3	5.0	5.0	Limerick	3.6	3.7	4.0
Dublin	5.4	6.7	5.4	Limerick Co. Borough ...	9.4	8.5	10.7
City of Dublin	7.6	7.4	7.7	Tipperary N.R.	4.5	4.6	5.5
Kildare	3.9	4.7	4.6	Tipperary S.R.	3.8	4.0	5.0
Kilkenny	3.9	4.3	4.9	Waterford	4.1	4.4	5.6
Laoighis	3.4	3.2	3.3	Waterford Co. Borough ...	4.9	5.3	5.1
Longford	4.4	3.8	4.2	Munster	4.4	4.5	5.4
Louth	4.0	5.2	5.9	Galway	3.7	4.0	4.6
Meath	3.5	5.2	4.5	Leitrim	4.4	4.0	5.2
Offaly	4.3	4.4	4.6	Mayo	3.8	3.5	3.8
Westmeath	4.0	4.0	5.2	Roscommon	4.0	3.8	4.5
Wexford	4.4	4.7	4.9	Sligo	4.3	4.3	5.1
Wicklow	4.0	4.6	5.4	Connaught	3.9	3.9	4.5
Leinster	5.2	5.8	6.1	Cavan	4.3	4.2	4.9
Clare	3.6	3.7	4.9	Donegal	3.7	4.7	5.5
Cork	3.5	3.6	4.3	Monaghan	3.9	4.0	5.1
Cork Co. Borough	8.2	8.7	10.5	Ulster (part of) ...	3.9	4.4	5.3

Rates for Counties, etc.—In making a comparison of the marriage rates for each of the counties and county boroughs it must be borne in mind that the rates are based on the total number of marriages recorded in each area irrespective of the fact that the persons married may not be residents of the area in which the marriage took place. An examination of the returns of marriages proves that many persons living in the rural portions of the country are married in the county boroughs and urban areas. This fact accounts in some measure for the high rates for the county boroughs. In Limerick county borough the rate was 10.7 per 1,000; in Cork 10.5; in Dublin 7.7; and in Waterford 5.1. The highest rates for the remaining areas were Louth 5.9, Waterford 5.6, Donegal 5.5, and Tipperary N.R. 5.5. The lowest rates were recorded in Laoighis 3.3, Mayo 3.8, Limerick 4.0, Longford 4.2, and Cork 4.3 per 1,000.

In the provinces the rates were 6.1 for Leinster, 5.4 for Munster, 5.3 for Ulster (part of), and 4.5 for Connaught. The corresponding rates for 1946 were 6.5 for Leinster; 6.0 for Munster; 5.2 for Ulster (part of); and 4.8 for Connaught. The rate for Leinster for 1947 is 0.3 per 1,000 above the average figure for the three years 1935 to 1937, that for Munster is 0.9 more than the average, in Connaught the increase was 0.6 and in Ulster (part of) it was 0.9 per 1,000 of the population.

Marriages in each Quarter.—The number of marriages is shown in Table 5 by quarters for each of the years 1937-1947, and also the average number and rate for the ten years 1937 to 1946, and the rate for the year 1947. In the first quarter of 1947 the rate per 1,000 of the population was 5.1, in the second 5.4, in the third 6.6, and in the fourth 4.8. The corresponding rates for the year 1946 were 6.0 for the first quarter, 5.6 for the second, 7.0 for the third, and 5.0 for the fourth quarter; and the average rates for the decennial period from 1937 to 1946 were 5.2, 5.4, 6.3 and 4.9 respectively.

In the same Table the number of Catholic marriages and marriages other than Catholic recorded for each quarter of the year 1947 is given, and the equivalent rate per 1,000 of the population, together with the average figures and rates for the decennial period from 1937 to 1946.

In the case of Catholic marriages the rate per 1,000 of the corresponding population for each of the first and following quarters of 1947 was 5.2, 5.4, 6.6 and 4.9 respectively, compared with a rate of 6.2, 5.7, 7.1 and 5.2 for the same quarter of the year 1946. The rate for other marriages for each of the quarters of the year 1947 was 3.3, 5.1, 6.6 and 4.9 respectively, and the rate for the corresponding quarter of the year previous was 3.3, 4.6, 5.4 and 3.4 per 1,000 of the population other than Catholic.

MARRIAGES—continued.

TABLE E.—Proportion of PERSONS MARRIED NOT OF FULL AGE, and of RE-MARRIAGES during the years 1937 to 1947.

YEAR	Total Marriages	Persons not of Full Age		Re-Marriages	
		of 100 Men Married	of 100 Women Married	Widowers	Widows
				of 100 Men Married	of 100 Women Married
1937	14,780	1.42	6.84	5.07	2.20
1938	14,893	1.36	7.22	5.20	2.19
1939	15,204	1.47	7.39	4.84	1.82
1940	15,212	1.70	8.20	4.65	1.85
1941	15,021	1.84	7.96	4.27	1.90
1942	17,470	1.99	8.51	4.12	1.65
1943	17,328	1.56	7.48	3.85	1.72
1944	16,772	2.07	8.49	3.98	1.78
1945	17,301	1.51	7.69	3.24	1.64
1946	17,525	1.13	6.39	3.10	1.62
1947	16,290	1.45	6.59	4.04	1.82

Age at Marriage.—The Schedules to the Acts relating to marriage indicate that the law does not require that the ages of the contracting parties should be entered in the register or certificate. It is necessary that each party should be described as “of full age” or “minor” as the case may be, with the result that a complete record of the ages of the persons married is not available.

In the Province of Leinster the proportion of husbands in 1947 who were stated to have married under age was 1.92 per cent.; in Munster 1.48; in Connaught 0.77, and in Ulster (part of) 0.36 per cent. In the case of females married the proportion who were minors in Leinster was 8.48, in Munster 6.26, in Connaught 4.28, and in Ulster (part of) 6.06 per cent. The corresponding percentages for the country as a whole were 1.50 for husbands and 7.03 for wives.

The proportion per cent. of males married in Northern Ireland in 1947 who were under age was 4.4 and of females 17.1.

Licences for Marriage.—During the year 1947, the number of licences issued by the registrars for marriages in registered buildings and in registrars’ offices was 105. On 31st December, 1947, the number of such registrars of marriages authorised to grant licences for marriage was 67.

Marriage licences issued by licensing officers of the Protestant Episcopal Church amounted to 520. The number of licensing officers on the 31st December, 1947, was 142.

The number of licences for marriages issued by the licensing ministers of the Presbyterian bodies during the year 1947 was 139. The number of licensing ministers on the 31st December, 1947, was 50, of whom 46 were of the General Assembly, 2 of the United Presbytery or Synod of Munster, and 2 of the Western Presbytery, Reformed Presbyterian Church.

Buildings in which Marriages may be solemnised.—The law does not require the Registrar General to keep a register of the churches and chapels of the Catholic Church in which marriages may be solemnised. In the case of the other religious denominations the records in this office show that 1,038 churches and chapels of the Protestant Episcopal Church were, on the 31st December, 1947, licensed for the solemnisation of marriages, 146 Presbyterian meeting-houses (141 General Assembly, 2 United Presbytery or Synod of Munster, and 3 Western Presbytery, Reformed Presbyterian Church), and 160 separate buildings belonging to various other religious denominations were registered for the solemnisation of marriages. The several religious bodies to whom the 160 separate buildings belong are shown in the following list:—

Denominations	No. of Places of Worship	Denominations	No. of Places of Worship
Methodists	127	Salvation Army	2
Reformed Presbyterians	2	Seceders	2
Baptists	8	“Undenominational”	6
Independents or Congregationalists	3		
Christian Brethren	9		
Moravians or United Brethren	1	TOTAL	160

BIRTHS.

The births for the year 1947 numbered 68,978, a figure which is 1,056 more than that for the year 1946 and 7,622 more than the average number recorded during the decennial period from 1937 to 1946. The numbers recorded for each of the years 1942, to 1946 were 66,117, 64,375, 65,425, 66,861 and 67,922 respectively.

The annual rate per 1,000 of the population represented by the number of births recorded during the year 1947 was 23·21 and in 1946 the corresponding rate was 22·92 per 1,000. In the years 1942, 1943, 1944 and 1945 the rates were 22·31, 21·85, 22·22 and 22·65 respectively.

In Tables 3 and 4 the number of births and the average rate per 1,000 of the population represented thereby for the period 1864 (in which year the act for the registration of births became operative) to 1870, for each decennial period from 1871 to 1940, and the rate for each year since 1936 are shown. In the period from 1864 to 1870 the average rate was 25·79 per 1,000 and in the period from 1871 to 1880 it was 26·31, falling gradually to 19·34 for the decennial period 1931 to 1940. During the period 1938 to 1947 the highest rate recorded was 23·21 for 1947 and the lowest 18·97 for the year 1941.

The following table shows the birth-rate for Eire, Northern Ireland, England and Wales, and Scotland for each of the years 1938 to 1947 :—

YEARS		Eire	Northern Ireland	England and Wales	Scotland
1938	...	19·4	20·0	15·1	17·7
1939	...	19·1	19·5	14·9	17·4
1940	...	19·1	19·6	14·6	17·1
1941	...	19·0	20·8	14·2	17·9
1942	...	22·3	22·8	15·8	18·1
1943	...	21·9	24·2	16·5	18·9
1944	...	22·2	23·5	17·6	18·5
1945	...	22·7	22·0	16·0	16·9
1946	...	22·9	22·6	19·1	20·3
1947	...	23·2	23·3	20·6	22·0

Rates for Counties, etc.—In Abstract I, Part III, the number of births for each province, county and county borough for the year 1947 is given. The birth rates for the provinces, counties, county boroughs and urban and rural areas are given in Tables 10 and 12. For the province of Leinster the rate was 25·1, for Munster 22·7, for Connaught 20·9 and for Ulster (part of) 21·4, as compared with 24·6, 22·4, 20·7 and 21·5 respectively, for 1946. Comparing the rates for the years 1946 and 1947, it will be seen that the rate for Leinster has increased by 0·5, for Munster by 0·3, and for Connaught 0·2 and for Ulster a decrease of 0·1 is shown.

In Table 10 it appears that the following rates were recorded in the county borough areas, viz., Dublin 26·3, Cork 26·2, Limerick 30·5, and Waterford 24·3 per 1,000. The highest rates in the counties were Kildare 28·3, Carlow 26·3, Louth 26·3, Tipperary S.R. 25·6, Offaly 25·1, Wexford 24·7 and Wicklow 24·6. On the other hand, the lowest rates recorded were Roscommon 17·5, Leitrim 18·4, Sligo 19·9, Cork 20·0, Cavan 20·1, Monaghan 20·2, Dublin 20·9 and Mayo 21·4 per 1,000.

The birth rates for the total urban areas were 25·9 and 25·1, respectively, in the years 1947 and 1946, an increase of 0·8 per 1,000, while the corresponding rural rates were 22·0 and 21·9, respectively, an increase of 0·1 per 1,000. In Table 15 the birth rates for the urban and rural areas are shown for a number of years.

Illegitimate Births.—The births registered during 1947 include 2,348 of illegitimate children, a figure which is 294 below that for 1946. The number for 1947 is equivalent to a rate of 0·8 per 1,000 of the population, and a rate of 3·4 per cent. of the total births recorded. The respective rates for the previous year were 0·9 per 1,000 and 3·9 per cent.

In Northern Ireland for 1947 the rate per cent. of the total births was 3·8, in England and Wales 5·3, and for Scotland 5·6.

The percentages are shown for each of the provinces for the years 1940 to 1947 in the following statement :—

AREA	Illegitimate births—per cent. of total births.							
	1940	1941	1942	1943	1944	1945	1946	1947
Eire	3·22	3·48	3·66	3·80	3·92	3·93	3·89	3·40
Leinster ...	3·40	3·62	3·77	4·00	4·15	4·17	3·97	3·75
Munster ...	3·44	3·59	3·80	4·16	4·01	4·13	4·21	3·58
Connaught ...	1·93	2·32	2·53	2·29	2·44	2·39	2·64	1·64
Ulster (part of) ...	3·90	4·43	4·59	4·19	5·04	4·65	4·46	3·62

BIRTHS—continued.

In Tables 9 and 10 the number of illegitimate births and the proportion per cent. of the total births registered for each of the provinces, counties and county boroughs for the year 1947 are given. The highest percentages were in the following counties: Kilkenny 6·0, Carlow 5·7, Waterford 5·4, Longford and Limerick 5·2, Wicklow 4·9, Wexford 4·8 and Cavan 4·6. The counties with the lowest ratios were Waterford county borough 1·3, Mayo 1·3, Cork county borough 1·5, Limerick county borough 1·8, Sligo 2·1, Roscommon 2·4 and Galway 2·4 per cent.

Legitimacy Act (1931).—The authority of the Registrar-General for the re-registration of births under the Legitimacy Act, 1931, was issued in 117 cases during the year 1947. This figure is one more than the corresponding figure for the year 1946.

Proportion of Males to Females.—The number of male births registered in 1947 was 35,674 and of female births 33,304. The proportion between the sexes was 1,071 males per 1,000 females, a ratio which is the same as that for 1946 but which is 14 above the average figure for the years 1937 to 1946. In Northern Ireland for the year 1947 the proportion of males born alive to 1,000 females was 1,050, in England and Wales 1,061, and in Scotland 1,052.

Table 4 shows the proportion of male to female births for each of the years since 1937, and also the average rates since the year 1864.

The male children born in wedlock in 1947 numbered 34,450, and the female 32,180, or 1,071 males to every 1,000 females, and of the illegitimate children, 1,224 were males and 1,124 females, or 1,089 boys to every 1,000 girls.

Births in each Quarter.—The number of births by sexes recorded during each quarter of 1947 is shown in the following table:—

		1st Quarter	2nd Quarter	3rd Quarter	4th Quarter	Total
Males	...	9,107	9,695	9,097	7,775	35,674
Females	...	8,430	9,251	8,327	7,296	33,304
TOTAL	...	17,537	18,946	17,424	15,071	68,978

In Table 5 the number of births registered in each quarter of the years 1937 to 1947 is given, together with the rates for the year 1947 and the average rates for the previous decennial period. The rates for each of the quarters were 23·6, 25·5, 23·5 and 20·3 per 1,000, showing increases of respectively 3·2, 3·4, 2·1 and 1·1 when compared with the average rates.

Multiple Births.—The number of infants born alive in multiple births registered during 1947 was 1,949, consisting of 961 pairs of twins, and 9 sets of triplets, as compared with 1,520 (748 pairs of twins and 8 sets of triplets) for the previous year. The twin children whose births were recorded during 1947 were 2·8 per cent. of the total number of infants whose births were registered. In 1946 the corresponding percentage was 2·2.

The number of mothers of living children whose births were recorded during the year was 67,999. Of these 67,029, or 98·6 per cent., gave birth to single infants, and 970 or 1·4 per cent. to two or more infants at a birth.

The infants born in wedlock (66,630) included 64,736 single infants, 1,870 twins and 24 triplets, equivalent to, respectively, the ratios of 97·16 per cent., 2·81 per cent., and 0·03 per cent. of the total number of legitimate births.

Illegitimate infants included 2,293 single infants, 52 twin infants and 3 triplets, equivalent, respectively, to 97·66 per cent., 2·21 per cent, and 0·13 per cent. of the 2,348 illegitimate infants registered. In the year 1946 the illegitimate infants recorded included 2,598 single infants, and 44 twin infants.

In the year 1947 the infants born alive in multiple births comprised 993 males and 956 females. Of the twin infants, 981 were males and 941 females, the triplet infants included 12 males and 15 females.

It should be noted that the figures given above relate to live births, as stillbirths are not registered, and that, therefore, the birth of one living child and one stillborn, or one living child and two stillborn, is counted as a single birth, and the birth of two living children and one stillborn is counted as a twin birth.

DEATHS.

Number and Rate.—The number of deaths recorded during the year 1947 was 44,061, the males numbering 23,461 and the females 20,600. The total is 2,604 more than the number for 1946 and 1,360 more than the average for the decennial period 1937 to 1946. In the year 1947 the deaths of males were 1,598 more, and the deaths of females 1,006 more than in the previous year.

The deaths registered in 1947 represent a rate of 14·83 per 1,000 of the population, compared with 13·99 for 1946 and an average of 14·46 for the ten years 1937 to 1946. The rate for males during each of the past three years was 14·94, 14·59 and 15·61, the corresponding ratio for females being 14·02, 13·39 and 14·02 respectively.

A comparison of the death rates since 1864 is shown in Table 4, and in Table 8 the rates by sexes and ages for the same periods are given.

The death rates per 1,000 of the population for Eire, Northern Ireland, England and Wales, and Scotland for the years 1938 to 1947 are as follows :—

YEARS		Eire	Northern Ireland	England and Wales	Scotland
1938	...	13·6	13·7	11·6	12·6
1939	...	14·2	13·5	12·1	12·9
1940	...	14·2	14·6	14·0	14·9
1941	...	14·6	15·2	12·9	14·5
1942	...	14·1	13·3	11·6	13·0
1943	...	14·8	13·4	12·1	13·3
1944	...	15·3	12·8	12·7	13·6
1945	...	14·5	12·3	11·4	13·2
1946	...	14·0	12·5	11·5	13·1
1947	...	14·8	12·6	12·0	12·9

Rates for Counties, etc.—In Abstract I, Part III, the number of deaths recorded for each province, county and county borough is shown. In Tables 10 and 12 death rates are given for each of the provinces, counties and county boroughs and also for urban and rural areas. The rates for the county boroughs were as follows :—Dublin 14·0, Cork 17·1, Limerick 15·9, and Waterford 15·6. The counties with the highest rates were Sligo 16·9, Wexford and Leitrim each 16·5, Longford 16·2, and Carlow 16·0. The lowest rates were recorded for Dublin 13·2, Kildare 13·7, Meath 14·1, Galway 14·2, Kilkenny and Tipperary N.R. each 14·3, Louth, Limerick and Monaghan each 14·6, Mayo 14·7, and Wicklow, Roscommon and Donegal each 14·9.

The rate for the province of Leinster was 14·5 per 1,000, for Munster 15·4, for Connaught 15·0 and for Ulster (part of) 15·0, compared with 13·5, 14·4, 14·6 and 14·3 for the preceding year.

During the year 1947 the rates represented by the deaths recorded for the aggregate urban and rural areas were respectively 14·3 and 15·2 per 1,000 compared with 13·2 and 14·5 for the preceding year. The figure for the urban areas in 1947 is 1·1 more, and that for the rural areas 0·7 more than the respective rates for the year 1946. A comparative statement of the rates for these areas for a series of years is given in Table 15.

Deaths in each Quarter.—The following statement shows the number of deaths of persons and of males and females registered during each quarter of the year 1947 :—

		1st Quarter	2nd Quarter	3rd Quarter	4th Quarter	Total
Males	...	8,524	5,940	4,442	4,555	23,461
Females	...	7,451	5,221	3,846	4,082	20,600
TOTAL	...	15,975	11,161	8,288	8,637	44,061

DEATHS—continued.

Of the total deaths, 27,136, or 61·6 per cent., were registered during the first six months and 16,925, or 38·4 per cent., in the second six months. The corresponding percentages for the preceding year were respectively 56·8 and 43·2.

During the year 1947 the mortality was highest in the first quarter, in which the rate was 21·5 per 1,000 of the population. In the second quarter the rate was 15·0, in the third 11·2, and in the last quarter it was 11·6. In the preceding year the rates for the quarters were as follows:—first 17·6, second 14·2, third 11·5, and fourth 12·6.

The rate for each quarter of 1947 and the average figure for the previous ten years are given in Table 5. A comparison between the rates for 1947 and the average figure shows that in the first quarter there was an increase of 3·3 per 1,000; the rate for the second quarter shows an increase of 0·5; the third a decrease of 0·5, and in the fourth quarter there was a decrease of 1·8 per 1,000.

Deaths in Institutions.—In Abstract V information is given relating to deaths in institutions for the country as a whole, and for each province, county and county borough. Deaths occurring in general and special hospitals numbered 5,084, in mental hospitals 1,415, in county homes and hospitals, etc., 8,832; and 28,730 occurred elsewhere, chiefly at the homes of the deceased. These figures are in the respective proportions of 11·5, 3·2, 20·1, and 65·2 per cent. of the total number of deaths.

These rates, when compared with the figures for earlier years, indicate an increasing tendency to avail of hospital and institutional treatment. In 1937 the percentages of deaths in the three classes of institutions were 11·1, 3·0 and 17·5, respectively, 68·4 per cent. dying at their own homes.

Uncertified Causes.—The number of cases in which the cause of death was not stated to have been certified by a medical practitioner or coroner was 5,528. This figure is equivalent to a rate of 12·5 per cent. of the total deaths registered during the year. The proportion for the previous year was 12·4 and the average percentage for the ten years from 1937 to 1946 was 14·9.

The majority of the uncertified deaths are recorded in rural districts, the percentage for these districts in 1947 being 17·8. In the urban areas the percentage was only 1·8.

Inquests.—The number of deaths registered on certificates issued by coroners as the result of inquests or post-mortem examinations during the year 1947 was 1,340, or one in every 33 deaths registered. The number of such deaths for the year 1947 include 813 cases in which inquests were held, and 527 cases in which the death was registered on a certificate issued as the result of a post-mortem examination.

CAUSES OF DEATH.

The causes of the deaths of males and females registered during the year 1947, classified in accordance with the list adopted at the International Conference held in Paris in 1938, are published in Abstract IV. In Abstract V the causes of the deaths by age periods for each of the provinces, counties and county boroughs are shown, and in Abstract VI the causes of the deaths for each of the principal towns are given.

The proportion of the deaths from the principal causes at certain age-periods is given in Table F on the following page. It will be seen that heart disease is the cause of the largest proportion of deaths, namely, 252 in every 1,000 deaths; the next in order are senility 147, cancer 90, tuberculosis (all forms) 84, intra-cranial lesions of vascular origin (cerebral hæmorrhage, etc.) 69, pneumonia 42, and bronchitis 30 in every 1,000 deaths. These causes account for 71 per cent. of the total mortality.

Among deaths of infants under one year the group of diseases and conditions under the heading of congenital malformations and diseases peculiar to the first year of life (including congenital debility and premature birth) accounts for 518 in every 1,000 deaths compared with 505 in every 1,000 deaths for the preceding year. Among the other principal causes of death at this age-period are diarrhoea and enteritis (153 in every 1,000), pneumonia (127), whooping cough (44 in every 1,000 deaths) and bronchitis (23 in every 1,000 deaths).

In the case of children between the ages of one and five years, pneumonia is the cause of 208 in every 1,000 deaths, tuberculosis in 178 instances, whooping cough in 82, measles in 60, diarrhoea and enteritis in 41, diphtheria in 29, and bronchitis in 18 cases. The chief feature of the mortality of children aged 5 and under 15 years of age is the proportion due to tuberculosis (327 in every 1,000), pneumonia 55, and diphtheria 16 in every 1,000. The cause

TABLE F.—Proportion of deaths from the principal causes at certain age-periods in 1947.

No.	CAUSES OF DEATH	PROPORTION PER 1,000 DEATHS AT EACH AGE-PERIOD										
		All Ages	Under 1	1-	5-	15-	25-	35-	45-	55-	65-	75 & up
	ALL CAUSES . . .	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000
1	Typhoid fever (including paratyphoid).	.	.	.	2	3	2	1
2	Cerebro-spinal meningitis	1	3	11	6	1	1	2
3	Scarlet fever	4	3	1
4	Whooping cough . .	7	44	82	11
5	Diphtheria	1	.	29	16	1	1	2	1	.	.	.
6	Tuberculosis of respiratory system.	64	3	24	79	477	472	289	132	54	13	1
7	All other forms of tuberculosis.	20	10	154	248	143	79	34	19	6	2	1
8	Dysentery	1
9	Influenza	15	8	11	11	7	7	9	11	15	21	16
10	Measles	2	6	60	11	1	1
11	Acute infectious encephalitis	.	.	.	3	1	.	1	1	1	.	.
12	Typhus
13	Cancer	90	.	9	19	11	31	102	180	185	130	55
14	Diabetes mellitus . .	5	.	1	8	6	4	6	6	8	6	3
15	Intra-cranial lesions of vascular origin.	69	.	3	11	5	12	32	74	101	110	71
16	Diseases of the heart .	252	.	3	44	66	97	147	236	317	373	298
17	Other diseases of the circulatory system.	20	.	.	.	1	5	12	24	24	33	22
18	Bronchitis	30	23	18	8	5	5	12	31	38	39	32
19	Pneumonia	42	127	208	55	27	20	35	38	32	30	20
20	Other diseases of the respiratory system.	14	7	13	20	10	16	29	26	20	13	10
21	Ulcer of the stomach or duodenum.	6	.	1	.	3	9	21	15	15	5	2
22	Diarrhoea and enteritis .	19	153	41	11	2	6	5	3	2	2	1
23	Appendicitis	2	.	12	20	11	6	4	3	1	1	1
24	Cirrhosis of the liver .	1	.	.	3	1	.	2	2	4	1	1
25	Diseases of liver and biliary passages.	3	.	3	.	1	1	5	4	5	3	2
26	Other diseases of the digestive system.	12	13	22	22	11	12	17	19	14	12	8
27	Nephritis	25	1	5	16	20	25	47	36	42	32	18
28	Puerperal infection . .	1	.	.	.	2	8	9
29	Other diseases of childbirth	2	.	.	.	11	25	25
30	Congenital debility, etc. (Nos. 157-161).	57	518	39	47	5	2	1
31	Senility	147	92	397
32	Suicide	2	.	.	.	2	6	5	4	4	1	.
33	Other violence . . .	20	10	65	135	65	42	35	27	14	16	11
34	Other causes	71	74	182	191	100	105	110	108	98	65	30

CAUSES OF DEATH—continued.

of the majority of the deaths of persons aged 15 and under 45 years is tuberculosis, and subsequent to that age the chief factors in the mortality are heart disease, cancer and intra-cranial lesions.

A comparative statement of the deaths from the principal causes recorded for each of the years 1945, 1946 and 1947 is given below, and in Table 7 the rates per 100,000 of the population are published.

CAUSES	Number of Deaths Registered			CAUSES	Number of Deaths Registered		
	Years				Years		
	1945	1946	1947		1945	1946	1947
Typhoid Fever ...	32	26	15	Heart Disease ...	10,139	10,120	11,118
Cerebro-Spinal Men- ingitis ...	31	25	38	Bronchitis ...	1,370	1,223	1,318
Scarlet Fever ...	4	3	8	Pneumonia ...	1,715	1,649	1,868
Whooping Cough ...	146	117	298	Diarrhoea and Enter- itis (under 2 years)	1,092	935	744
Diphtheria ...	236	139	56	Nephritis ...	1,110	1,027	1,097
Tuberculous Disease	3,694	3,390	3,700	Puerperal Infection	35	20	31
Dysentery ...	10	3	3	Other Puerperal Causes ...	124	117	99
Influenza ...	306	769	651	Congenital Debility, Malformation, Premature Birth, etc. ...	2,375	2,302	2,507
Measles ...	42	47	106	Senility ...	6,298	5,939	6,450
Acute Infectious Encephalitis ...	22	16	14	Violence ...	878	880	971
Typhus ...	—	—	—				
Cancer ...	3,954	4,024	3,962				
Intra-Cranial Lesions of vascular origin	2,689	2,716	3,024				

In Table 10 the rates per 1,000 of the population represented by the deaths from the principal epidemic diseases* are given by provinces, counties and county boroughs. The rate for Eire was 0·4, the same as the rate for the year 1946. The rates for the county boroughs are as follows:—Dublin 0·8, Cork 0·4, Limerick 1·0, and Waterford 0·7 per 1,000. The highest county rates are:—Kildare and Limerick each 0·6, Laoighis and Wexford each 0·5, and Dublin, Kilkenny, Louth, Offaly, Tipperary S.R., Waterford, Galway, Sligo, each 0·4. The counties in which the rates were lowest are:—Mayo and Roscommon each 0·1, Clare, Cork, Tipperary N.R., Leitrim, Cavan, Donegal and Monaghan each 0·2 per 1,000.

It may be seen in Table 12 that the mortality from this group of causes for all urban areas (county boroughs and urban districts) was equal to a rate of 0·7 per 1,000 of the population, compared with 0·3 for the rural districts. The corresponding rates for 1946 were also 0·7 and 0·3 respectively.

Typhoid and Paratyphoid Fevers.—The number of deaths recorded was 15, including 11 of males and 4 of females. The corresponding figure for 1946 was 26, including 13 of males and 13 of females. The average number for the decennial period from 1937 to 1946 was 46. During 1947 there were 5 deaths for urban areas and 10 for rural areas. There were 2 deaths for Limerick county borough.

Scarlet Fever.—There were 8 deaths from this disease registered during the year 1947 compared with 3 in the previous year. The average figure for the ten years 1937 to 1946 was 40.

Whooping Cough.—The number of deaths recorded under this heading was 298, compared with 117 for the year 1946, and an average figure of 199 for the decennial period ended with the latter year. The total for 1947 includes 137 of males and 161 of females, compared with 63 and 54, respectively, in the previous year.

The figure for 1947 includes 205 of infants under one year of age and 55 of children aged between one and two years. In 1946 the corresponding figures were 65 and 25.


There were 118 deaths recorded for Dublin county borough, 16 for Kerry, 13 each for Kildare and Limerick (exclusive of the county borough), 12 each for Laoighis and Donegal and 11 each for Louth and Cork (exclusive of the county borough).

Diphtheria.—The number of deaths was 56, compared with a figure of 139 for 1946, and an average of 244 for the years 1937 to 1946. In 1933 the number was 418 (the highest recorded since 1921), and the respective figures for each of the years 1937 to 1945 were 293, 314, 245, 178, 165, 267, 310, 293 and 236.

The figure for 1947 includes 26 males and 30 females, the corresponding figures for the previous year being 78 and 61 respectively.

* Typhoid fever, scarlet fever, whooping cough, diphtheria, dysentery, smallpox, measles, typhus and diarrhoea and enteritis (under 2 years).

DIAGRAM No. 2. Mortality from Diphtheria, 1933 to 1947.



CAUSES OF DEATH—continued.

Diphtheria—continued.

Included in the figure for 1947 were 31 of children aged between one and five years and 10 between the ages of five and ten years.

The death rate per 100,000 of the population was 1·9 compared with 4·7 for the previous year. In the urban areas as a whole the rate for 1947 was 1·5 compared with 4·1 in the previous year, and in the rural areas the corresponding rates were 2·1 and 5·1 per 100,000 of the population.

For Leinster the rates for 1947 and 1946 were 2·0 and 4·2, for Munster 2·1 and 3·5, for Connaught 0·4 and 4·9 and for Ulster (part of) 3·8 and 11·0 per 100,000.

The following table shows the death rate per 100,000 of the population for Eire and the urban and rural areas for each of the years 1938 to 1947 :—

YEARS	Eire	URBAN DISTRICTS			Rural Districts
		Principal Towns	Other Urban Districts	Total	
1938 ...	10·7	17·8	8·8	15·9	8·1
1939 ...	8·3	14·1	11·7	13·6	5·7
1940 ...	6·0	9·9	6·4	9·1	4·5
1941 ...	5·5	9·0	4·9	8·4	4·2
1942 ...	9·0	13·8	5·4	12·3	7·4
1943 ...	10·5	15·7	8·8	14·3	8·4
1944 ...	10·0	13·2	12·0	13·0	8·4
1945 ...	8·0	7·6	9·9	8·1	8·0
1946 ...	4·7	4·3	3·1	4·1	5·1
1947 ...	1·9	1·3	2·1	1·5	2·1

The counties and county boroughs in which the highest death rates from this disease were recorded in 1947 are as follows :—Limerick county borough, 7·0, Carlow 5·9, Wexford 5·5, Donegal 5·1, Meath 4·5, and Laoighis 4·0 per 100,000 of the population. There were no deaths recorded for Cork county borough, Waterford county borough, Longford, Westmeath, Wicklow, Waterford, Leitrim, Mayo and Roscommon, and the lowest death rates for the remaining counties were :—Galway 0·6, Dublin county borough and Limerick county each 1·0, Kildare and Kerry each 1·5, Dublin county and Sligo each 1·6, Tipperary N.R. 1·7, Monaghan 1·8, and Offaly 1·9 per 100,000.

Tuberculosis.—The number of deaths registered during 1947 from all forms of tuberculosis was 3,700—1,904 of males and 1,796 of females. When compared with the number recorded in 1946 the total shows an increase of 310—in the case of males of 151 and in the case of females of 159. The figure for 1947 is 13 below the average for the decennial period from 1937 to 1946—a decrease in male deaths of 14 and an increase of one in the case of female deaths.

The deaths recorded during 1947 are equivalent to a rate of 1·24 per 1,000 of the estimated population. For 1946 the rate was 1·14 per 1,000, and during the ten years from 1937 to 1946 the average rate was 1·26 per 1,000.

In the following table the mortality from tuberculosis per 1,000 of the population for Eire, Northern Ireland, England and Wales, and Scotland is given for each of the years 1938 to 1947 :—

YEARS	Eire	Northern Ireland	England and Wales	Scotland
1938 ...	1·09	0·92	0·64	0·69
1939 ...	1·13	0·84	0·63	0·70
1940 ...	1·25	0·98	0·70	0·82
1941 ...	1·24	1·04	0·73	0·83
1942 ...	1·47	0·97	0·66	0·80
1943 ...	1·46	0·91	0·67	0·79
1944 ...	1·30	0·89	0·63	0·82
1945 ...	1·25	0·80	0·56	0·79
1946 ...	1·14	0·83	0·53	0·79
1947 ...	1·24	0·72	0·56	0·79

CAUSES OF DEATH—continued.

Tuberculosis—continued.

Table G shows the number of deaths ascribed to this disease in Eire, by sexes, during each of the last eleven years. The highest rate for all persons during the period covered by the table was 1.47 per 1,000 in 1942 and the lowest 1.09 in 1938. For males the highest rate 1.53 was in 1942 and the lowest 1.10 in 1938. In the case of females the rate was highest in 1943, viz., 1.44, and lowest in 1938—1.09 per 1,000.

TABLE G.—Mortality from Tuberculosis during each of the years 1937–1947.

YEAR	MALES		FEMALES		TOTAL		Annual Increase or Decrease	
	Number of Deaths	Rate per 1,000 of the Male population	Number of Deaths	Rate per 1,000 of the Female population	Number of Deaths	Rate per 1,000 of the population	Number	Per cent.
1937 ...	1,871	1.24	1,768	1.23	3,639	1.23	+ 159	+ 4.6
1938 ...	1,651	1.10	1,565	1.09	3,216	1.09	— 423	—11.6
1939 ...	1,707	1.14	1,597	1.12	3,304	1.13	+ 88	+ 2.7
1940 ...	1,944	1.28	1,741	1.21	3,685	1.25	+ 381	+11.5
1941 ...	1,855	1.21	1,856	1.27	3,711	1.24	+ 26	+ 0.7
1942 ...	2,297	1.53	2,050	1.40	4,347	1.47	+ 636	+17.1
1943 ...	2,203	1.48	2,103	1.44	4,306	1.46	— 41	— 0.9
1944 ...	1,998	1.34	1,841	1.26	3,839	1.30	— 467	—10.8
1945 ...	1,901	1.28	1,793	1.23	3,694	1.25	— 145	— 3.8
1946 ...	1,753	1.17	1,637	1.12	3,390	1.14	— 304	— 8.2
Average 1937–46	1,918	1.28	1,795	1.24	3,713	1.26	—	—
1947 ...	1,904	1.27	1,796	1.22	3,700	1.24	+ 310	+11.3

There were 2,831 deaths from tuberculosis of the respiratory system recorded in 1947 compared with 2,585 in 1946, an increase of 246. The figures for 1947 includes 1,432 of males and 1,399 of females—the figure for males shows an increase of 107 and that for females an increase of 137 when compared with the corresponding figures for the previous year. During 1947 there were 869 deaths (472 males and 397 females) from tuberculosis other than that of the respiratory system. The respective figures for 1946 were 805 (430 males and 375 females). The figures for 1947 are 64 (an increase of 42 males and an increase of 22 females) more than those for the previous year.

In Abstract IV particulars of the deaths included under the heading of tuberculosis other than respiratory are given. There were 394 deaths (218 males and 176 females) due to tuberculosis of the meninges and central nervous system, 125 deaths (59 males and 66 females) to tuberculosis of the intestines and peritoneum, 69 (45 males and 24 females) to tuberculosis of the vertebral column, 45 (25 males and 20 females) to the disease of other bones and joints, 4 (one male and 3 females) to tuberculosis of the skin, 12 (6 males and 6 females) of the lymphatic system, 32 (19 males and 13 females) in organs of the genito-urinary system, 6 (3 males and 3 females) to tuberculosis of other organs, and 182 (96 males and 86 females) caused by disseminated tuberculosis.

In the following table a comparison is made of the number of deaths from tuberculosis of the respiratory system and all other forms of the disease for each of the years 1943 to 1947 inclusive, together with the rate per 1,000 of the population.

CAUSE		YEARS				
		1943	1944	1945	1946	1947
Tuberculosis of the respiratory system	No.	3,398	2,935	2,777	2,585	2,831
	Rate	1.15	1.00	0.94	0.87	0.95
Other forms of tuberculosis.	No.	908	904	917	805	869
	Rate	0.31	0.30	0.31	0.27	0.29

The mortality from tuberculosis at different age-periods for each of the years 1942 to 1947 is shown in Table H. Among persons aged 15 and under 20 years the rates in 1947 and 1946 were respectively 1.27 and 1.18 per 1,000, the figures for males being 0.94 for each year and for females 1.60 and 1.42 per 1,000. In the age-group from 20 to 24 years the rates in 1947 were—for persons 2.06, males 1.56 and females 2.58, and for 1946, respectively, 1.99, 1.81 and 2.18. At the age period 25 and below 35 years the figure for both sexes in 1947 was 1.99 per 1,000, and in 1946 it was 1.88, the corresponding rates for males being 1.96 and 1.69 and for females 2.02 and 2.08 per 1,000.

DIAGRAM No. 3. Mortality from Tuberculosis, 1933 to 1947.





TABLE H.—Deaths from Tuberculosis, and Death-rates per 1,000 of the population at the same age, during each of the years 1942 to 1947.

YEARS	All Ages	Under 5 yrs.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75 & up
DEATHS OF MALES.												
1942 ...	2,297	107	60	58	256	314	519	368	306	221	82	6
1943 ...	2,203	138	60	55	222	297	484	362	271	210	96	8
1944 ...	1,998	126	57	49	174	245	409	359	271	189	105	14
1945 ...	1,901	124	46	50	188	244	391	303	250	193	99	13
1946 ...	1,753	112	43	57	128	219	363	278	266	191	87	9
1947 ...	1,904	147	47	44	128	189	422	335	273	215	89	15
DEATHS OF FEMALES.												
1942 ...	2,050	79	37	90	266	362	563	296	193	111	43	10
1943 ...	2,103	110	59	83	270	351	543	290	186	132	65	14
1944 ...	1,841	102	57	71	221	286	465	266	189	113	56	15
1945 ...	1,793	116	44	66	209	298	423	274	166	123	62	12
1946 ...	1,637	93	37	49	190	253	438	240	163	109	55	10
1947 ...	1,796	102	47	69	215	300	425	269	167	106	85	11
DEATHS OF MALES AND FEMALES												
1942 ...	4,347	186	97	148	522	676	1,082	664	499	332	125	16
1943 ...	4,306	248	119	138	492	648	1,027	652	457	342	161	22
1944 ...	3,839	228	114	120	395	531	874	625	460	302	161	29
1945 ...	3,694	240	90	116	397	542	814	577	416	316	161	25
1946 ...	3,390	205	80	106	318	472	801	518	429	300	142	19
1947 ...	3,700	249	94	113	343	489	847	604	440	321	174	26
MALES—RATE PER 1,000.												
1943 ...	1.53	0.80	0.45	0.41	1.88	2.36	2.54	2.07	1.95	1.57	0.82	0.16
1943 ...	1.48	1.00	0.44	0.41	1.65	2.48	2.27	2.03	1.78	1.59	0.88	0.19
1944 ...	1.34	0.92	0.42	0.37	1.29	2.05	1.92	2.01	1.78	1.43	0.97	0.33
1945 ...	1.28	0.89	0.34	0.37	1.38	2.01	1.81	1.68	1.62	1.44	0.90	0.31
1946 ...	1.17	0.81	0.32	0.42	0.94	1.81	1.69	1.55	1.73	1.44	0.80	0.21
1947 ...	1.27	1.06	0.34	0.32	0.94	1.56	1.96	1.86	1.78	1.61	0.81	0.35
FEMALES—RATE PER 1,000.												
1942 ...	1.40	0.59	0.28	0.64	2.02	2.99	2.89	1.68	1.27	0.84	0.43	0.21
1943 ...	1.44	0.82	0.45	0.64	2.03	3.04	2.60	1.63	1.28	1.04	0.63	0.28
1944 ...	1.26	0.76	0.43	0.54	1.66	2.48	2.22	1.50	1.30	0.89	0.54	0.30
1945 ...	1.23	0.86	0.33	0.50	1.55	2.55	2.00	1.52	1.12	0.95	0.59	0.24
1946 ...	1.12	0.69	0.28	0.37	1.42	2.18	2.08	1.34	1.11	0.85	0.53	0.20
1947 ...	1.22	0.76	0.36	0.53	1.60	2.58	2.02	1.50	1.14	0.83	0.81	0.22
MALES AND FEMALES—RATE PER 1,000.												
1942 ...	1.47	0.69	0.36	0.52	1.95	2.66	2.71	1.87	1.62	1.22	0.63	0.18
1943 ...	1.46	0.91	0.45	0.52	1.84	2.75	2.43	1.83	1.53	1.32	0.76	0.24
1944 ...	1.30	0.84	0.43	0.45	1.48	2.26	2.07	1.76	1.54	1.17	0.76	0.32
1945 ...	1.25	0.87	0.33	0.43	1.46	2.27	1.90	1.60	1.38	1.20	0.75	0.27
1946 ...	1.14	0.75	0.30	0.40	1.18	1.99	1.88	1.45	1.43	1.15	0.66	0.21
1947 ...	1.24	0.91	0.35	0.42	1.27	2.06	1.99	1.68	1.46	1.23	0.81	0.28

The number of deaths recorded under the heading of tuberculosis for each of the counties and county boroughs, the fourteen principal towns and the total urban and rural areas are published in Tables 9 to 12 and 14. In abstract V information regarding the sex and age at death is given for each county and county borough area.

In the province of Leinster in 1947 the death rate was 1.4, in Munster 1.2, in Connaught 1.1, and in Ulster (part of), 1.0. The corresponding rates for 1946 were Leinster 1.2, Munster 1.2, Connaught 1.1 and Ulster (part of) 0.8 per 1,000.

DIAGRAM No. 4. Mortality from Influenza, 1933 to 1947.



CAUSES OF DEATH—continued.

Tuberculosis—continued.

The highest mortality rates from tuberculosis in 1947 for county or county borough areas were recorded for the following :—Cork county borough 2·0, Limerick county borough and Waterford county borough each 1·8, and Dublin county borough and Dublin county each 1·6. The counties having the lowest rates were—Monaghan 0·7, Roscommon 0·8, and Kilkenny, Offaly, Waterford, Leitrim, and Cavan each 0·9 per 1,000 of the population.

The deaths from tuberculosis in 1947 for the aggregate urban districts numbered 1,640, compared with 1,506 for the previous year. For the rural districts the number in 1947 was 2,060 compared with 1,884 for last year. The rate per 1,000 of the population for the urban areas rose from 1·49 in 1946 to 1·62 in 1947, while that for the rural areas increased from 0·97 to 1·06 per 1,000.

Influenza.—The number of deaths from this disease in 1947 was 651, compared with 769 for the preceding year and an average of 946 for the decennial period ended with 1946.

The rates per 1,000 of the population for the years 1947 and 1946 were 0·22 and 0·26 respectively.

In the aggregate urban areas the death rate for 1947 was 0·11 per 1,000, and in the rural areas 0·28, compared with 0·13 and 0·33 for 1946.

In the first quarter the mortality was 69 per cent. of the total and in each of the second, third and fourth quarters the proportion was 23, 4 and 4 respectively.

Smallpox.—Since the year 1907 no death from this disease has been recorded.

Measles.—There were 106 deaths registered in 1947 compared with 47 in the year 1946, and an average for the period from 1937 to 1946 of 82 deaths. Of the deaths recorded, 25 were for Galway, 19 for Dublin county borough, 9 for Kilkenny, and 5 each for Cork county and Tipperary S.R.

Acute Poliomyelitis and Polioencephalitis.—The deaths under this heading numbered 56 (31 males and 25 females) compared with 30 (21 males and 9 females) in the previous year. The figure for 1947 includes 7 each for Dublin county borough and Roscommon, 6 for Mayo, 4 for Galway, 3 each for Kildare, Offaly, Cork and Kerry, and 2 each for Dublin county, Westmeath, Wexford, Clare, Waterford county and Donegal.

Other Infective or Parasitic Diseases.—There were 32 deaths from Hodgkin's disease recorded during the year 1947.

Cancer.—The deaths due to cancer recorded for 1947 numbered 3,962—2,085 of males and 1,877 of females. The total figure is 62 below the number for 1946 and 66 above the average number for the decennial period ended with 1946. The number of deaths of males is 17 below, and that for females 45 below the corresponding figure for 1946.

The deaths from this disease constitute 9·0 per cent. of the deaths from all causes and are equivalent to a rate of 1·33 per 1,000 of the population. The rates for males and females were respectively 1·39 and 1·28 per 1,000. In Northern Ireland the rates for persons, males and females, were 1·47, 1·50 and 1·44 per 1,000, in England and Wales 1·81, 1·87 and 1·75, and in Scotland the death rates were 1·77 for both sexes, 1·83 for males and 1·71 for females.

In the following table the mortality from cancer per 1,000 of the population in Eire, Northern Ireland, England and Wales, and Scotland for each of the last ten years is given :—

YEARS	Eire	Northern Ireland	England and Wales	Scotland
1938 ...	1·26	1·32	1·67	1·62
1939 ...	1·27	1·33	1·66	1·61
1940 ...	1·28	1·36	1·72	1·70
1941 ...	1·27	1·37	1·78	1·69
1942 ...	1·37	1·41	1·83	1·71
1943 ...	1·37	1·45	1·90	1·73
1944 ...	1·42	1·41	1·90	1·86
1945 ...	1·34	1·44	1·74	1·92
1946 ...	1·36	1·42	1·77	1·80
1947 ...	1·33	1·47	1·81	1·77

TABLE J.—Deaths from CANCER and other MALIGNANT TUMOURS

International List Nos.	Parts Affected	MALES												
		Under 25	AGES AT DEATH											Total
			25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75 and up-wards	
45	Lip	1	1	.	2	3	4	7	9	21	48
	Tongue	1	.	4	4	13	7	9	38
	Jaw	1	.	.	1	3	5	9	7	17	15	58
	Mouth	1	.	.	1	3	6	10	9	30
	Pharynx	1	.	.	1	2	3	2	4	2	15
	Tonsil ...	1	.	.	1	.	.	.	1	.	1	1	2	7
46	Esophagus	1	4	.	4	10	14	17	17	8	75
	Stomach	4	4	5	15	22	40	54	82	110	98	77	511
	Rectum ...	1	2	.	4	6	2	11	20	34	37	48	46	211
	Liver ...	1	.	.	1	5	7	4	13	9	20	12	19	91
	Pancreas	1	4	7	5	4	11	6	13	51
	Peritoneum ...	2	1	.	3
47	Intestine ...	1	.	1	5	3	10	19	28	29	47	59	54	256
	Larynx, Trachea	2	3	1	6	12	6	6	36
	Lung ...	1	.	1	5	3	8	14	16	10	15	13	4	90
48	Mediastinum	1	1	2	1	2	.	7
	Uterus
49	Ovary
	Vagina
	Vulva
50	Breast	3	2	5
51	Scrotum	1	1
	Prostate	2	6	21	24	46	34	133
	Penis	1	.	1	.	.	2	5	7
	Testicle ...	1	.	1	1	1	2	1	7
52	Bladder	1	.	1	2	5	9	3	5	11	37
	Kidney ...	1	.	.	.	1	1	1	2	3	4	1	.	14
53	Ear	1	.	.	.	2	6	7	16
	Face	1	.	2	2	8	11	15	39
	Other Skin	1	1	2
54	Brain ...	4	1	1	2	2	4	1	1	16
	Spine ...	1	1	.	2	3	1	.	.	8
	Thyroid	1	1	.	.	.	1	2	.	5
	Nose	1	1
55	Abdomen	1	.	.	1	.	1	3	3	1	10
	Arm, Leg ...	5	.	.	1	1	3	3	2	2	8	10	12	47
	Axilla
	Eye ...	1	5	6
	Groin	1	1	.	.	.	1	2	5
	Neck	2	1	1	2	3	8	12	6	14	16	65
	Parotid	1	.	1	.	2	1	5
	Pelvis	2	2
	Spleen	1	1
	Thorax
	Throat	1	.	2	2	4	2	11	8	10	40
	Other and Unspecified ...	3	1	.	2	6	9	8	9	14	11	6	17	86
TOTAL ...		23	8	11	34	51	85	135	206	283	389	430	430	2,085
Deaths from Cancer per 100,000 living of the same age ...		3.4	8.8		47.2		143.0		366.7		746.2		1014.2	138.7

registered during the year 1947 by Sexes, Ages, and parts affected.

FEMALES													Total Males and Fe- males	International List Nos.
AGES AT DEATH														
Under 25	25-	30-	35-	40-	45-	50-	55-	60-	65-	70-	75 and up- wards	TOTAL		
.	1	.	1	3	5	53	45
.	.	1	.	.	.	1	3	1	2	2	3	13	51	
.	.	.	.	1	.	.	1	3	1	4	2	12	70	
.	2	.	.	.	2	3	5	35	
.	1	.	.	1	3	2	.	8	23	
.	1	.	.	.	2	9	
.	1	.	1	1	4	5	7	6	6	7	6	44	119	46
.	.	3	2	4	12	34	30	82	72	80	75	394	905	
.	.	1	3	1	1	9	8	10	10	18	16	77	288	
.	1	.	2	.	10	8	15	16	22	19	21	114	205	
.	1	.	.	1	4	5	5	9	12	5	7	49	100	
1	.	.	2	8	13	18	25	40	53	59	55	274	530	
.	.	.	1	1	3	2	5	.	6	3	1	22	58	47
.	.	.	1	1	3	7	7	7	8	7	1	42	132	
.	1	2	3	10	
.	.	2	4	12	11	23	25	35	21	19	25	177	177	48
2	1	3	6	6	7	11	4	4	6	4	5	59	59	49
.	1	.	1	.	2	2	
.	1	3	1	1	6	6	
.	1	7	8	21	31	29	37	37	30	40	31	272	277	50
.	1	51
.	133	
.	7	
2	.	1	.	.	.	1	2	5	3	5	5	22	59	52
.	1	2	2	1	2	1	2	13	27	
.	.	.	.	1	1	1	3	19	53
.	.	.	.	1	.	4	2	2	.	9	22	40	79	
.	1	1	1	1	4	6	
1	1	1	2	1	2	.	8	24	54
.	.	1	.	3	.	4	2	6	1	2	.	19	27	
.	.	.	1	.	1	2	2	1	7	3	.	17	22	
.	1	.	.	1	2	2	6	7	
.	.	.	1	.	.	.	1	4	7	2	3	18	28	55
5	1	.	1	1	4	4	4	3	7	4	7	41	88	
1	.	.	.	1	.	1	.	1	.	1	2	7	13	
.	2	.	4	1	.	1	1	6	
.	1	8	73	
.	1	1	1	.	.	1	4	5	
.	1	1	6	
.	2	1	2	3	4	.	3	15	2	
.	55	
1	1	1	3	6	7	5	3	12	4	14	12	69	155	
13	8	20	36	79	116	184	194	302	294	324	519	1,877	2,962	TOTAL
2.0	13.3	59.2	204.1	386.9	588.2	637.0	127.8	133.3	Rate per 100,000					

CAUSES OF DEATH—continued.

Cancer—continued.

In Tables 9 and 10 the number of deaths from cancer and the rate per 1,000 of the population for each of the counties and county boroughs are given. Similar information for urban and rural areas is shown in Tables 11, 12 and 14. In Abstract IV the ages at death of the persons whose deaths were due to this disease are given.

In the aggregate urban areas the deaths for 1947 numbered 1,302, equivalent to a rate of 1·29 per 1,000, and in the aggregate rural areas the number was 2,660 and the rate 1·37 per 1,000. In the year 1946 the number of deaths for the urban and rural areas were respectively 1,286 and 2,738, corresponding to rate of 1·27 and 1·41 per 1,000 of the population.

In Table J the deaths from cancer in 1947 are classified according to the site of the disease and the age at death. The mortality of females under 50 years of age is higher than that of males, but after that age has been reached, the excess in the male mortality is more pronounced. The high female rate in middle life is due to the mortality of women from cancer of the uterus and breast; on the other hand, the excess in the case of males in later life is due to the number of deaths from cancer of the buccal cavity and the digestive system.

Tumours.—In accordance with the International List of causes of death, the particulars of deaths from tumours are shown in Abstract IV in two classes :—(1) those caused by tumours definitely described as non-malignant, and (2) those caused by tumours whose nature was undetermined or was not ascertained. In 1947 the deaths in the first group amounted to 37 (13 males and 24 of females) and those in the second to 120 (69 males and 51 females) compared with a total of 46 and 103 respectively, in the previous year.

The non-malignant tumours included 7 of the uterus, 6 of the brain, 6 of the ovary, 5 of the bladder and 2 of the intestine.

The deaths classified under the heading of tumours of undetermined nature included 51 of the brain, 7 of the intestine, 6 each of the lung, spine and abdomen, 5 each of the bladder, mediastinum, and stomach, and 4 each of the kidney and ovary.

Diabetes.—There were 199 deaths from this disease in 1947 compared with 250 for the previous year. The deaths for 1947 include 88 of males and 111 of females, compared with 114 and 136 for 1946.

In the year 1947 the rate per 100,000 of the population represented by the deaths from this disease was 6·7. The rates for Northern Ireland, England and Wales, and Scotland were respectively 7·8, 8·2 and 9·4.

Other General Diseases.—During 1947 there were 33 deaths classified under this heading, including 15 from coeliac disease, 5 from toxæmia, and 2 from each of gout, acidosis and steatorrhœa.

Heart Diseases.—During 1947 there were 11,118 deaths from diseases of the heart, as compared with 10,120 deaths in the previous year, and an average number of 9,062 for the decennial period ended with 1946.

The deaths from this cause in 1947 represent 25·2 per cent. of the mortality from all causes and are equivalent to a rate of 3·7 per 1,000 of the population.

In Abstract IV particulars of the deaths from different forms of heart disease are shown by sexes and ages at death.

Bronchitis.—During the year 1947 there were 1,318 deaths in which the cause was stated to be bronchitis. Of the total, 710 were of males and 608 were of females. The total is equal to a rate of 0·44 per 1,000 of the population and constitutes 3·0 per cent. of the total deaths registered. The number of deaths recorded during 1946 was 1,223, and the average figure for the decennial period from 1937 to 1946 was 1,718.

Pneumonia.—The number of deaths recorded from pneumonia (all forms) was 1,868, equivalent to a rate of 0·63 per 1,000 of the population. Of the deaths 1,020 were of males and 848 of females.

The average number of deaths during the ten years from 1937 to 1946 was 1,944, and during 1946 the number recorded was 1,649.

The deaths in 1947 include 1,042 from broncho-pneumonia, 272 from lobar pneumonia and 554 from pneumonia (unspecified).

Diarrhœa and Enteritis.—There were 744 deaths of children under 2 years recorded, 448 being of males and 296 of females. The number recorded for 1946 was 935, and the average for the ten years ended 1946 was 858. The urban mortality was equal to a rate of 16·25 per 1,000 births, and the rate for rural areas was 7·44 per 1,000 births registered, compared with respective rates of 23·60 and 7·91 in 1946.

The deaths recorded include 262 for the county borough of Dublin, and 26, 29 and 18 for each of the county boroughs of Cork, Limerick and Waterford, respectively.

DIAGRAM No. 5. Mortality from Cancer, 1933 to 1947.




TABLE K.—Deaths of women in 1947 caused by or associated with PREGNANCY, CHILDBIRTH, and the PUERPERAL STATE.

CAUSES OF DEATH	ALL AGES	AGES						
		15—	20—	25—	30—	35—	40—	45 yrs. and up.
Diseases of Pregnancy, Childbirth, and the Puerperal State.								
Post Abortive Infection ...	1	1	.
Abortion without Septic Condition ...	2	1	1	.
Ectopic Gestation ...	5	.	.	2	.	2	1	.
Hæmorrhage of Pregnancy ...	6	.	.	.	3	2	1	.
Toxæmias of Pregnancy ...	31	2	7	4	9	7	2	.
Other Diseases of Pregnancy ...	5	1	.	1	1	.	2	.
Hæmorrhage of Childbirth ...	24	.	3	3	6	6	6	.
Infection during Childbirth ...	30	.	3	4	8	9	6	.
Puerperal Toxæmias ...	8	.	.	.	2	3	3	.
Other Accidents of Childbirth ...	15	.	1	2	3	6	3	.
Other or unspecified Puerperal Conditions	3	.	.	.	2	1	.	.
Causes associated with Pregnancy, Childbirth, and the Puerperal State.								
Diabetes ...	1	1	.	.
Pulmonary Tuberculosis ...	1	.	1
Appendicitis ...	1	.	.	.	1	.	.	.
Anæmia ...	1	1	.
Heart Disease ...	9	.	2	1	.	4	2	.
Nephritis ...	1	.	.	1
Pneumonia ...	2	1	1	.
Other Causes ...	2	.	.	1	1	.	.	.
TOTAL ...	148	3	17	19	36	43	30	.

TABLE L.—Deaths of women caused by, or associated with PREGNANCY, CHILDBIRTH, and the PUERPERAL STATE, during each of the years 1937–1947, and the rate per 1,000 births registered during each of those years.

YEARS.	Puerperal Infection.*		Other Diseases of Pregnancy and Childbirth.		Puerperal Infection and Diseases of Pregnancy and Childbirth.		Causes associated with Pregnancy or Childbirth (not included in foregoing).		Total Deaths caused by, or associated with Pregnancy and Childbirth.	
	Number	Rate per 1,000 Births.	Number	Rate per 1,000 Births.	Number	Rate per 1,000 Births.	Number	Rate per 1,000 Births.	Number	Rate per 1,000 Births.
1937 ...	51	0.90	153	2.71	204	3.61	33	0.58	237	4.19
1938 ...	46	0.81	188	3.30	234	4.11	33	0.58	267	4.69
1939 ...	38	0.68	152	2.71	190	3.39	28	0.50	218	3.89
1940 ...	55	0.97	153	2.70	208	3.67	19	0.34	227	4.01
1941 ...	43	0.76	139	2.45	182	3.21	27	0.47	209	3.68
1942 ...	43	0.65	120	1.82	163	2.47	26	0.39	189	2.86
1943 ...	36	0.56	109	1.69	145	2.25	17	0.26	162	2.51
1944 ...	32	0.49	124	1.89	156	2.38	20	0.31	176	2.69
1945 ...	35	0.52	124	1.85	159	2.37	17	0.26	176	2.63
1946 ..	20	0.29	117	1.72	137	2.01	26	0.38	163	2.39
Average, 1937–46	40	0.36*	138	2.28	178	2.95	25	0.41	203	3.37
1947 ..	31	0.45	99	1.44	130	1.88	18	0.26	148	2.15

* The figures and rates under this heading for the years 1937–39 inclusive relate only to deaths classified to puerperal sepsis.

CAUSES OF DEATH—continued.

Pregnancy, Childbirth and the Puerperal State.—Deaths under this heading are divided into three groups, viz. (1) deaths from puerperal infection; (2) deaths from other diseases of pregnancy and childbirth, and (3) deaths not classified to pregnancy or childbirth but returned as associated therewith. In 1947 the number in the first group was 31, in the second group the figure was 99, and under the third heading there were 18 deaths; so that the total number of deaths from these causes was 148. The total represents a rate of 2·15 per 1,000 of the total births registered, as compared with 2·39 in the year 1946, and an average of 3·35 for the ten years 1937 to 1946. For the years 1940 to 1946, the deaths from puerperal infection comprise those from post-abortive infection, general or local puerperal infections, puerperal thrombophlebitis, and puerperal embolism and sudden death after delivery.

In Table K full particulars of the deaths by causes and age periods are given, and in Table L a statement of the number of deaths and the rate per 1,000 births for the years 1937 to 1947.

The number of deaths from puerperal infection and other puerperal causes is given (with the rates per 1,000 births represented thereby), by provinces, counties and county boroughs and urban and rural areas in Tables 9 to 12 and 14.

Violence.—The number of deaths classified under this heading in 1947 was 971. This figure shows an increase of 91 when compared with that for the year 1946. The average figure for the ten years 1937 to 1946 from this group of causes was 944.

Included in the figure for 1947 there were 72 by suicide, 9 by homicide (including infanticide), 6 due to war operations and 884 to other external causes. The latter figure includes accidental deaths and deaths not stated to be due to suicide or homicide. The number of deaths by suicide is 7 less and those by homicide 2 less than the corresponding figure for 1946.

Of the suicidal deaths, 54 were of males and 18 of females. In 15 cases poisoning was the means used to cause death, including carbon monoxide in 3 cases, strychnine in 2 cases and Jeyes' fluid in 2 cases. In the other 57 deaths by suicide the means adopted was drowning in 17 instances, hanging or strangulation in 15, cutting or piercing instruments in 12, firearms in 7 and in 6 instances other means were used to cause death.

There were 6 deaths by homicide, including 4 of males and 2 of females and there were 3 cases of infanticide.

There were 18 accidental deaths from poisons or poisonous gases, 12 of which were due to carbon monoxide.

Deaths caused by accidental burns numbered 100 (42 males and 58 females), of which 35 were those of children under 5 years of age; the corresponding number of deaths of children in this age-group for the year 1946 was 32.

Deaths classified to accidental drowning numbered 150 (117 of males and 33 of females). The total includes deaths from accidental drowning and also cases in which the cause of death was given as "found drowned."

There were 179 deaths included under the heading of transport accidents; of this figure 142 were of males and 37 of females. In 1946 the total under this heading was 149 (119 of males and 30 of females). Deaths from motor vehicles numbered 115, compared with 87 for 1946. There were 52 deaths recorded as due to other road transport accidents. This figure includes 27 caused by bicycles and 23 by horse-drawn vehicles, compared with 18 and 25 respectively, for 1946. There were 12 deaths caused by railway accidents compared with 14 for 1946.

Of the 115 deaths attributed to motor vehicles, 43 were stated to be caused by motor lorries or vans, 50 by motor cars and 11 by buses.

AGES AT DEATH.

The deaths of children under 5 years of age registered during the year 1947 numbered 5,743 compared with 5,250 for the previous year. The figure for 1947 is 13·0 per cent. of the total deaths recorded. The proportion of deaths of males at this age-period exceeds that of females, the rate for males being 13·9 per cent. of the male mortality, and the rate for females 12·0 per cent. of the total number of deaths of females.

The deaths of persons aged 65 years and upwards recorded were 24,707 in number, constituting 56·1 per cent. of the total number of deaths, and include 12,934 deaths of males, or 55·1 per cent. of the total deaths of males, and 11,773 of females, or 57·2 per cent. of all the deaths of females.

Deaths at 70 years of age or over numbered 20,297, or 46·1 per cent. of the total deaths.

There were 184 deaths of persons aged 95 years or upwards (73 being males and 111 females), and of these 20 (12 males and 8 females) were stated to be aged 100 years or over.

The ages of the persons whose deaths were recorded for the year are given in Abstract III by certain age-groups.

AGES AT DEATH—continued.

The following table shows the death rates at different age periods in the years 1946 and 1947.

TABLE M.—DEATH-RATES FOR EACH AGE-PERIOD PER 1,000 OF THE POPULATION AT THE SAME AGE.

AGE-PERIODS	PERSONS			MALES			FEMALES		
	1946	1947	Increase or Decrease in 1947	1946	1947	Increase or Decrease in 1947	1946	1947	Increase or Decrease in 1947
Under 5 years	19.24	20.98	+1.74	21.26	23.48	+2.22	17.14	18.39	+1.25
5— ..	1.22	1.28	+0.06	1.25	1.32	+0.07	1.18	1.24	+0.06
10— ..	1.01	1.09	+0.08	1.07	1.06	—0.01	0.96	1.13	+0.17
15— ..	2.11	2.13	+0.02	1.98	1.94	—0.04	2.24	2.32	+0.08
20— ..	3.20	3.23	+0.03	3.12	2.88	—0.24	3.29	3.60	+0.31
25— ..	3.56	3.61	+0.05	3.23	3.54	+0.31	3.90	3.68	—0.22
35— ..	4.88	5.20	+0.32	4.81	5.61	+0.80	4.95	4.79	—0.16
45— ..	9.58	9.68	+0.10	9.77	10.40	+0.63	9.38	8.93	—0.45
55— ..	19.18	20.31	+1.13	20.59	22.11	+1.52	17.71	18.44	+0.73
65— ..	49.14	51.53	+2.39	52.68	55.20	+2.52	45.43	47.68	+2.25
75 and upwards	137.26	147.76	+10.50	151.17	162.19	+11.02	125.49	135.55	+10.06
All ages	13.99	14.83	+0.84	14.59	15.61	+1.02	13.39	14.02	+0.63

The number of deaths by sexes and ages, and the average annual rates per 1,000 of the population at the same ages, for the period 1864 to 1870, for each of the decennial periods from 1871 to 1940, and for each year from 1937 to 1947 are given in Table 8.

INFANT MORTALITY.

During the year 1947 the deaths of 4,687 infants under one year of age were registered, compared with 4,390 in the preceding year. The figure for 1947 is equivalent to a rate of 68 per 1,000 births as compared with 65 for 1946, and an average of 71 for the ten years 1937 to 1946. The rate for each of the years 1937 to 1947 is given in Table 4, together with comparative figures for earlier periods.

Of the total deaths of infants under one year, 2,693 were those of males and 1,994 of females; the males were equal to a rate of 76 per 1,000 births of males, and the females to a rate of 60 per 1,000 births of females. The corresponding rates for 1946 were 71 and 58, respectively.

The infant mortality rates during the quarters of 1947 were, respectively, 93, 66, 48 and 65 compared with corresponding figures of 83, 58, 55 and 63 for the previous year.

The infant mortality rate for each of the years 1938 to 1947 is compared with the rate for Northern Ireland, England and Wales and Scotland in the following table:—

YEARS		Eire	Northern Ireland	England and Wales	Scotland
1938	...	67	75	53	70
1939	...	66	70	50	69
1940	...	66	86	55	78
1941	...	74	77	58	83
1942	...	69	76	49	69
1943	...	83	78	49	65
1944	...	79	67	46	65
1945	...	71	68	46	56
1946	...	65	54	43	54
1947	...	68	53	41	56

INFANT MORTALITY—continued.

During the year 1947 the following causes accounted for 81 per cent. of the total infant mortality, being equivalent in the aggregate to a rate of 55 per 1,000 births:—premature birth 11·83, congenital debility 11·38, diarrhoea and enteritis 10·34, pneumonia 8·61, congenital malformations 5·38, whooping cough 2·97, convulsions 2·93, bronchitis 1·52.

The deaths of infants during the first month of life were 42·4 per cent. of the total deaths of infants under one year of age. Between one and two months the percentage was 13·4, between 2 and 3 months 10·4, at 3 and under 6 months the rate was 19·1 and from 6 to 12 months old the rate was 14·7.

An analysis of the causes of the deaths of infants under one year of age showing the age at which death occurred is contained in Table N and a comparative statement of the rates represented by the causes of the deaths of infants under one year of age for the years 1937 to 1947 is given in Table O.

In Table 13 the neo-natal mortality (deaths of infants under one month old) is shown for each of the counties and county boroughs during the year 1947.

TABLE N. DEATHS OF INFANTS UNDER ONE YEAR BY CERTAIN CAUSES, AND AGE-PERIODS, IN THE YEAR 1947.

CAUSES OF DEATH.	DEATHS OF INFANTS UNDER ONE YEAR AT AGES										
	Under 24 Hours.	1-7 Days.	7-14 Days.	14-21 Days.	21 Days & under 1 Mth.	Total under 1 Mth.	1-2 Mths.	2-3 Mths.	3-6 Mths.	6-12 Mths.	Total under 1 year
ALL CAUSES	479	607	321	285	295	1,937	629	486	396	689	4,637
Scarlet Fever	1	.	1
Whooping Cough	2	11	13	22	20	65	85	205
Diphtheria	1	.	1	.	2
Tuberculosis of Nervous System	1	.	6	21	23
Tuberculosis of Intestines and Peritoneum	2	2	3	7
Other Tuberculous Diseases	2	1	7	16	26
Syphilis	2	2	.	4	8	4	1	8	3	24
Influenza	1	2	1	4	11	7	9	6	37
Measles	1	.	1	1	5	6	16	29
Meningitis	1	.	1	2	7	6	14	30
Convulsions	4	8	14	10	19	55	41	26	51	29	202
Bronchitis	1	.	.	5	7	13	19	10	34	28	104
Pneumonia	2	9	13	26	24	74	83	79	159	199	594
Diarrhoea and Enteritis ..	2	1	17	38	47	105	135	135	248	90	713
Congenital Malformations ...	32	80	39	29	23	203	47	36	52	33	371
Congenital Debility	60	90	63	70	74	357	142	98	137	51	735
Premature Birth	248	261	98	72	49	728	49	21	14	4	816
Injury at Birth	55	62	22	5	3	147	5	1	6	1	160
Other Diseases peculiar to first year of life	67	88	42	17	25	239	23	5	20	6	293
Mechanical suffocation (includ- ing Overlying)	1	.	2	.	2	5	10	6	5	.	26
Other Accidents (including Lack of Care)	6	2	.	1	.	9	.	.	1	1	11
Other Causes	1	4	8	6	6	25	31	26	58	83	223

DIAGRAM No. 6. Infant Mortality, 1933 to 1947.





TABLE O.—INFANT MORTALITY RATE (Deaths of Infants under one year of age, per 1,000 Births), by certain causes, for each of the years, 1937-1947.

CAUSES OF DEATH.			DEATHS OF INFANTS UNDER ONE YEAR PER 1,000 BIRTHS REGISTERED.										
			1937	1938	1939	1940	1941	1942	1943	1944	1945	1946	1947
ALL CAUSES	72.95	66.65	65.83	66.42	73.53	69.44	82.63	79.45	70.88	64.63	67.95
Scarlet Fever	0.12	0.05	0.07	0.05	0.09	0.06	0.05	0.02	.	0.01	0.01
Whooping cough	2.46	1.74	1.37	1.77	1.46	1.81	2.87	2.19	1.36	0.96	2.97
Diphtheria	0.42	0.23	0.16	0.14	0.33	0.44	0.40	0.69	0.30	0.25	0.03
Tuberculosis of Nervous System			0.35	0.32	0.29	0.27	0.33	0.33	0.51	0.47	0.42	0.44	0.41
Tuberculosis of Intestines and Peritoneum			0.25	0.19	0.27	0.20	0.09	0.17	0.23	0.11	0.12	0.15	0.10
Other Tuberculous Diseases			0.50	0.12	0.43	0.28	0.28	0.23	0.48	0.31	0.34	0.31	0.37
Syphilis	0.25	0.26	0.14	0.27	0.23	0.23	0.28	0.70	0.27	0.38	0.35
Influenza	1.59	0.42	0.93	1.06	0.92	0.56	0.68	0.89	0.28	0.81	0.54
Measles	0.56	0.35	0.39	0.35	0.37	0.32	0.15	0.69	0.17	0.24	0.42
Meningitis	0.94	1.00	0.78	0.83	0.79	0.56	0.71	0.67	0.46	0.49	0.43
Convulsions	4.99	4.43	4.48	3.55	4.23	4.05	3.99	4.40	3.53	2.61	2.93
Bronchitis	2.92	2.71	2.35	2.62	2.34	2.51	2.94	2.16	1.62	1.19	1.52
Pneumonia	8.34	8.43	7.67	7.70	7.93	7.11	8.92	8.60	8.44	7.54	8.61
Diarrhoea and Enteritis			9.95	9.12	9.33	9.67	14.18	14.32	18.27	15.82	15.58	13.11	10.34
Congenital Malformations			4.39	4.38	4.82	4.59	5.57	5.13	5.86	5.30	5.31	5.20	5.38
Congenital Debility	13.65	12.79	12.68	13.25	14.14	13.66	15.21	14.55	10.89	9.57	11.38
Premature Birth	12.16	10.96	11.02	10.67	11.57	9.24	11.59	11.72	11.32	11.80	11.83
Injury at Birth	1.31	1.21	1.46	1.80	1.39	1.12	1.51	1.57	2.17	2.38	2.32
Other Diseases peculiar to first year of life	2.46	3.14	2.68	2.86	3.17	3.52	3.67	4.25	4.47	3.71	4.25
Mechanical Suffocation (including Overlying)			0.19	0.12	0.18	0.28	0.14	0.44	0.33	0.21	0.27	0.25	0.37
Other Accidents (including Lack of Care)			0.28	0.30	0.36	0.46	0.26	0.32	0.33	0.23	0.28	0.21	0.16
Other Causes	4.87	4.38	3.97	3.75	3.72	3.31	3.65	3.90	3.28	3.02	3.23

INFANT MORTALITY—continued.

During the year 1947 the number of deaths of infants under one year of age recorded for the aggregate urban areas was 2,110, representing a rate of 80 per 1,000 births registered. In 1946 the corresponding number of deaths was 2,025, and the rate 80 per 1,000 births.

For the rural areas 2,577 deaths of infants were registered in 1947, compared with 2,365 in the previous year; the rate per 1,000 births for 1947 was 60, and for 1946 was 56.

Table P shows the high rate of infant mortality prevailing in urban areas as compared with rural areas, especially in the fourteen principal towns. For these areas in the aggregate the rate was 83 per 1,000 births, which was also the rate for the preceding year. Deaths of infants in other urban areas were equivalent to a rate of 70 per 1,000 births, the rate for 1946 being 65.

In the principal towns deaths from diarrhoea and enteritis of infants under one year of age was equal to a rate of 18 per 1,000 births compared with 7 per 1,000 in the smaller urban areas and also 7 per 1,000 in rural areas.

The infant mortality rates for the principal towns are as follows, ranging in order from the highest to the lowest:—

Sligo 138, Limerick and Wexford each 90, Dublin 85, Cork 82, Dun Laoghaire 78, Waterford and Dundalk each 77, Galway 76, Tralee 74, Bray 63, Kilkenny 61, Drogheda 53 and Clonmel 32.

The following statements show the infant mortality rate for each of the years 1938 to 1947 for urban and rural districts in Eire, and for each of the principal towns:—

YEARS	Eire	URBAN DISTRICTS			Rural Districts
		Principal Towns	Other Urban Districts	Total	
1938 ...	67	88	66	84	55
1939 ...	66	83	85	83	55
1940 ...	66	88	70	85	55
1941 ...	74	102	83	99	58
1942 ...	69	93	76	90	58
1943 ...	83	115	87	110	67
1944 ...	79	109	83	105	65
1945 ...	71	98	67	93	58
1946 ...	65	83	65	80	56
1947 ...	68	83	70	80	60

Infant Mortality Rate—Principal Towns.

PRINCIPAL TOWNS	YEARS									
	1938	1939	1940	1941	1942	1943	1944	1945	1946	1947
Dublin ...	96	90	91	114	98	126	117	111	92	85
Dun Laoghaire ...	81	87	97	79	85	85	94	108	79	78
Cork ...	71	72	92	82	91	113	108	82	61	82
Limerick ...	70	58	70	89	77	76	123	88	69	90
Waterford ...	99	73	111	86	91	100	80	74	66	77
Galway ...	83	88	95	68	78	112	85	45	75	76
Dundalk ...	79	58	54	55	44	59	112	47	56	77
Drogheda ...	38	53	65	55	79	61	65	46	58	53
Sligo ...	61	102	77	70	75	128	85	132	68	138
Wexford ...	64	77	66	74	127	85	90	85	68	90
Kilkenny ...	58	73	93	94	70	124	74	32	71	61
Bray ...	91	55	61	116	93	93	100	93	90	63
Tralee ...	78	63	53	90	69	82	47	47	66	74
Clonmel ...	14	36	75	47	53	84	75	55	88	32

TABLE P.—INFANT MORTALITY RATE, by certain causes, for each of the undermentioned areas or groups of areas in 1947.

CAUSES OF DEATH.		DEATHS OF INFANTS UNDER ONE YEAR PER 1,000 BIRTHS REGISTERED											
		CITIES AND BOROUGHES.					Remaining principal Towns.	Total principal Towns.	Other Urban Districts.	All Urban Districts.	All Rural Districts.	Éire	
		Dublin.	Dun Laoghaire.	Cork.	Limerick.	Waterford.							
		Cols.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
ALL CAUSES	84·91	77·50	82·49	90·08	76·92	73·04	82·69	70·00	80·43	60·30	67·95
Scarlet Fever	0·02	0·01
Whooping Cough	5·86	.	2·53	3·82	.	2·86	4·55	2·56	4·19	2·22	2·97
Diphtheria	0·05	0·03
Tuberculosis of Nervous System	0·52	.	1·01	.	1·45	0·32	0·51	0·43	0·50	0·35	0·41
Tuberculosis of Intestines and Peritoneum	0·07	1·08	.	.	.	0·32	0·14	0·21	0·15	0·07	0·10
Other Tuberculous Diseases			1·11	1·08	1·01	.	.	0·64	0·93	0·21	0·81	0·12	0·37
Syphilis	0·67	.	1·01	1·53	.	0·32	0·65	0·43	0·61	0·19	0·35
Influenza	0·22	.	.	0·76	.	0·32	0·23	0·64	0·30	0·68	0·54
Measles	0·44	1·08	.	0·76	.	0·95	0·51	0·64	0·53	0·35	0·42
Meningitis	0·44	.	1·01	.	1·45	1·27	0·60	0·64	0·61	0·33	0·43
Convulsions	2·08	2·15	4·55	8·40	1·45	2·86	2·79	4·48	3·09	2·83	2·93
Bronchitis	1·19	2·15	0·51	5·34	7·26	1·90	1·72	1·71	1·72	1·38	1·52
Pneumonia	13·57	5·38	14·17	14·50	2·90	10·48	12·54	8·75	11·86	6·62	8·61
Diarrhoea and Enteritis	19·28	19·38	12·65	22·14	26·12	9·84	17·69	7·26	15·82	6·97	10·34
Congenital Malformations	5·64	5·38	3·04	3·82	4·35	5·08	5·15	7·26	5·53	5·29	5·38
Congenital Debility	6·75	6·46	8·10	15·27	7·26	13·97	8·45	14·08	9·46	12·56	11·38
Premature Birth	14·91	19·38	19·74	3·82	15·97	13·97	14·77	10·46	14·00	10·50	11·83
Injury at Birth	3·11	5·38	1·52	0·76	1·45	2·22	2·74	1·28	2·48	2·22	2·32
Other Diseases peculiar to first year of life			6·16	4·30	6·07	5·34	5·81	2·22	5·43	3·63	5·11	3·72	4·25
Mechanical suffocation (including Overlying)	0·37	.	1·01	.	.	0·32	0·37	0·43	0·38	0·37	0·37
Other Accidents (including Lack of Care)	0·07	0·32	0·09	0·21	0·11	0·19	0·16
Other Causes	2·45	4·30	4·56	3·82	1·45	2·86	2·83	4·69	3·17	3·27	3·23

PART II.



Tables.

TABLE 1.—ESTIMATED POPULATION, middle of years 1801 to 1947, in thousands.

Year.	Persons.	Males.	Females.	Year.	Persons.	Males.	Females.	Year.	Persons.	Males.	Females.
1801	4,154	2,085	2,069	1880	3,891	1,920	1,971	1914	3,092	1,568	1,524
1811	4,746	2,363	2,383	1881	3,847	1,901	1,946	1915	3,068	1,546	1,522
1821	5,421	2,676	2,745	1882	3,808	1,882	1,926	1916	3,068	1,549	1,519
1831	6,194	3,033	3,161	1883	3,745	1,853	1,892	1917	3,066	1,551	1,514
1841	6,545	3,235	3,310	1884	3,703	1,834	1,869	1918	3,066	1,553	1,513
1851	5,079	2,486	2,593	1885	3,671	1,820	1,851	1919	3,102	1,598	1,504
1852	4,927	2,413	2,514	1886	3,642	1,808	1,834	1920	3,103	1,598	1,505
1853	4,807	2,358	2,449	1887	3,600	1,788	1,812	1921	3,096	1,599	1,497
1854	4,704	2,311	2,393	1888	3,554	1,766	1,788	1922	3,022	1,529	1,493
1855	4,638	2,281	2,357	1889	3,516	1,748	1,768	1923	3,014	1,526	1,488
1856	4,594	2,261	2,333	1890	3,482	1,733	1,749	1924	3,005	1,521	1,484
1857	4,540	2,234	2,306	1891	3,449	1,718	1,731	1925	2,985	1,512	1,473
1858	4,506	2,217	2,289	1892	3,408	1,697	1,711	1926	2,971	1,507	1,464
1859	4,471	2,199	2,272	1893	3,382	1,684	1,698	1927	2,957	1,502	1,455
1860	4,428	2,179	2,249	1894	3,362	1,675	1,687	1928	2,944	1,498	1,446
1861	4,393	2,164	2,229	1895	3,333	1,662	1,671	1929	2,937	1,496	1,441
1862	4,377	2,158	2,219	1896	3,314	1,653	1,661	1930	2,927	1,493	1,434
1863	4,328	2,134	2,194	1897	3,298	1,646	1,652	1931	2,933	1,497	1,436
1864	4,263	2,103	2,160	1898	3,283	1,640	1,643	1932	2,949	1,505	1,444
1865	4,223	2,084	2,139	1899	3,265	1,631	1,634	1933	2,962	1,512	1,450
1866	4,163	2,051	2,112	1900	3,234	1,616	1,618	1934	2,971	1,518	1,453
1867	4,130	2,033	2,097	1901	3,213	1,607	1,606	1935	2,971	1,520	1,451
1868	4,109	2,022	2,087	1902	3,200	1,603	1,597	1936	2,967	1,520	1,447
1869	4,090	2,012	2,078	1903	3,185	1,599	1,586	1937	2,948	1,510	1,438
1870	4,062	1,996	2,066	1904	3,175	1,597	1,578	1938	2,937	1,505	1,432
1871	4,042	1,986	2,056	1905	3,165	1,594	1,571	1939	2,934	1,503	1,431
1872	4,023	1,975	2,048	1906	3,160	1,593	1,567	1940	2,958	1,515	1,443
1873	3,989	1,955	2,034	1907	3,151	1,589	1,562	1941	2,993	1,533	1,460
1874	3,966	1,944	2,022	1908	3,145	1,588	1,557	1942	2,963	1,499	1,464
1875	3,951	1,942	2,011	1909	3,142	1,589	1,553	1943	2,946	1,490	1,456
1876	3,949	1,942	2,007	1910	3,139	1,588	1,551	1944	2,944	1,487	1,457
1877	3,956	1,947	2,009	1911	3,132	1,586	1,546	1945	2,952	1,490	1,462
1878	3,952	1,948	2,004	1912	3,120	1,581	1,539	1946	2,963	1,499	1,464
1879	3,939	1,944	1,995	1913	3,103	1,572	1,531	1947	2,972	1,503	1,469

TABLE 2.—AGES OF THE POPULATION according to the Census Returns from 1851 to 1936, and the Register of Population, 1941.

CENSUS YEARS.		AGES.												Total Population.*		
		Under 1 Year.	1 and under 5	5—10	10—15	15—20	20—25	25—35	35—45	45—55	55—65	65—75	75—85		85—95	95 and upwards
PERSONS.																
1851	...	100,400	391,870	633,567	710,458	640,632	497,364	660,193	568,883	434,215	299,518	121,152	42,403	6,669	1,580	5,111,550
1861	...	103,031	419,697	456,185	452,394	516,197	471,414	568,917	458,312	422,322	330,301	135,456	54,561	8,735	1,451	4,402,111
1871	...	99,807	388,438	476,611	474,552	392,142	340,114	543,674	402,845	361,783	329,440	167,510	60,419	10,843	1,881	4,053,187
1881	...	78,630	353,148	471,705	465,016	419,663	355,534	464,939	413,149	326,300	279,226	161,105	68,905	9,097	1,694	3,870,020
1891	...	64,943	277,768	379,942	414,919	413,433	325,110	430,250	353,009	336,015	247,835	142,235	67,493	12,658	1,624	3,468,694
1901	...	60,229	251,519	325,078	336,293	349,036	323,983	465,833	342,310	298,276	260,048	139,690	57,632	10,379	1,517	3,221,823
1911	...	59,057	248,108	310,163	303,149	303,443	269,058	454,276	380,399	279,189	202,898	235,538	82,580	10,767	1,063	3,139,688
1926	..	55,391	222,322	284,633	295,533	286,187	240,231	398,701	344,844	331,611	230,859	183,458	73,364	14,034	824	2,971,992
1936	...	53,606	214,660	269,345	282,783	268,326	254,513	400,069	355,325	309,290	273,819	198,941	76,238	10,899	606	2,968,420
1941	...	275,640		270,733	268,634	272,072	238,972	429,188	361,823	302,863	263,286	215,682	93,141		2,992,034	
PROPORTION PER CENT.																
1851	...	1.96	7.67	12.40	13.91	12.54	9.74	12.92	11.14	8.50	5.86	2.37	0.83	0.13	0.03	100
1861	...	2.34	9.54	10.37	10.28	11.74	10.72	12.93	10.42	9.60	7.51	3.08	1.24	0.20	0.03	100
1871	...	2.46	9.59	11.77	11.72	9.68	8.40	13.42	9.95	8.93	8.13	4.14	1.49	0.27	0.05	100
1881	...	2.03	9.13	12.19	12.02	10.85	9.19	12.02	10.68	8.44	7.22	4.17	1.78	0.24	0.04	100
1891	...	1.87	8.01	10.96	11.97	11.92	9.38	12.41	10.18	9.69	7.15	4.10	1.95	0.36	0.05	100
1901	...	1.87	7.80	10.09	10.44	10.83	10.06	14.47	10.62	9.26	8.07	4.33	1.79	0.32	0.05	100
1911	...	1.88	7.90	9.88	9.66	9.67	8.57	14.47	12.12	8.89	6.46	7.50	2.63	0.34	0.03	100
1926	...	1.86	7.82	9.58	9.94	9.63	8.08	13.42	11.60	11.16	7.77	6.17	2.47	0.47	0.03	100
1936	...	1.81	7.23	9.07	9.53	9.04	8.57	13.48	11.97	10.42	9.22	6.70	2.57	0.37	0.02	100
1941	...	9.21		9.05	8.98	9.09	7.99	14.35	12.09	10.12	8.80	7.21	3.11		100	

*At the Census of 1851, the ages of 2,646 persons (1,499 males and 1,147 females) were unspecified. In 1861 the numbers unspecified were 3,135 (2,029 males and 1,106 females); in 1871, the numbers were 3,128 (1,872 males and 1,256 females); in 1881, the numbers were 1,909 (1,093 males and 816 females), and in 1891 the numbers were 1,460 (696 males and 764 females).

TABLE 2 (contd.).—AGES OF THE POPULATION according to the Census Returns from 1851 to 1936, and the Register of Population, 1941.

CENSUS YEARS.	AGES.										Total Population.*				
	Under 1 Year	1 and under 5	5—10	10—15	15—20	20—25	25—35	35—45	45—55	55—65		65—75	75—85	85—95	95 and upwards
MALES.															
1851	51,165	198,917	321,938	362,086	319,085	240,776	312,850	265,981	205,950	134,815	57,334	18,581	2,900	593	2,494,470
1861	52,440	212,831	231,280	232,089	255,048	234,222	282,061	213,537	202,367	157,384	64,124	25,119	3,946	565	2,169,042
1871	50,087	197,278	241,103	242,985	192,183	163,194	260,919	195,496	170,455	159,104	83,619	28,257	5,140	776	1,992,468
1881	39,992	178,762	238,604	237,986	207,114	177,872	223,272	197,182	158,874	131,719	80,396	34,635	4,283	654	1,912,438
1891	33,109	140,973	192,978	211,364	209,297	169,659	210,857	166,702	161,679	121,960	69,006	33,266	6,347	708	1,728,601
1901	30,647	127,411	164,732	171,577	174,937	163,595	234,185	168,571	141,924	126,709	71,527	28,529	5,134	607	1,610,085
1911	29,899	125,988	157,597	154,182	155,523	141,288	228,733	198,371	142,879	100,110	109,146	40,172	5,171	450	1,589,509
1926	28,084	118,089	144,764	150,814	146,047	124,518	199,148	173,399	172,658	120,792	88,984	33,008	6,227	357	1,506,889
1936	27,152	109,213	136,348	143,720	138,112	134,680	207,403	180,524	159,188	143,199	100,878	35,154	4,663	220	1,520,454
1941	140,118	137,398	136,351	121,775	136,833	121,775	216,841	181,368	154,765	134,163	110,428	42,687			1,512,727
PROPORTION PER CENT.															
1851	2.05	7.98	12.91	14.52	12.80	9.66	12.55	10.67	8.26	5.41	2.30	0.75	0.12	0.02	100
1861	2.42	9.82	10.67	10.71	11.77	10.81	13.02	9.85	9.34	7.26	2.96	1.16	0.18	0.03	100
1871	2.52	9.91	12.11	12.21	9.65	8.20	13.11	9.82	8.56	7.99	4.20	1.42	0.26	0.04	100
1881	2.09	9.35	12.49	12.45	10.84	9.31	11.68	10.32	8.31	6.89	4.21	1.81	0.22	0.03	100
1891	1.92	8.16	11.17	12.23	12.11	9.82	12.20	9.65	9.36	7.06	3.99	1.92	0.37	0.04	100
1901	1.90	7.91	10.23	10.66	10.87	10.16	14.54	10.47	8.82	7.87	4.44	1.77	0.32	0.04	100
1911	1.88	7.93	9.91	9.70	9.78	8.89	14.39	12.48	8.99	6.30	6.87	2.53	0.32	0.03	100
1926	1.86	7.84	9.61	10.01	9.69	8.26	13.22	11.51	11.46	8.01	5.90	2.20	0.41	0.02	100
1936	1.79	7.18	8.97	9.45	9.08	8.86	13.64	11.87	10.47	9.42	6.64	2.31	0.31	0.01	100
1941	9.26	9.08	9.01	9.05	9.05	8.05	14.34	11.99	10.23	8.87	7.30	2.82			100

* See note (*) on page 3.

TABLE 2 (contd.).—AGES OF THE POPULATION according to the Census Returns from 1851 to 1936, and the Register of Population, 1941.

CENSUS YEARS	AGES.													Total Population*	
	Under 1 Year	1 and under 5	5—10	10—15	15—20	20—25	25—35	35—45	45—55	55—65	65—75	75—85	85—95		95 and upwards
	FEMALES.														
1851	49,235	192,953	311,639	348,372	321,547	256,588	347,343	302,902	228,265	164,703	63,818	23,822	3,769	987	2,617,080
1861	50,591	206,866	224,905	229,305	261,149	237,192	286,856	244,775	219,355	172,917	71,332	29,442	4,789	886	2,233,069
1871	49,720	191,160	235,508	231,567	199,959	176,920	282,755	207,349	191,328	170,336	83,891	32,162	5,703	1,105	2,060,719
1881	38,638	174,386	233,101	227,030	212,549	177,662	241,667	215,967	167,426	147,507	86,709	34,270	4,814	1,040	1,957,582
1891	31,834	136,795	186,964	203,555	204,136	155,451	219,393	186,307	174,336	125,875	73,229	34,227	6,311	916	1,740,093
1901	29,582	124,108	160,346	164,716	174,099	160,388	231,648	173,739	156,352	133,339	68,163	29,103	5,245	910	1,611,738
1911	29,158	122,120	152,566	148,967	147,920	127,770	225,543	182,028	136,310	102,788	126,392	42,408	5,596	613	1,550,179
1926	27,307	114,233	139,869	144,719	140,140	115,713	199,553	171,445	158,953	110,067	94,474	40,356	7,807	467	1,465,103
1936	26,454	105,447	132,997	139,063	130,214	119,833	192,666	174,801	150,102	130,620	98,063	41,084	6,236	386	1,447,966
1941	135,522	133,335	132,283	132,283	135,239	117,197	212,347	180,455	148,098	129,123	105,254	50,454			1,479,307
PROPORTION PER CENT.															
1851	1.88	7.38	11.91	13.32	12.29	9.81	13.28	11.58	8.72	6.30	2.44	0.91	0.14	0.04	100
1861	2.27	9.27	10.08	9.87	11.70	10.63	12.85	10.97	9.85	7.75	3.19	1.32	0.21	0.04	100
1871	2.41	9.28	11.44	11.25	9.71	8.59	13.73	10.07	9.29	8.27	4.07	1.56	0.28	0.05	100
1881	1.97	8.91	11.91	11.60	10.86	9.08	12.35	11.04	8.56	7.54	4.13	1.75	0.25	0.05	100
1891	1.83	7.87	10.75	11.70	11.74	8.94	12.61	10.71	10.02	7.24	4.21	1.97	0.36	0.05	100
1901	1.83	7.70	9.95	10.22	10.80	9.95	14.37	10.78	9.70	8.27	4.23	1.81	0.33	0.06	100
1911	1.88	7.88	9.84	9.61	9.54	8.24	14.55	11.74	8.79	6.63	8.16	2.74	0.36	0.04	100
1926	1.96	7.80	9.55	9.88	9.56	7.90	13.62	11.70	10.85	7.51	6.45	2.76	0.53	0.03	100
1936	1.83	7.28	9.19	9.60	8.99	8.28	13.31	12.07	10.37	9.02	6.77	2.84	0.43	0.02	100
1941	9.16	9.01	8.94	8.94	9.14	7.92	14.36	12.20	10.01	8.73	7.12	3.41			100

* See note (*) on page 3.

TABLE 3.—MARRIAGES, BIRTHS and DEATHS registered, and NATURAL INCREASE (excess of Births over Deaths), 1864-1947.

PERIOD.	Mar- riages.	BIRTHS.						DEATHS.			Natural Increase.	
		TOTAL (including Illegitimate).			Legiti- mate.	Illegitimate.						
		Total.	Males.	Females		Total.	Males.	Females				
Average, 1864-70	...	106,926	54,927	51,999	104,342.	2,584	1,304	1,280	67,323	33,878	33,445	39,603
" 1871-80	...	104,379	53,604	50,775	102,674	1,705	878	827	71,611	36,224	35,387	32,768
" 1881-90	...	83,762	43,077	40,685	82,187	1,575	816	759	64,220	32,233	31,987	19,543
" 1891-1900	...	73,995	37,982	36,013	72,527	1,468	753	715	58,994	29,468	29,526	15,001
" 1901-10	...	71,380	36,666	34,714	69,912	1,468	754	714	53,577	27,031	26,546	17,803
" 1911-20	...	66,507	34,206	32,301	64,912	1,595	815	780	51,453	26,131	25,322	15,054
" 1921-30	...	60,406	30,983	29,423	58,700	1,706	880	826	43,203	21,850	21,353	17,203
" 1931-40	...	57,105	29,279	27,826	55,212	1,893	970	923	41,841	21,469	20,372	15,264
1937	...	56,488	28,893	27,595	54,675	1,813	945	868	45,086	23,331	21,755	11,402
1938	...	56,925	29,108	27,817	55,047	1,878	998	880	40,041	20,637	19,404	16,884
1939	...	56,070	28,804	27,266	54,289	1,781	927	854	41,717	21,567	20,150	14,353
1940	...	56,594	29,029	27,565	54,770	1,824	895	929	41,885	21,611	20,274	14,709
1941	...	56,780	29,198	27,582	54,805	1,975	1,007	968	43,797	22,642	21,155	12,983
1942	...	66,117	34,013	32,104	63,698	2,419	1,298	1,121	41,640	21,868	19,772	24,477
1943	...	64,375	33,241	31,134	61,927	2,448	1,229	1,219	43,494	22,663	20,831	20,881
1944	...	65,425	33,637	31,788	62,858	2,567	1,301	1,266	45,128	23,477	21,651	20,297
1945	...	66,861	34,336	32,525	64,235	2,626	1,322	1,304	42,762	22,266	20,496	24,099
1946	...	67,922	35,120	32,802	65,280	2,642	1,379	1,263	41,457	21,863	19,594	26,465
Average, 1937-46	...	61,356	31,538	29,818	59,159	2,197	1,130	1,067	42,701	22,193	20,508	18,655
1947	...	68,978	35,674	33,304	66,630	2,348	1,224	1,124	44,061	23,461	20,600	24,917

TABLE 4.—MARRIAGE, BIRTH and DEATH RATES, INFANT MORTALITY RATE (Deaths of Infants under one year per 1,000 Births), and Rate of Natural Increase, 1864-1947.

PERIOD.	MARRIAGES.		BIRTHS.					DEATHS.		Natural Increase per 1,000 of Population.
	Per 1,000 Population.	Per 1,000 Population.	Legitimate per 1,000 Population.	Illegitimate.		Births of Males per 1,000 Births of Females.	Per 1,000 Population.	Infant Mortality per 1,000 Births.		
				Per 1,000 Population.	Per Cent. Total Births.					
1864-70	5.10	25.79	25.17	0.62	2.42	1,056	16.23	95.61	9.56	
1871-80	4.54	26.31	25.88	0.43	1.63	1,056	18.06	96.80	8.25	
1881-90	4.02	22.88	22.45	0.43	1.89	1,059	17.56	93.06	5.32	
1891-1900	4.46	22.20	21.76	0.44	1.99	1,055	17.70	99.42	4.50	
1901-10	4.84	22.54	22.08	0.46	2.06	1,056	16.91	91.37	5.63	
1911-20	5.11	21.50	20.99	0.51	2.41	1,059	16.64	84.06	4.86	
1921-30	4.76	20.21	19.64	0.57	2.83	1,053	14.45	69.90	5.76	
1931-40	4.86	19.34	18.70	0.64	3.31	1,052	14.17	68.41	5.17	
1937	5.01	19.16	18.55	0.61	3.21	1,047	15.29	72.95	3.87	
1938	5.07	19.38	18.74	0.64	3.30	1,046	13.63	66.65	5.75	
1939	5.18	19.11	18.50	0.61	3.18	1,056	14.22	65.83	4.89	
1940	5.14	19.13	18.52	0.62	3.22	1,053	14.16	66.42	4.97	
1941	5.02	18.97	18.31	0.66	3.48	1,059	14.63	73.53	4.34	
1942	5.90	22.31	21.50	0.82	3.66	1,059	14.05	69.44	8.26	
1943	5.88	21.85	21.02	0.83	3.80	1,068	14.76	82.63	7.09	
1944	5.70	22.22	21.35	0.87	3.92	1,058	15.33	79.45	6.89	
1945	5.86	22.65	21.76	0.89	3.93	1,056	14.49	70.88	8.16	
1946	5.91	22.92	22.03	0.89	3.89	1,071	13.99	64.63	8.93	
Average, 1937-46	5.47	20.77	20.03	0.74	3.56	1,057	14.46	71.24	6.32	
1947	5.48	23.21	22.42	0.79	3.40	1,071	14.83	67.95	8.38	

TABLE 5.—MARRIAGES, BIRTHS and DEATHS registered during each of the years 1937-47; with the average annual rates for the ten years 1937-46 and the rate for 1947 per 1,000 of the population.

[illegible]

TABLE 6.—DEATHS FROM VARIOUS CAUSES, 1864-1910.

(Note.—Figures for individual years from 1864 to 1910 are given in the Annual Report for 1928).

CAUSES OF DEATH.		ANNUAL AVERAGE NUMBER OF DEATHS.					ANNUAL AVERAGE RATES PER 100,000 OF POPULATION.				
		1864-70	1871-80	1881-90	1891-1900	1901-10	1864-70	1871-80	1881-90	1891-1900	1901-10
ALL CAUSES	...	67,323	71,611	64,220	58,994	53,577	1622·7	1806·4	1756·2	1770·1	1691·4
<hr/>											
Typhoid fever	...	2,973	660*	514	492	263	71·5	16·7*	14·1	14·7	8·3
Typhus fever	...		575*	462	166	60		14·5*	12·5	5·0	1·9
Simple continued fever.	...		1,067*	393	110	26		26·9*	10·6	3·3	0·8
Small-pox	...	150	628	7	21	5	3·5	15·8	0·2	0·6	0·2
Measles	...	702	882	654	515	348	17·0	22·2	17·9	15·5	11·0
Scarlet fever	...	2,001	1,640	720	291	110	48·1	41·3	19·5	8·7	3·5
Whooping cough	...	1,257	1,366	1,037	821	661	30·3	34·5	28·4	24·7	20·9
Diphtheria	...	196	214	206	177	228	4·7	5·4	5·6	5·3	7·2
Influenza	...	127	69	155	1,537	963	3·0	1·7	4·4	46·3	30·4
Simple cholera	...	455	56	28	70	775	10·9	1·4	0·8	2·1	24·4
Dysentery	...	404	198	986	942		9·7	5·0	26·9	28·3	
Diarrhoea	...	1,456	1,300				35·1	32·8			
Pulmonary tuberculosis.	...	6,777	6,960	7,026	6,669	6,263	163·4	175·5	192·3	200·2	197·6
Other tuberculous diseases.	...	—	—	1,904	1,938	1,774	—	—	52·0	58·2	56·0
Cancer	...	—	—	1,362	1,608	2,157	—	—	37·4	48·3	68·2
Pneumonia	...	10,169	10,605	11,217	9,522	2,661†	244·9	267·7	306·5	285·4	84·4‡
Other respiratory diseases.	...					6,334†					200·8‡
Puerperal sepsis	...	234	274	244	199	150	5·7	6·9	6·7	6·0	4·8
Other puerperal conditions.	...	516	456	370	299	260	12·4	11·5	10·1	9·0	8·2
Suicide	...	1,650	1,531	80†	90	96	39·8	38·6	2·2†	2·7	3·0
Other violence	...			1,286†	1,281	1,156			35·4†	38·5	36·5

* Average for 9 years 1872-80.

† Average for 9 years 1882-90.

‡ Average for 7 years 1904-10.

TABLE 6A.—DEATHS FROM VARIOUS CAUSES, 1911-40.

(Note.—Figures and rates for individual years from 1911 to 1939 are given in the Annual Report for 1939.)

Nos.*	CAUSES OF DEATH	ANNUAL AVERAGE NUMBER OF DEATHS.			ANNUAL AVERAGE RATE PER 100,000 OF POPULATION.		
		1911-20	1921-30	1931-40	1911-20	1921-30	1931-40
	ALL CAUSES ...	51,453	43,203	41,841	1,664.4	1,446.9	1,411.2
1	Typhoid fever ...	195	108	64	6.3	3.6	2.2
2	Typhus fever ...	32	10	4	1.0	0.3	0.1
3	Measles ...	383	253	173	12.4	8.5	5.8
4	Scarlet fever ...	148	78	88	4.8	2.6	3.0
5	Whooping cough...	494	365	215	16.0	12.3	7.3
6	Diphtheria ...	225	282	321	7.3	9.4	10.8
7	Influenza ...	2,030	1,221	1,265	65.8	40.9	42.6
8	Dysentery ...	18	11	2	0.6	0.3	0.1
*9	Encephalitis lethar- gica	—	40	27	—	1.3	0.9
10	Cerebro-spinal meningitis	30	17	30	1.0	0.6	1.1
11	Tuberculosis of respiratory system	5,027	3,437	2,797	162.6	115.0	94.8
12	Other tuberculous diseases	1,312	920	773	42.4	30.8	26.1
13	Cancer ...	2,591	2,933	3,529	83.8	98.4	119.0
14	Diabetes mellitus	245	227	260	7.9	7.6	8.8
*15	Cerebral hæmorrhage, etc.	1,415	2,077	2,392	45.8	69.6	80.7
16	Heart disease ...	5,148	4,981	7,273	166.5	167.1	245.2
*17	Other circulatory diseases	—	439	734	—	14.7	24.7
18	Bronchitis ...	4,324	2,750	2,182	139.8	92.0	73.6
19	Pneumonia, all forms	2,853	2,476	2,420	92.3	83.0	81.6
20	Other respiratory diseases	819	722	688	26.5	24.2	23.2
21	Gastric or duode- nal ulcer	229	274	327	7.4	9.2	11.0
22	Diarrhoea and enter- itis under 2 years	814	592	584	26.3	19.8	19.7
23	Appendicitis ...	129	169	189	4.2	5.7	6.4
24	Cirrhosis of Liver ...	183	95	72	5.9	3.2	2.4
*25	Other diseases of Liver, etc.	—	138	162	—	4.6	5.5
*26	Other digestive diseases	—	1,172	909	—	39.2	30.7
27	Acute and chronic nephritis	1,150	1,132	1,195	37.2	38.0	40.3
28	Puerperal sepsis ...	129	101	71	4.2	3.4	2.4
29	Other puerperal causes	212	190	170	6.9	6.4	5.7
*30	Congenital debility, etc.	2,101	1,788	1,852	68.0	59.9	62.5
*31	Senility ...	—	8,300	6,135	—	277.8	206.9
32	Suicide ...	82	89	98	2.6	3.0	3.3
33	Other violent deaths	1,165	1,023	881	37.7	34.1	29.7
34	Other defined causes	16,609	3,491	3,323	537.2	117.0	112.1
35	Causes ill-defined or unknown.	1,361	1,302	636	44.0	43.4	21.5

* Deaths from Nos. 9, 25, 26 and 31 and also parts of 15, 17, and 30 are included in No. 34 for the years 1911-20. See page xxi of Annual Report for 1931.

TABLE 7.—NUMBER OF DEATHS AND RATES PER 100,000 OF POPULATION FROM VARIOUS CAUSES, ÉIRE AND NORTHERN IRELAND, 1945 to 1947.

Nos.	CAUSES OF DEATH.	ÉIRE.						NORTHERN IRELAND.					
		No.			Rate.			No.			Rate.		
		1945	1946	1947	1945	1946	1947	1945	1946	1947	1945	1946	1947
	ALL CAUSES	42,762	41,457	44,061	1448.6	1399.2	1482.5	16,264	16,666	16,913	1232.0	1250.3	1263.1
1	Typhoid fever (including paratyphoid)	32	26	15	1.1	0.9	0.5	6	9	10	0.5	0.7	0.7
2	Cerebro-spinal meningitis ...	31	25	38	1.1	0.8	1.3	28	26	17	2.1	2.0	1.3
3	Scarlet fever ...	4	3	8	0.1	0.1	0.3	8	5	2	0.6	0.4	0.1
4	Whooping cough ...	146	117	298	4.9	3.9	10.0	76	65	97	5.8	4.9	7.2
5	Diphtheria ...	236	139	56	8.0	4.7	1.9	35	18	14	2.7	1.4	1.0
6	Tuberculosis of respiratory system.	2,777	2,585	2,831	94.1	87.2	95.3	799	849	761	60.5	63.7	56.8
7	All other forms of tuberculosis.	917	805	869	31.1	27.2	29.2	259	262	213	19.6	19.6	15.9
8	Dysentery ...	10	3	3	0.3	0.1	0.1	4	1	1	0.3	0.1	0.1
9	Influenza ...	306	769	651	10.4	26.0	21.9	139	381	273	10.5	28.6	20.4
10	Measles ...	42	47	106	1.4	1.6	3.6	24	8	63	1.8	0.6	4.7
11	Acute infectious encephalitis	22	16	14	0.7	0.5	0.5	25	17	18	1.9	1.3	1.3
12	Typhus ...	—	—	—	—	—	—	—	—	—	—	—	—
13	Cancer ...	3,954	4,024	3,962	133.9	135.8	133.3	1,898	1,889	1,962	143.8	141.7	146.5
14	Diabetes mellitus ...	221	250	199	7.5	8.4	6.7	109	88	104	8.2	6.6	7.8
15	Intra-cranial lesions of vascular origin.	2,689	2,716	3,024	91.1	91.7	101.7	1,537	1,531	1,686	116.4	114.8	125.9
16	Diseases of the heart ...	10,139	10,120	11,118	343.5	341.5	374.1	4,025	4,353	4,662	304.9	326.5	348.2
17	Other diseases of the circulatory system.	869	889	894	29.4	30.0	30.1	322	385	353	24.4	28.9	26.4
18	Bronchitis ...	1,370	1,223	1,318	46.4	41.3	44.3	572	673	598	43.3	50.5	44.7
19	Pneumonia ...	1,715	1,649	1,868	58.1	55.7	62.8	765	806	795	58.0	60.5	59.5
20	Other diseases of the respiratory system.	621	619	620	21.0	20.9	20.9	244	280	279	18.5	21.0	20.8
21	Ulcer of the stomach or duodenum.	221	270	257	7.5	9.1	8.6	107	130	105	8.1	9.8	7.8
22	Diarrhoea and enteritis ...	1,284	1,074	846	43.5	36.3	28.5	309	191	253	23.4	14.3	18.9
23	Appendicitis ...	114	108	91	3.9	3.6	3.1	55	67	64	4.2	5.0	4.8
24	Cirrhosis of the liver ...	64	47	57	2.2	1.6	1.9	26	29	27	2.0	2.2	2.0
25	Diseases of the liver and biliary passages.	166	145	117	5.6	4.9	3.9	65	45	63	4.9	3.4	4.7
26	Other diseases of the digestive system.	539	508	523	18.3	17.1	17.6	241	248	174	18.3	18.6	13.0
27	Nephritis ...	1,110	1,027	1,097	37.6	34.7	36.9	316	351	337	23.9	26.3	25.2
28	Puerperal infection ...	35	20	31	1.2	0.7	1.1	19	11	10	1.4	0.8	0.7
29	Other diseases of childbirth	124	117	99	4.2	3.9	3.3	59	59	48	4.5	4.4	3.6
30	Congenital debility, etc. (Nos. 157-161).	2,375	2,302	2,507	80.5	77.7	84.4	1,032	881	857	78.2	66.1	64.0
31	Senility ...	6,298	5,939	6,450	213.3	200.4	217.0	1,378	1,369	1,355	104.4	102.6	101.2
32	Suicide ...	71	79	72	2.4	2.7	2.4	28	47	45	2.1	3.5	3.4
33	Other violence ...	807	801	899	27.3	27.0	30.2	440	431	431	33.3	32.4	32.2
34	Other causes ...	3,453	2,995	3,123	117.0	101.2	105.1	1,314	1,161	1,236	99.5	87.1	92.3

TABLE 8.—NUMBER OF DEATHS OF MALES IN THIRTEEN AGE-GROUPS,
registered during the years 1864-1947.

PERIOD	All Ages	Under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85—	95 and up
Average, 1864-70 ...	33,878*	9,343	1,313	717	904	1,330	2,212	1,928	2,698	4,046	4,623	3,417	1,084	214
„ 1871-80 ...	36,224*	9,276	1,261	732	1,014	1,250	2,149	2,113	2,532	4,249	5,459	4,556	1,326	278
„ 1881-90 ...	32,233	7,140	982	653	962	1,270	1,966	1,901	2,495	3,660	4,888	4,636	1,462	218
„ 1891-1900	29,468	6,240	710	518	859	1,194	2,003	1,731	2,295	3,486	4,275	4,248	1,639	270
„ 1901-10 ...	27,031	5,444	566	398	680	964	1,954	1,740	2,050	3,258	4,541	3,827	1,379	230
„ 1911-20 ...	26,131	4,703	514	375	656	858	1,689	1,825	2,138	2,723	4,732	4,407	1,339	172
„ 1921-30 ...	21,850	3,478	379	269	474	627	1,085	1,253	1,931	2,896	4,391	3,662	1,267	138
„ 1931-40 ...	21,469	2,986	308	221	370	490	908	1,063	1,810	3,320	5,412	3,602	896	83
1937 ...	23,331	3,172	302	221	367	472	918	1,083	1,912	3,684	6,014	4,096	1,012	78
1938 ...	20,637	2,814	271	217	352	392	860	1,024	1,713	3,231	5,314	3,627	747	75
1939 ...	21,567	2,671	282	167	353	390	867	975	1,668	3,355	5,736	4,181	867	55
1940 ...	21,611	2,680	251	186	351	447	916	979	1,716	3,210	5,772	4,171	866	66
1941 ...	22,642	3,043	245	157	336	422	888	1,022	1,582	3,218	5,959	4,687	1,006	77
1942 ...	21,868	3,294	312	192	401	533	929	1,061	1,557	2,918	5,446	4,210	950	65
1943 ...	22,663	3,749	270	178	397	482	926	969	1,541	2,951	5,699	4,461	966	74
1944 ...	23,477	3,607	273	160	326	424	784	951	1,589	3,051	6,066	4,992	1,180	74
1945 ...	22,266	3,231	202	156	344	417	740	864	1,520	2,845	5,718	5,046	1,112	71
1946 ..	21,863	2,952	170	144	269	376	695	864	1,498	2,737	5,764	5,110	1,193	91
Average, 1937-46 ..	22,193	3,121	258	178	350	435	852	979	1,630	3,120	5,749	4,458	990	73
1947 ..	23,461	3,269	180	143	264	348	764	1,011	1,599	2,949	6,058	5,542	1,261	73

Rates per 1,000 of corresponding population.

1864-70 ...	16.49	36.85	5.53	3.00	4.22	7.07	8.24	9.55	14.86	25.55	60.25	125.94	239.09
1871-80 ...	18.55	39.78	5.26	3.05	5.03	7.32	8.88	10.76	15.38	29.21	66.54	144.84	295.18
1881-90 ...	17.71	36.33	4.55	2.91	4.62	7.31	9.05	10.44	15.56	28.84	65.40	136.47	279.81
1891-1900 ...	17.65	37.57	3.97	2.70	4.47	7.16	9.00	10.32	15.12	28.03	60.82	137.46	298.23
1901-10 ...	16.90	34.68	3.51	2.44	4.12	6.32	8.44	9.48	14.40	28.73	50.27	111.41	283.22
1911-20 ...	16.73	30.81	3.35	2.45	4.31	6.32	7.72	9.60	13.99	25.45	46.20	116.64	254.29
1921-30 ...	14.39	23.58	2.58	1.77	3.21	4.92	5.83	7.08	11.44	24.50	48.08	107.81	217.55
1931-40 ...	14.21	21.19	2.19	1.50	2.61	3.81	4.48	6.02	10.94	25.34	57.22	105.78	174.77
1937 ...	15.45	23.42	2.23	1.55	2.68	3.53	4.46	6.04	12.09	25.90	59.98	117.43	225.58
1938 ...	13.71	20.84	2.01	1.53	2.58	2.94	4.19	5.73	10.87	22.79	53.18	104.33	170.65
1939 ...	14.35	19.81	2.09	1.18	2.59	2.93	4.23	5.47	10.60	23.70	57.48	120.42	191.68
1940 ...	14.26	19.72	1.85	1.30	2.55	3.33	4.43	5.44	10.82	22.49	57.38	119.18	192.24
1941 ...	14.77	22.13	1.78	1.08	2.41	3.11	4.25	5.62	9.86	22.28	58.54	132.36	220.75
1942 ...	14.59	24.50	2.32	1.36	2.95	4.01	4.54	5.96	9.92	20.66	54.71	121.58	211.59
1943 ...	15.21	27.17	2.00	1.33	2.94	4.02	4.33	5.42	10.11	22.33	52.39	130.92	
1944 ...	15.79	26.19	2.02	1.19	2.42	3.54	3.68	5.34	10.45	23.14	55.89	148.88	
1945 ...	14.94	23.16	1.48	1.15	2.52	3.44	3.43	4.78	9.86	21.30	52.00	146.57	
1946 ..	14.59	21.26	1.25	1.07	1.98	3.12	3.23	4.81	9.77	20.59	52.68	151.17	
Average, 1937-46 ..	14.77	22.82	1.90	1.27	2.56	3.40	4.08	5.46	10.44	22.52	55.42	—	
1947 ..	15.61	23.48	1.32	1.06	1.94	2.88	3.54	5.61	10.40	22.11	55.20	162.19	

* During 1864-70 the ages at death were unspecified for an average annual number of 49 males, and during 1871-80 for an average annual number of 29 males.

TABLE 8 (contd.).—DEATHS OF FEMALES IN THIRTEEN AGE-GROUPS, registered during the years 1864-1947.

PERIOD	All Ages	Under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85—	95 and up
Average, 1864-70	33,445*	8,217	1,309	766	897	1,105	2,145	2,004	2,591	4,173	4,932	3,807	1,179	289
„ 1871-80	35,387*	8,197	1,303	841	1,071	1,078	2,114	2,042	2,392	4,391	5,450	4,747	1,402	344
„ 1881-90	31,987	6,236	1,041	808	1,104	1,090	1,995	2,014	2,354	3,859	5,155	4,632	1,429	270
„ 1891-1900	29,526	5,383	754	683	1,033	1,042	1,898	1,784	2,308	3,651	4,602	4,501	1,589	293
„ 1901-10	26,546	4,668	621	536	816	861	1,782	1,669	2,012	3,423	4,673	3,846	1,380	259
„ 1911-20	25,322	3,996	565	466	703	737	1,570	1,682	1,858	2,620	5,039	4,567	1,324	195
„ 1921-30	21,353	2,858	377	309	523	565	1,134	1,284	1,749	2,620	4,420	3,992	1,369	153
„ 1931-40	20,372	2,414	300	238	388	479	986	1,082	1,600	2,827	4,937	3,875	1,129	117
1937	21,755	2,576	275	241	368	499	1,026	1,093	1,647	3,086	5,154	4,495	1,175	120
1938	19,404	2,332	270	215	377	410	914	1,031	1,389	2,762	4,756	3,791	1,048	109
1939	20,150	2,159	209	180	343	429	881	934	1,553	2,782	5,126	4,350	1,084	120
1940	20,274	2,146	218	201	387	459	910	1,003	1,486	2,856	5,051	4,388	1,056	113
1941	21,155	2,285	216	191	359	488	912	1,036	1,418	2,899	5,167	4,877	1,198	109
1942	19,772	2,532	218	197	391	513	1,007	1,027	1,408	2,466	4,497	4,312	1,085	119
1943	20,831	2,892	266	201	414	484	975	969	1,368	2,543	4,788	4,618	1,215	98
1944	21,651	2,877	254	182	367	435	905	939	1,377	2,555	5,099	5,133	1,384	144
1945	20,496	2,611	193	163	317	461	861	929	1,362	2,406	4,858	4,850	1,354	131
1946	19,594	2,298	156	125	300	382	819	883	1,374	2,262	4,731	4,776	1,392	96
Average, 1937-46	20,508	2,471	227	189	362	456	921	985	1,438	2,662	4,923	4,559	1,199	116
1947	20,600	2,474	164	148	312	419	776	858	1,312	2,364	4,985	5,161	1,516	111

Rates per 1,000 of corresponding population.

1864-70	...	15.77	33.33	5.66	3.36	4.05	5.58	7.56	9.10	12.88	24.38	62.03	121.93	228.66
1871-80	...	17.61	36.12	5.56	3.67	5.19	6.08	8.06	9.65	13.33	27.63	66.20	142.88	275.52
1881-90	...	17.30	32.66	4.95	3.75	5.30	6.54	8.65	10.01	13.77	28.21	66.95	135.21	259.63
1891-1900	...	17.62	33.39	4.34	3.71	5.46	6.60	8.41	9.91	13.96	28.16	65.09	142.12	281.89
1901-10	...	16.79	30.61	3.97	3.42	5.07	5.98	7.80	9.38	13.75	28.99	48.04	107.57	265.12
1911-20	...	16.64	26.99	3.81	3.16	4.84	5.96	7.24	9.42	12.92	24.90	43.53	109.46	220.24
1921-30	...	14.52	20.08	2.67	2.13	3.71	4.84	5.61	7.45	11.24	24.08	45.18	98.58	190.62
1931-40	...	14.12	17.83	2.21	1.69	2.90	4.11	5.07	6.32	10.35	23.87	51.78	95.90	171.54
1937	...	15.13	19.66	2.08	1.75	2.85	4.19	5.36	6.30	11.04	23.79	52.94	110.07	200.15
1938	...	13.55	17.88	2.05	1.56	2.93	3.46	4.80	5.96	9.35	21.38	49.06	93.22	179.52
1939	...	14.08	16.56	1.59	1.31	2.67	3.62	4.63	5.41	10.47	21.55	52.91	107.04	186.99
1940	...	14.05	16.32	1.64	1.45	2.98	3.84	4.74	5.76	9.93	21.94	51.70	107.07	180.01
1941	...	14.49	17.18	1.61	1.36	2.74	4.04	4.69	5.88	9.37	22.01	52.28	117.62	198.93
1942	...	13.51	18.98	1.62	1.40	2.97	4.23	5.17	5.81	9.27	18.67	45.37	103.71	182.76
1943	...	14.31	21.68	2.03	1.54	3.11	4.20	4.66	5.46	9.39	20.01	46.19		119.46
1944	...	14.86	21.55	1.93	1.40	2.75	3.77	4.33	5.28	9.44	20.09	49.18		134.01
1945	...	14.02	19.30	1.45	1.23	2.35	3.94	4.06	5.16	9.21	18.66	46.23		125.78
1946	...	13.39	17.14	1.18	0.96	2.24	3.29	3.90	4.95	9.38	17.71	45.43		125.49
Average, 1937-46	14.14	18.63	1.72	1.40	2.76	3.86	4.63	5.60	9.69	20.58	49.13			
1947	14.02	18.39	1.24	1.13	2.32	3.60	3.68	4.79	8.93	18.44	47.68			135.55

* During 1864-70 the ages at death were unspecified for an average annual number of 31 females, and during 1871-80 for an average annual number of 15 females.

TABLE 8 (contd.).—DEATHS OF PERSONS IN THIRTEEN AGE-GROUPS, registered during the years 1864-1947.

PERIOD	All Ages	Under 5 Years	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85—	95 and up
Average, 1864-70 ...	67,323*	17,560	2,622	1,483	1,801	2,435	4,357	3,932	5,289	8,219	9,555	7,224	2,263	503
„ 1871-80 ...	71,611*	17,473	2,564	1,573	2,085	2,328	4,263	4,155	4,924	8,640	10,909	9,303	2,728	622
„ 1881-90 ...	64,220	13,376	2,023	1,461	2,066	2,360	3,961	3,915	4,849	7,519	10,043	9,268	2,891	488
„ 1891-1900	58,994	11,623	1,464	1,201	1,892	2,236	3,901	3,515	4,603	7,137	8,877	8,749	3,228	568
„ 1901-10 ...	53,577	10,112	1,187	934	1,496	1,825	3,736	3,409	4,062	6,681	9,214	7,673	2,759	489
„ 1911-20 ...	51,453	8,699	1,079	841	1,359	1,595	3,259	3,507	3,996	5,343	9,771	8,974	2,663	367
„ 1921-30 ...	43,203	6,336	756	578	997	1,192	2,219	2,537	3,680	5,516	8,811	7,654	2,636	291
„ 1931-40 ...	41,841	5,400	608	459	758	969	1,894	2,145	3,410	6,147	10,349	7,477	2,025	200
1937 ...	45,086	5,748	577	462	735	971	1,944	2,176	3,559	6,770	11,168	8,591	2,187	198
1938 ...	40,041	5,146	541	432	729	802	1,774	2,055	3,102	5,993	10,070	7,418	1,795	184
1939 ...	41,717	4,830	491	347	696	819	1,748	1,909	3,221	6,137	10,862	8,531	1,951	175
1940 ...	41,885	4,826	469	387	738	906	1,826	1,982	3,202	6,066	10,823	8,559	1,922	179
1941 ...	43,797	5,328	461	348	695	910	1,800	2,058	3,000	6,117	11,126	9,564	2,204	186
1942 ...	41,640	5,826	530	389	792	1,046	1,936	2,088	2,965	5,384	9,943	8,522	2,035	184
1943 ...	43,494	6,641	536	379	811	966	1,901	1,938	2,909	5,494	10,487	9,079	2,181	172
1944 ...	45,128	6,484	527	342	693	859	1,689	1,890	2,966	5,606	11,165	10,125	2,564	218
1945 ...	42,762	5,842	395	319	661	878	1,601	1,793	2,882	5,251	10,576	9,896	2,466	202
1946 ..	41,457	5,250	326	269	569	758	1,514	1,747	2,872	4,999	10,495	9,886	2,585	187
Average, 1937-46	42,701	5,592	485	367	712	891	1,773	1,964	3,068	5,782	10,672	9,017	2,189	189
1947 ...	44,061	5,743	344	291	576	767	1,540	1,869	2,911	5,313	11,043	10,703	2,777	184

Rates per 1,000 of corresponding population.

1864-70 ...	16.23	35.11	5.59	3.17	4.13	6.30	7.89	9.31	13.82	24.94	61.15	123.76	233.44
1871-80 ...	18.06	37.97	5.41	3.35	5.13	6.69	8.45	10.18	14.31	28.38	66.37	143.83	284.60
1881-90 ...	17.56	34.52	4.75	3.32	4.96	6.93	8.85	10.21	14.64	28.52	66.19	135.84	269.29
1891-1900 ...	17.70	35.51	4.15	3.20	4.96	6.89	8.71	10.11	14.51	28.10	62.96	139.82	289.88
1901-10 ...	16.91	32.68	3.74	2.92	4.59	6.15	8.12	9.43	14.07	28.86	49.11	109.45	273.79
1911-20 ...	16.64	28.93	3.58	2.80	4.56	6.15	7.48	9.52	13.47	25.18	44.78	112.87	236.00
1921-30 ...	14.45	21.86	2.63	1.95	3.46	4.88	5.47	7.23	11.34	24.30	46.58	102.78	202.72
1931-40 ...	14.17	19.55	2.20	1.59	2.75	3.95	4.77	6.17	10.70	24.64	54.46	100.41	172.56
1937 ...	15.29	21.57	2.16	1.65	2.76	3.84	4.89	6.17	11.58	24.89	56.51	113.46	211.02
1938 ...	13.63	19.39	2.03	1.54	2.75	3.18	4.48	5.85	10.13	22.12	51.15	98.34	175.72
1939 ...	14.22	18.21	1.85	1.24	2.62	3.26	4.42	5.44	10.54	22.69	55.26	113.14	185.79
1940 ...	14.16	18.05	1.75	1.37	2.76	3.57	4.58	5.60	10.39	22.23	54.58	112.65	185.24
1941 ...	14.63	19.70	1.70	1.22	2.57	3.54	4.46	5.75	9.62	22.15	55.45	124.41	208.26
1942 ..	14.05	21.75	1.97	1.38	2.96	4.12	4.85	5.89	9.60	19.71	50.09	111.91	192.92
1943 ...	14.76	24.47	2.01	1.43	3.03	4.11	4.50	5.44	9.76	21.19	49.37		124.71
1944 ...	15.33	23.91	1.98	1.29	2.59	3.65	4.00	5.31	9.95	21.64	52.61		140.82
1945 ...	14.49	21.26	1.46	1.19	2.44	3.68	3.74	4.97	9.54	20.00	49.18		135.29
1946 ..	13.99	19.24	1.22	1.01	2.11	3.20	3.56	4.88	9.58	19.18	49.14		137.26
Average, 1937-46	14.46	20.76	1.81	1.33	2.66	3.62	4.35	5.53	10.07	21.58	52.33		—
1947 ...	14.83	20.98	1.28	1.09	2.13	3.23	3.61	5.20	9.68	20.31	51.53		147.76

*During 1864-70 the ages at death were unspecified for an average annual number of 80 persons and during 1871-80 for an average annual number of 44 persons.

TABLE 9.—MARRIAGES, BIRTHS and DEATHS by Provinces, Counties and County Boroughs in 1947.

PROVINCES AND COUNTIES.	MARRI- AGES	BIRTHS		DEATHS FROM							Deaths of Infants under One Year of age.
		Total.	Illegiti- mate Births.	All Causes.	Principal Epidemic Diseases. *	Tuber- culosis.	Cancer.	Puerperal Infection		Other Diseases of Child- birth.	
								Sepsis	Other		
ÉIRE.	16,290	68,978	2,348	44,061	1,230	3,700	3,962	10	21	99	4,687
Carlow ...	169	897	51	546	11	48	36	.	2	1	50
Dublin Co. ...	695	2,707	84	1,709	46	210	172	.	.	.	191
City of Dublin ...	3,966	13,484	373	7,167	405	846	664	2	2	8	1,145
Kildare ...	300	1,834	79	890	36	86	75	.	.	2	119
Kilkenny ...	326	1,588	96	956	27	60	59	.	.	2	115
Laoighis ...	165	1,094	31	770	27	52	71	.	.	4	80
Longford ...	153	858	45	585	10	43	55	1	.	2	57
Louth ...	387	1,738	54	966	24	85	85	.	1	.	100
Meath ...	301	1,561	51	931	23	69	104	.	.	1	105
Offaly ...	247	1,349	61	804	19	47	76	1	1	4	90
Westmeath ...	284	1,338	59	828	18	77	83	.	.	4	87
Wexford ...	453	2,264	108	1,514	45	103	160	.	1	4	177
Wicklow ...	323	1,482	73	900	20	67	85	.	1	.	88
LEINSTER ...	7,769	32,194	1,165	18,566	711	1,793	1,725	4	8	32	2,404
Clare ...	413	1,844	65	1,344	20	97	108	.	.	.	111
Cork Co. ...	1,145	5,347	180	4,140	62	290	433	1	1	8	359
Cork Co. Borough ...	795	1,976	30	1,292	31	149	112	.	.	1	163
Kerry ...	608	2,898	94	2,010	45	167	134	1	1	6	167
Limerick Co. ...	399	2,358	123	1,456	57	95	120	.	2	7	207
Limerick Co. Borough ...	458	1,310	23	685	44	78	49	1	.	6	118
Tipperary N.R. ...	321	1,364	59	828	11	61	70	.	1	.	83
Tipperary S.R. ...	391	1,990	80	1,182	30	99	111	.	1	5	116
Waterford Co. ...	266	1,048	57	759	18	45	69	.	.	7	81
Waterford Co. Boro' ...	144	689	9	441	19	51	38	.	.	.	53
MUNSTER ...	4,940	20,824	720	14,137	337	1,132	1,244	3	6	40	1,458
Galway ...	759	3,821	93	2,344	68	182	180	.	2	3	233
Leitrim ...	232	822	33	735	7	41	48	1	.	1	41
Mayo ...	565	3,170	41	2,173	16	159	189	1	2	5	121
Roscommon ...	323	1,269	30	1,083	10	58	85	1	1	2	47
Sligo ...	315	1,240	26	1,055	22	78	103	.	.	1	89
CONNAUGHT ...	2,194	10,322	223	7,390	123	518	605	3	5	12	531
Cavan ...	343	1,415	65	1,103	15	60	120	.	.	5	78
Donegal ...	753	3,068	129	2,029	34	156	183	.	2	5	165
Monaghan ...	291	1,155	46	836	10	41	85	.	.	5	51
ULSTER (part of) ...	1,387	5,638	240	3,968	59	257	388	.	2	15	294

* Typhoid fever, scarlet fever, whooping cough, diphtheria, dysentery, smallpox, measles, typhus and diarrhoea and enteritis (under 2 years of age).

TABLE 10.—MARRIAGE, BIRTH and DEATH RATES by Provinces, Counties and County Boroughs in 1947.

PROVINCES AND COUNTIES.	Popu- lation accord- ing to the Census of Popu- lation, 1946.	MARRI- AGES.	BIRTHS.		DEATHS.						
		Rates per 1,000 of Popu- lation.	Rates per 1,000 of Popu- lation.	Illegiti- mate per cent. of Total Births.	RATES PER 1,000 OF POPULATION.				RATES PER 1,000 BIRTHS.		
					All Causes.	Prin- cipal Epid- emic Dis- eases.*	Tuber- culosis.	Cancer.	Puer- peral Infection	Other Diseases of Child- birth.	Deaths of Infants under One Year of age.
ÉIRE ...	2,953,452	5.5	23.2	3.4	14.8	0.4	1.2	1.3	0.4	1.4	68
Carlow ...	34,048	5.0	26.3	5.7	16.0	0.3	1.4	1.1	2.2	1.1	56
Dublin Co. ...	129,241	5.4	20.9	3.1	13.2	0.4	1.6	1.3	.	.	71
City of Dublin ...	506,635	7.7	26.3	2.8	14.0	0.8	1.6	1.3	0.3	0.6	85
Kildare ...	64,834	4.6	28.3	4.3	13.7	0.6	1.3	1.2	.	1.1	65
Kilkenny ...	66,683	4.9	23.8	6.0	14.3	0.4	0.9	0.9	.	1.3	72
Laoighis ...	49,634	3.3	22.0	2.8	15.5	0.5	1.0	1.4	.	3.7	73
Longford ...	36,221	4.2	23.7	5.2	16.2	0.3	1.2	1.5	1.2	2.3	66
Louth ...	66,135	5.9	26.3	3.1	14.6	0.4	1.3	1.3	0.6	.	58
Meath ...	66,220	4.5	23.6	3.3	14.1	0.3	1.0	1.6	.	0.6	67
Offaly ...	53,644	4.6	25.1	4.5	15.0	0.4	0.9	1.4	1.5	3.0	67
Westmeath ...	54,880	5.2	24.4	4.4	15.1	0.3	1.4	1.5	.	3.0	65
Wexford ...	91,704	4.9	24.7	4.8	16.5	0.5	1.1	1.7	0.4	1.8	78
Wicklow ...	60,340	5.4	24.6	4.9	14.9	0.3	1.1	1.4	0.7	.	59
LEINSTER ..	1,280,219	6.1	25.1	3.6	14.5	0.6	1.4	1.3	0.4	1.0	75
Clare ...	85,071	4.9	21.7	3.5	15.8	0.2	1.1	1.3	.	.	60
Cork Co. ...	267,882	4.3	20.0	3.4	15.5	0.2	1.1	1.6	0.4	1.5	67
Cork Co. Borough ...	75,361	10.5	26.2	1.5	17.1	0.4	2.0	1.5	.	0.5	82
Kerry ...	133,818	4.5	21.7	3.2	15.0	0.3	1.2	1.0	0.7	2.1	58
Limerick Co. ...	99,493	4.0	23.7	5.2	14.6	0.6	1.0	1.2	0.8	3.0	88
Limerick Co. Borough	42,987	10.7	30.5	1.8	15.9	1.0	1.8	1.1	0.8	4.6	90
Tipperary, N. R.	58,099	5.5	23.5	4.3	14.3	0.2	1.0	1.2	0.7	.	61
Tipperary, S. R.	77,882	5.0	25.6	4.0	15.2	0.4	1.3	1.4	0.5	2.5	58
Waterford Co. ...	47,825	5.6	21.9	5.4	15.9	0.4	0.9	1.4	.	6.1	77
Waterford Co. Boro'.	28,332	5.1	24.3	1.3	15.6	0.7	1.8	1.3	.	.	77
MUNSTER ...	916,750	5.4	22.7	3.5	15.4	0.4	1.2	1.4	0.4	1.9	70
Galway ...	165,196	4.6	23.1	2.4	14.2	0.4	1.1	1.1	0.5	0.8	61
Leitrim ...	44,578	5.2	18.4	4.0	16.5	0.2	0.9	1.1	1.2	1.2	50
Mayo ...	148,200	3.8	21.4	1.3	14.7	0.1	1.1	1.3	0.9	1.6	38
Roscommon ...	72,511	4.5	17.5	2.4	14.9	0.1	0.8	1.2	1.6	1.6	37
Sligo ...	62,331	5.1	19.9	2.1	16.9	0.4	1.3	1.7	.	0.8	72
CONNAUGHT ...	492,816	4.5	20.9	2.2	15.0	0.2	1.1	1.2	0.8	1.2	51
Cavan ...	70,323	4.9	20.1	4.6	15.7	0.2	0.9	1.7	.	3.5	55
Donegal ...	136,136	5.5	22.5	4.2	14.9	0.2	1.1	1.3	0.7	1.6	54
Monaghan ...	57,208	5.1	20.2	4.0	14.6	0.2	0.7	1.5	.	4.3	44
ULSTER (part of)	263,667	5.3	21.4	4.3	15.0	0.2	1.0	1.5	0.4	2.7	52

NOTE—The rates for Éire and the City of Dublin are calculated on the population estimated to the middle of 1947.
*See note page 15.

TABLE 11. - BIRTHS AND DEATHS for the Principal Towns and Urban and Rural areas, 1947.

URBAN AND RURAL AREAS.	Births.	DEATHS FROM							
		All Causes.	Principal Epidemic Diseases.*	Tuberculosis.	Cancer.	Puerperal Infection.		Other Diseases of Child-birth.	Infants under One Year of Age.
						Sepsis.	Other.		
ÉIRE	68,978	44,061	1,230	3,700	3,962	10	21	99	4,687
ALL RURAL DISTRICTS	42,755	29,599	569 ⁵	2,060	2,660	6	15	72	2,577
ALL COUNTY BOROUGHS AND URBAN DISTRICTS ...	26,223	14,462	665	1,640	1,302	4	6	27	2,111
COUNTY BOROUGHS AND PRINCIPAL TOWNS NAMED BELOW ...	21,537	11,827	586	1,365	1,061	3	3	18	1,781
CITY OF DUBLIN ...	13,484	7,167	405	846	664	2	2	8	1,145
Borough of Dun Laoghaire ...	929	611	20	49	70	.	.	.	72
Cork County Borough	1,976	1,292	31	149	112	.	.	1	163
Limerick County Borough ...	1,310	685	44	78	49	1	.	6	118
Waterford County Borough ...	689	441	19	51	38	.	.	.	53
Galway Borough ...	498	220	8	40	17	.	.	1	38
Dundalk U.D. ...	465	255	13	28	24	.	1	.	36
Drogheda U.D. ...	468	196	5	19	18	.	.	.	25
Sligo U.D. ...	276	209	11	31	12	.	.	1	38
Wexford U.D. ...	323	205	9	22	14	.	.	.	29
Kilkenny U.D. ...	311	142	13	13	8	.	.	.	19
Bray U.D. ...	254	151	2	12	13	.	.	.	16
Fralee U.D. ...	270	149	5	17	15	.	.	1	20
Clonmel U.D. ...	284	104	1	10	7	.	.	.	9
OTHER URBAN DISTRICTS	4,686	2,635	79	275	241	1	3	9	329
ALL COUNTY BOROUGHS AND URBAN DISTRICTS IN :—									
Province of Leinster	17,972	9,644	503	1,088	896	2	4	12	1,458
Province of Munster	6,539	3,885	129	429	323	2	2	11	525
Province of Connaught	1,184	654	27	98	56	.	.	2	100
Province of Ulster (part of)	528	279	6	25	27	.	.	2	27
ALL RURAL DISTRICTS IN :—									
Province of Leinster	14,222	8,922	208	705	829	2	4	20	946
Province of Munster	14,285	10,252	208	703	921	1	4	29	933
Province of Connaught	9,138	6,736	96	420	549	3	5	10	431
Province of Ulster (part of)	5,110	3,689	53	232	361	.	2	13	267

* See note, page 15.

TABLE 12.—BIRTH AND DEATH RATES for the Principal Towns and Urban and Rural areas in 1947.

URBAN AND RURAL AREAS.	Population according to the Census of Population, 1946.	Birth Rate, per 1,000 Population.	DEATHS.						
			RATE PER 1,000 POPULATION.				RATE PER 1,000 BIRTHS.		
			All Causes.	Principal Epidemic Diseases.*	Tuberculosis.	Cancer.	Puer-peral Infection.	Other Diseases of Child-birth.	Infants under One Year of Age.
ÉIRE ...	2,953,452	23·2	14·8	0·4	1·2	1·3	0·4	1·4	68
ALL RURAL DISTRICTS	1,942,300	22·0	15·2	0·3	1·1	1·4	0·5	1·7	60
ALL COUNTY BOROUGHS AND URBAN DISTRICTS ...	1,011,152	25·9	14·3	0·7	1·6	1·3	0·4	1·0	80
COUNTY BOROUGHS AND PRINCIPAL TOWNS NAMED BELOW ...	819,118	26·3	14·4	0·7	1·7	1·3	0·3	0·8	83
CITY OF DUBLIN ...	506,635	26·3	14·0	0·8	1·6	1·3	0·3	0·6	85
Borough of Dun Laoghaire ...	44,689	20·6	13·5	0·4	1·1	1·6	·	·	78
Cork County Borough	75,361	26·2	17·1	0·4	2·0	1·5	·	0·5	82
Limerick County Borough ...	42,987	30·5	15·9	1·0	1·8	1·1	0·8	4·6	90
Waterford County Borough ...	28,332	24·3	15·6	0·7	1·8	1·3	·	·	77
Galway Borough ...	20,437	24·4	10·8	0·4	2·0	0·8	·	2·0	76
Dundalk U.D. ...	18,546	25·1	13·7	0·7	1·5	1·3	2·2	·	77
Drogheda U.D. ...	15,709	29·8	12·5	0·3	1·2	1·1	·	·	53
Sligo U.D. ...	12,906	21·4	16·2	0·9	2·4	0·9	·	3·6	138
Wexford U.D. ...	12,308	26·2	16·7	0·7	1·8	1·1	·	·	90
Kilkenny U.D. ...	10,289	30·2	13·8	1·3	1·3	0·8	·	·	61
Bray U.D. ...	11,076	22·9	13·6	0·2	1·1	1·2	·	·	63
Tralee U.D. ...	9,982	27·0	14·9	0·5	1·7	1·5	·	3·7	74
Clonmel U.D. ...	9,861	28·8	10·5	0·1	1·0	0·7	·	·	32
OTHER URBAN DISTRICTS, ...	192,034	24·4	13·7	0·4	1·4	1·3	0·9	1·9	70
ALL COUNTY BOROUGHS AND URBAN DISTRICTS IN :—									
Province of Leinster	683,346	26·3	14·1	0·7	1·6	1·3	0·3	0·7	81
Province of Munster	250,616	26·1	15·5	0·5	1·7	1·3	0·6	1·7	80
Province of Connaught	53,003	22·3	12·3	0·5	1·8	1·1	·	1·7	84
Province of Ulster (part of)	24,187	21·8	11·5	0·2	1·0	1·1	·	3·8	51
ALL RURAL DISTRICTS IN :—									
Province of Leinster	596,873	23·8	14·9	0·3	1·2	1·4	0·4	1·4	67
Province of Munster	666,134	21·4	15·4	0·3	1·1	1·4	0·4	2·0	65
Province of Connaught	439,813	20·8	15·3	0·2	1·0	1·2	0·9	1·1	47
Province of Ulster (part of)	239,480	21·3	15·4	0·2	0·9	1·5	0·4	2·5	52

NOTE—The rates for Éire, the City of Dublin and the Borough of Dun Laoghaire, are calculated on the population estimated to the middle of 1947.

*See note, page 15.

TABLE 13—Neo-natal Mortality (deaths of infants under one month old) by counties and county boroughs in the year 1947.

PROVINCES AND COUNTIES	DEATHS OF INFANTS UNDER ONE MONTH OLD										
	Total Number	Rate per 1,000 Births	CAUSE OF DEATH								Other Causes
			Prema- ture Birth	Debility	Injury at Birth	Other Diseases of Infancy	Congen- ital Malfor- mations	Diar- rhoea and Enteritis	Convul- sions	Pneu- monia	
ÉIRE ...	1,987	29	728	357	147	239	203	105	55	74	79
Carlow ...	22	25	5	11	2	1	2	.	1	.	.
Dublin ...	88	33	33	6	8	18	10	7	1	2	3
City of Dublin ...	448	33	184	37	39	64	43	32	8	26	15
Kildare ...	36	20	13	5	1	5	7	.	2	.	3
Kilkenny ...	57	36	20	16	1	7	4	3	1	1	4
Laoighis ...	33	30	16	6	2	2	1	4	1	.	1
Longford ...	25	29	5	5	4	5	2	1	.	.	3
Louth ...	42	24	20	11	3	3	3	.	.	.	2
Meath ...	53	34	11	17	4	4	7	3	1	1	5
Offaly ...	41	30	17	6	4	6	6	1	.	1	.
Westmeath ...	42	31	9	7	4	5	6	2	3	2	4
Wexford ...	66	29	19	24	2	3	7	5	1	3	2
Wicklow ...	38	26	13	4	1	12	5	1	.	2	.
LEINSTER ...	991	31	365	155	75	135	103	59	19	38	42
Clare ...	45	24	22	5	.	4	5	5	2	2	.
Cork ...	169	32	68	38	8	21	18	3	4	6	3
Cork Co. Borough ...	71	36	37	8	3	10	3	1	4	3	2
Kerry ...	66	23	20	16	7	7	5	3	2	3	3
Limerick ...	84	36	30	18	9	8	5	7	.	2	5
Limerick Co. Borough ...	33	25	5	6	1	5	2	5	5	.	4
Lipperary, N.R. ...	46	34	12	12	3	6	4	3	2	1	3
Lipperary, S.R. ...	54	27	25	8	4	4	8	2	2	1	.
Waterford ...	47	45	17	12	3	2	7	1	1	1	3
Waterford Co. Boro' ...	22	32	10	3	1	3	2	1	.	.	2
MUNSTER ...	637	31	246	126	39	70	59	31	22	19	25
Galway ...	96	25	31	18	11	7	12	7	3	3	4
Leitrim ...	12	15	4	3	1	4	.
Mayo ...	52	16	20	8	6	7	5	1	3	.	2
Roscommon ...	21	17	8	5	4	2	2
Sligo ...	47	38	17	9	2	1	4	5	3	3	3
CONNAUGHT ...	228	22	80	43	24	17	23	13	9	10	9
Slavan ...	33	23	14	6	1	5	5	.	1	.	1
Donegal ...	71	23	17	19	1	10	11	2	2	7	2
Donaghan ...	27	23	6	8	7	2	2	.	2	.	.
ULSTER (part of) ...	131	23	37	33	9	17	18	2	5	7	3

TABLE 14.—BIRTHS and DEATHS registered during the YEAR 1947, for the Fourteen Principal Towns and for each URBAN DISTRICT.

AREA.	Popu- lation according to the Census of Popula- tion, 1946	BIRTHS.		DEATHS		BIRTHS.	Caused by												No. Uncertified.							
		Annual Rate per 1,000 persons represented by	Principal epidemic diseases.	Total Number.	Under 1 year of age.		At 65 years and up- wards.	Principal Epidemic Diseases.										Tuber- culosis.		Influenza.	Cancer.	Puerperal Infection.	Other Diseases of Childbirth.	Violence.		
								All Causes.	Typhoid fever	Scarlet fever	Whooping cough.	Diphtheria.	Dysentery.	Small-pox.	Measles.	Typhus.	Diarrhoea & En- teritis (under 2 years).								Pulmonary.	Other Forms.
DIET	...	23.2	14.8	0.4	68,975	44,061	4,687	24,707	15	8	298	56	3	106	...	744	2,831	369	651	3,962	31	99	971	5,523		
DUKE	
Total Rural Districts	
Total Urban Districts	
Total 14 Principal Towns	
City of Dublin	
Borough of Dun Laoghaire	
Cork Co. Borough	
Limerick "	
Waterford "	
Galway Borough	
Dundalk	
Drogheda	
Sligo	
Wexford	
Kilkenny	
Bray	
Tralee	
Clonmel	

Total other Urban Districts	192,031	24.4	13.7	0.4	4,686	2,635	329	1,291	3	.	19	4	.	15	.	38	207	68	34	241	4	9	65	104
1. LEINSTER.																								
An Uamh ...	4,103	26.3	15.1	0.5	108	62	3	24	.	.	.	1	.	.	.	1	4	3	.	10
Arklow ...	4,851	25.8	16.1	0.2	125	78	5	47	1	3	3	.	8	.	.	1	4
Athlone ...	8,356	31.0	10.3	0.1	259	86	13	38	1	8	6	2	6	.	1	1	8
Athy ..	3,633	27.5	17.1	1.1	100	62	12	31	.	.	2	.	.	1	.	1	4	2	1	2	.	.	1	5
Birr ...	3,225	23.3	19.2	0.3	75	62	3	33	1	8	1	.	9	.	.	.	3
Carlow ..	7,465	26.3	13.1	0.4	196	98	11	45	2	1	11	2	2	5	1	1	3	3
Cearrmas Mór ...	2,141	22.9	15.9	.	49	34	2	20	2	2	.	5	.	.	1	2
Enniscorthy ..	5,960	28.7	16.6	0.8	171	99	14	46	.	.	1	.	.	2	.	2	4	.	1	14	.	.	3	.
Granard ...	1,198	27.5	10.9	0.8	33	13	3	7	1	3
Longford ..	4,019	30.4	14.4	0.7	122	58	11	30	3	5	1	1	7	.	.	3	1
Naas ...	3,774	24.9	14.0	2.4	94	53	10	22	.	.	8	.	.	1	.	.	2	1	3	2	.	.	3	.
New Ross ..	4,898	24.9	16.3	1.0	122	80	11	33	2	.	3	7	5	.	7
Trim ..	1,378	19.6	15.2	.	27	21	2	13	3	.	.	1
Tullamore ..	5,894	29.2	12.4	0.2	172	73	13	24	1	7	1	.	6	.	2	2	.
Wicklow ...	3,197	26.6	11.9	.	85	38	3	18	4	.	.	3	.	.	2	.

NOTE.—The rates for Fire, the City of Dublin and the Borough of Dun Laoghaire are calculated on the population estimated to the middle of 1917.

TABLE 14.--URBAN DISTRICTS, 1947 (continued).

AREA.	Popu- lation according to the (census of Popula- tion, 1946	BIRTHS.		DEATHS		BIRTHS.	All Causes.	Principal epidemic diseases.	Total Number.	Under 1 year of Age.	At 65 years and up- wards.	Caused by										Influenza.	Cancer	Puerperal Infection.	Other Diseases of Childbirth.	Violence.	No. Uncertified.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																		
		BIRTHS.	Principal epidemic diseases.	Typhoid fever.	Scarlet fever.							Whooping cough.	Diphtheria.	Dysentery.	Small-pox.	Measles.	Typhus.	Diarrhoea & En- teritis (under 2 years).	Tuber- culosis																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																										
																			Pulmonary.	Other Forms.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
II. MUNSTER.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																													</

Skillbreen	...	2,361	19.1	19.9	0.4	45	47	5	22	1	.	9	.	.	.	7	1	.	2	2	
Templemore	...	2,058	22.4	14.1	.	46	29	3	21	2	1	.	1	2
Thurles	...	6,012	25.0	9.5	0.2	150	57	9	24	1	5	1	.	7	1	.	2	.	3	
Tipperary	...	5,266	25.1	13.9	.	132	73	12	29	9	1	1	8	
Youghal	...	4,803	21.9	15.4	.	105	74	10	36	6	.	.	9	.	.	2	.	4	
CONNAUGHT.																													
Ballina	...	6,058	31.2	13.4	0.5	189	81	7	38	.	1	2	9	2	4	10	.	.	3	6	1	
Ballinasloe	...	5,425	14.2	8.1	0.7	77	44	9	23	1	2	.	1	3	1	.	5	.	.	1	1	1	
Castlebar	...	4,939	17.6	10.1	.	87	50	2	26	6	2	.	5	.	.	3	2	2	
Westport	...	3,238	17.6	15.4	0.3	57	50	6	28	1	.	.	3	1	2	7	.	.	1	2	2	
ULSTER (part of).																													
Belturbet	...	1,179	15.3	16.1	.	18	19	1	11	4	.	.	2	.	1	.	.	.	
Banerana	...	2,732	27.5	11.3	0.4	75	31	6	18	.	1	2	3	.	2	.	.	1	1	1	
Bundoran	...	1,738	20.1	15.0	0.6	35	26	2	16	1	2	.	.	3	.	.	2	2	2	
Carriekmacross	...	2,114	19.4	8.5	.	41	18	.	8	2	3	1	1	1	
Castleblayney	...	1,765	26.1	15.9	0.6	46	28	2	15	.	.	1	3	.	.	1	1	1	
Cavan	...	3,479	29.0	11.5	.	101	40	7	20	1	2	.	6	.	.	3	2	2	
Clones	...	2,092	23.9	13.4	0.5	50	28	2	16	1	1	.	.	1	.	.	2	1	1	
Geotchill	...	1,566	26.2	12.8	0.6	41	20	4	9	.	1	1	.	.	1	.	.	2	.	.	
Letterkenny	...	2,849	22.1	11.9	0.4	63	34	.	16	.	.	1	1	.	.	4	.	.	1	4	4	
Monaghan	...	4,673	12.4	7.5	.	58	35	3	20	1	2	.	5	.	.	2	3	3	

TABLE 15.—BIRTH and DEATH RATES, for the aggregate Urban and Rural areas in each of the years 1911 to 1947.

YEAR.	RATES PER 1,000 OF POPULATION REPRESENTED BY								RATES PER 1,000 BIRTHS.	
	BIRTHS.		DEATHS. (All Causes).		PRINCIPAL EPI- DEMIC DISEASES.		TUBERCULOSIS (All forms).		INFANT MORTALITY.	
	Urban Districts	Rural Districts	Urban Districts	Rural Districts	Urban Districts	Rural Districts	Urban Districts	Rural Districts	Urban Districts	Rural Districts
1911 ...	26.31	21.47	19.04	15.33	2.15	0.53	3.04	1.78	135	72
1912 ...	25.33	21.68	18.54	15.31	1.59	0.45	2.98	1.78	121	65
1913 ...	25.62	21.50	19.09	15.96	1.88	0.58	2.95	1.78	139	72
1914 ...	25.48	21.16	20.44	14.41	1.83	0.48	3.06	1.67	123	62
1915 ...	24.38	21.09	19.83	16.62	1.48	0.47	3.17	1.82	130	65
1916 ...	22.58	20.57	18.07	15.90	1.22	0.50	2.85	1.83	123	64
1917 ...	21.27	19.57	17.30	16.71	1.17	0.43	2.85	1.92	121	69
1918 ...	20.80	19.59	20.76	16.26	1.23	0.42	3.02	1.77	125	62
1919 ...	22.41	18.99	19.44	17.43	0.86	0.32	2.61	1.60	119	69
1920 ...	26.19	19.85	16.43	14.00	1.32	0.53	2.22	1.43	113	60
1921 ...	24.44	17.90	15.41	13.99	1.19	0.44	2.03	1.38	105	56
1922 ...	23.41	17.91	16.26	14.14	0.96	0.40	2.01	1.34	98	54
1923 ...	24.24	18.96	15.28	13.50	1.01	0.37	2.07	1.25	99	50
1924 ...	25.36	19.39	16.57	14.42	1.05	0.38	2.06	1.31	104	55
1925 ...	24.71	19.21	15.66	14.20	1.09	0.32	2.05	1.37	97	53
1926 ...	23.84	19.23	15.27	13.54	1.33	0.43	1.84	1.31	110	56
1927 ...	23.44	18.98	15.56	14.44	0.96	0.33	1.92	1.26	99	56
1928 ...	23.11	18.80	14.41	14.10	0.97	0.38	1.71	1.23	91	56
1929 ...	22.85	18.53	15.06	14.46	0.87	0.39	1.75	1.13	93	58
1930 ...	23.24	18.47	14.69	14.05	0.90	0.34	1.73	1.12	90	56
1931 ...	22.56	18.07	15.03	14.47	0.93	0.33	1.76	1.14	88	58
1932 ...	22.44	17.53	14.71	14.51	1.00	0.38	1.49	1.14	95	59
1933 ...	22.45	17.94	14.15	13.47	0.87	0.37	1.55	1.02	85	54
1934 ...	22.75	17.96	12.92	13.26	0.69	0.33	1.48	1.05	78	55
1935 ...	23.43	17.79	14.00	13.97	0.91	0.39	1.62	1.10	87	57
1936 ...	23.11	17.90	14.22	14.45	0.99	0.37	1.49	1.02	99	59
1937 ...	23.11	17.23	14.76	15.56	0.85	0.35	1.53	1.09	91	61
1938 ...	22.65	17.76	13.13	13.88	0.71	0.30	1.42	0.93	84	55
1939 ...	21.93	17.69	13.35	14.65	0.71	0.25	1.37	1.00	83	55
1940 ...	21.71	17.84	14.26	14.11	0.64	0.23	1.61	1.06	85	55
1941 ...	21.96	17.76	14.68	14.79	0.92	0.24	1.58	1.09	99	58
1942 ...	25.18	20.87	14.27	13.91	0.96	0.37	1.89	1.26	90	58
1943 ...	23.91	20.33	14.58	14.51	1.11	0.44	1.80	1.26	110	67
1944 ...	24.06	21.23	14.66	15.62	1.04	0.41	1.64	1.13	105	65
1945 ...	24.37	21.77	14.01	14.74	0.91	0.34	1.59	1.08	93	58
1946 ..	25.06	21.92	13.15	14.50	0.71	0.29	1.49	0.97	80	56
1947 ..	25.93	22.01	14.30	15.24	0.66	0.29	1.62	1.06	80	60

NOTE.—For 1923 and subsequent years the births and deaths on which the above rates are based have been assigned to the normal residence of the mother in the case of births and to that of the deceased in the case of deaths. Prior to 1923 the figures on which the rates were based were partially corrected for deaths in institutions. The rates given relate to the urban and rural areas as existing in the respective years.

PART III.

Abstracts.

ABSTRACT I.—MARRIAGES, BIRTHS AND DEATHS registered during the year 1947, in each Province, County, and County Borough.

PROVINCES, ADMINISTRATIVE COUNTIES, AND COUNTY BOROUGHES.	Area* in Statute Acres	Popula- tion accord- ing to Census of Popula- tion, 1946.	Total Number of Mar- riages Regis- tered	BIRTHS (INCLUDING ILLEGITIMATE)				ILLEGITIMATE BIRTHS				DEATHS			Excess of Births over Deaths (Net Num- bers)
				Total Number Registered	Transferred from Area	Transferred to Area	Net Number	Total Number Registered	Transferred from Area	Transferred to Area	Net Number	Total Number Registered	Transferred from Area	Transferred to Area	
ÉIRE	17,024,485	2,953,452	16,220	68,978	—	—	68,978	2,348	—	—	2,348	44,061	—	—	24,917
No. I.—LEINSTER	4,851,340	1,280,219	7,769	32,544	3,875	3,525	32,194	1,224	409	350	1,165	18,804	1,823	1,585	13,628
II.—MUNSTER	5,962,595	916,750	4,940	20,828	2,085	2,081	20,824	758	223	185	720	14,058	1,553	1,632	6,687
III.—CONNAUGHT	4,230,822	492,816	2,194	10,144	169	347	10,322	169	28	82	223	7,293	215	312	2,932
IV.—ULSTER (part of)	1,979,728	263,667	1,387	5,462	53	229	5,638	197	5	48	240	3,906	71	133	1,670

PROVINCE OF LEINSTER.

1. CARLOW	221,485	34,048	169	800	10	107	897	21	—	30	51	518	21	49	546	351
2. DUBLIN CO.	208,984	129,241	695	1,182	91	1,616	2,707	81	60	63	84	1,407	234	536	1,709	998
3. CITY OF DUBLIN	18,740	506,635	3,966	16,696	3,293	81	13,484	587	246	32	373	8,131	1,151	187	7,167	6,317
4. KILDARE	418,644	64,834	300	1,484	8	358	1,834	56	—	23	79	805	10	95	890	944
5. KILKENNY	509,470	66,683	326	1,472	31	147	1,588	48	1	49	96	924	29	61	956	632
6. LAOIGHIS	424,892	49,634	165	1,038	19	75	1,094	16	1	16	31	767	38	41	770	324
7. LONGFORD	257,935	36,221	153	800	25	83	858	29	1	17	45	532	5	58	585	273
8. LOUTH	202,814	66,135	387	1,858	216	96	1,738	46	1	9	54	944	52	74	966	772
9. MEATH	577,824	66,220	301	1,251	7	337	1,561	29	—	22	51	837	20	114	931	630
10. OFFALY	493,636	53,644	247	1,257	9	101	1,349	32	—	29	61	740	21	85	804	545
11. WESTMEATH	435,605	54,880	284	1,376	131	93	1,338	139	94	14	59	901	127	54	828	510
12. WEXFORD	581,061	91,704	453	2,207	21	78	2,264	87	2	23	108	1,503	69	80	1,514	750
13. WICKLOW	500,250	60,340	323	1,143	14	353	1,482	53	3	23	73	795	46	151	900	532

PROVINCE OF MUNSTER.

14. CLARE	787,756	85,071	413	1,681	8	171	1,844	36	1	30	65	1,286	9	67	1,344	500
15. CORK CO.	1,840,908	267,882	1,145	4,678	268	937	5,317	243	83	20	189	4,270	515	415	4,110	1,267
16. CORK CO. BOROUGH	2,685	75,361	795	2,768	960	168	1,976	18	8	20	30	1,214	325	403	1,292	684
17. KERRY	1,161,765	133,818	608	2,836	8	79	2,898	77	1	18	94	1,982	41	69	2,010	888
18. LIMERICK CO.	661,585	99,493	399	2,954	13	318	2,358	120	16	19	123	1,533	247	150	1,456	902
19. LIMERICK CO.	2,386	42,987	458	1,674	406	42	1,310	10	4	17	23	582	113	246	685	625
20. TIPPERARY, N.R.	493,258	58,099	321	1,429	126	65	1,364	146	99	12	59	848	63	73	828	536
21. TIPPERARY, S.R.	558,034	77,882	391	1,988	66	68	1,990	56	1	25	80	1,177	45	50	1,182	808
22. WATERFORD CO.	452,840	47,825	266	858	16	260	1,048	57	3	23	57	632	19	146	759	289
23. WATERFORD CO. BOROUGH	1,438	28,332	144	863	190	16	689	15	7	1	9	544	116	13	441	248

PROVINCE OF CONNAUGHT.

24. GALWAY	1,467,660	165,106	759	3,826	83	18	3,821	95	23	21	93	2,375	107	76	2,341	1,477
25. LEITRIM	376,764	44,578	232	736	4	90	7822	14	—	19	33	665	5	75	735	87
26. MAYO	1,333,941	148,200	565	3,093	12	89	3,170	12	—	29	41	2,117	26	82	2,173	997
27. ROSCOMMON	608,540	72,511	323	1,255	44	55	1,269	23	2	9	39	1,054	31	69	1,083	186
28. SLIGO	443,917	62,331	315	1,234	29	35	1,240	25	3	4	26	1,082	46	19	1,055	185

PROVINCE OF ULSTER (Part of).

29. CAVAN	467,162	70,323	343	1,299	17	133	1,415	37	3	31	65	1,046	29	77	1,103	312
30. DONEGAL	1,193,581	136,136	753	3,053	21	36	3,068	124	2	7	129	2,019	14	24	2,029	1,039
31. MONAGHAN	318,985	57,298	291	1,110	15	69	1,155	36	—	10	46	841	37	32	836	319

* Exclusive of the larger rivers, lakes and tideways.

ABSTRACT II.—MARRIAGE

PROVINCES AND COUNTIES.	TOTAL MARRIAGES.	Catholic Marriages.	Marriages other than Catholic.							Total Marriages Registered in the Quarter ending the last day of			
			Total.	Protestant Episcopalian.	In Registered Pres- byterian Meeting Houses.	In Registered Buildings.	In the Registrar's Office.	Society of Friends.	Jews.	MARCH.	JUNE.	SEPTEMBER.	DECEMBER.
ÉIRE	16,290	15,379	911	623	160	58	54	6	10	3,769	4,023	4,899	3,599
PROVINCES.													
LEINSTER	7,769	7,275	494	368	34	29	50	5	8	1,521	1,897	2,604	1,747
MUNSTER	4,940	4,826	114	89	3	17	2	1	2	1,260	1,178	1,410	1,092
CONNAUGHT	2,194	2,149	45	39	4	2	.	.	.	634	624	485	451
ULSTER (part of)	1,387	1,129	258	127	119	10	2	.	.	354	324	400	309

PROVINCE OF

CARLOW	169	160	9	8	.	1	.	.	.	24	48	49	48
DUBLIN CO.	695	631	64	51	4	2	.	3	4	166	153	231	145
CITY OF DUBLIN	3,966	3,674	292	194	22	22	49	1	4	722	903	1,523	818
KILDARE	300	295	5	5	73	70	84	73
KILKENNY	326	323	3	2	.	1	.	.	.	68	84	85	89
LAOIGHIS	165	146	19	18	1	39	44	48	34
LONGFORD	153	147	6	5	1	36	26	53	38
LOUTH	387	380	7	4	2	1	.	.	.	63	147	76	101
MEATH	301	285	16	15	1	40	87	82	92
OFFALY	247	236	11	11	44	71	85	47
WESTMEATH	284	278	6	3	1	2	.	.	.	59	75	84	66
WEXFORD	453	434	19	17	.	.	1	1	.	99	123	113	118
WICKLOW	323	286	37	35	2	88	66	91	78

PROVINCE OF

CLARE	413	410	3	3	143	109	91	70
CORK CO.	1,145	1,099	46	40	1	5	.	.	.	281	245	341	278
CORK CO. BOROUGH	795	773	22	15	.	4	1	.	2	176	168	277	174
KERRY	608	599	9	8	.	1	.	.	.	179	149	145	135
LIMERICK CO.	399	396	3	1	.	1	1	.	.	117	112	93	77
LIMERICK CO. BOROUGH	458	451	7	3	1	2	.	1	.	99	123	147	89
TIPPERARY, N.R.	321	314	7	4	.	3	.	.	.	81	65	71	104
TIPPERARY, S.R.	391	385	6	5	1	101	105	113	72
WATERFORD CO.	266	259	7	6	.	1	.	.	.	62	63	84	57
WATERFORD CO. BOROUGH	144	140	4	4	21	39	48	36

PROVINCE OF

GALWAY	759	757	2	2	236	228	167	128
LEITRIM	232	217	15	13	1	1	.	.	.	64	67	42	59
MAYO	565	559	6	5	1	184	151	120	110
ROSCOMMON	323	318	5	5	74	101	55	93
SLIGO	315	298	17	14	2	1	.	.	.	76	77	101	61

PROVINCE OF

CAVAN	343	273	70	49	17	3	1	.	.	91	76	100	76
DOWN	753	615	138	58	72	7	1	.	.	183	192	208	170
MONAGHAN	291	241	50	20	30	80	56	92	63

REGISTERED IN THE YEAR 1947.

MARRIAGES.								PROVINCES AND COUNTIES.
Contracted between				Of		Of Persons not of full Age		
Bachelors and Spinsters.	Bachelors and Widows.	Widowers and Spinsters.	Widowers and Widows.	Widowers.	Widows.	Men.	Women.	
5,435	196	559	100	659	296	244	1,146	ÉIRE
								PROVINCES.
7,302	100	305	62	367	162	149	659	LEINSTER.
4,690	58	169	23	192	81	73	309	MUNSTER.
2,110	28	47	9	56	37	17	94	CONNAUGHT.
,833	10	38	6	44	16	5	84	ULSTER (part of).
MUNSTER								
158	3	8	.	8	3	6	17	CARLOW.
658	10	22	5	27	15	12	58	DUBLIN CO.
709	55	167	35	202	90	88	285	CITY OF DUBLIN.
284	5	10	1	11	6	7	37	KILDARE.
307	5	8	6	14	11	2	29	KILKENNY.
158	2	5	.	5	2	1	12	LAOIGHIS.
148	.	5	.	5	.	1	11	LONGFORD.
368	5	12	2	14	7	5	41	LOUTH.
283	5	12	1	13	6	4	29	MEATH.
233	2	10	2	12	4	2	16	OFFALY.
266	2	12	4	16	6	4	22	WESTMEATH.
428	5	17	3	20	8	11	66	WEXFORD.
302	1	17	3	20	4	6	36	WICKLOW.
MUNSTER								
400	6	7	.	7	6	4	25	CLARE.
95	13	33	4	37	17	11	50	CORK CO.
752	4	33	6	39	10	19	50	CORK CO. BOROUGH.
585	6	15	2	17	8	2	9	KERRY.
374	6	16	3	19	9	6	32	LIMERICK CO.
430	7	21	.	21	7	14	46	LIMERICK CO. BOROUGH.
303	4	12	2	14	6	2	16	TIPPERARY, N.R.
374	5	9	3	12	8	5	40	TIPPERARY, S.R.
245	6	13	2	15	8	5	29	WATERFORD CO.
132	1	10	1	11	2	5	12	WATERFORD CO. BOROUGH.
CONNAUGHT								
6	7	12	4	16	11	9	38	GALWAY.
8	6	6	2	8	8	1	6	LEITRIM.
5	9	10	1	11	10	3	24	MAYO.
0	3	9	1	10	4	3	12	ROSCOMMON.
1	3	10	1	11	4	1	14	SLIGO.
ULSTER (Part of)								
2	5	6	.	6	5	1	13	CAVAN.
4	4	23	2	25	6	4	58	DONEGAL.
7	1	9	4	13	5	.	13	MONAGHAN.

ABSTRACT III.—BIRTHS and DEATHS at different Ages registered in the year 1947—by Provinces and Counties.

AGES AT DEATH.

Provinces and Counties.	TOTAL BIRTHS	TOTAL DEATHS	Under 1 Year.	1—	2—	3—	4—	Under 5 Years	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	85—	95 & up-wards
ÉIRE	68,978 35,674 33,304	44,061 23,461 20,600	4,687 2,693 1,994	529 293 236	256 144 112	142 77 65	129 62 67	5,743 3,269 2,474	344 130 164	291 143 148	576 264 312	767 348 419	769 379 399	771 385 386	873 472 401	996 539 457	1,217 669 543	1,624 930 764	2,172 1,218 900	3,135 1,731 1,404	4,416 2,432 1,983	6,633 3,376 3,057	10,703 5,522 5,181	2,777 1,261 1,516	184 173 111
LEINSTER	32,194 16,616 15,578	18,566 9,743 8,823	2,404 1,388 1,016	293 154 139	133 78 55	70 39 31	67 28 39	2,967 1,687 1,280	171 84 87	138 71 67	285 125 160	314 127 187	351 167 184	326 167 159	373 188 185	465 255 210	577 331 246	774 420 354	1,088 621 467	1,441 792 649	1,884 1,046 838	2,567 1,363 1,204	3,921 1,952 1,969	863 328 535	61 19 42
MUNSTER	20,824 10,790 10,034	14,137 7,550 6,587	1,453 835 623	136 78 58	67 32 35	41 21 20	42 23 19	1,744 989 755	90 47 43	95 48 47	157 78 79	233 111 122	232 112 120	246 124 122	292 168 124	325 166 159	371 195 176	559 320 239	678 394 314	1,036 587 449	1,460 840 620	2,320 1,222 1,087	3,374 1,745 1,629	890 408 482	35 15 20
CONNAUGHT	10,322 5,381 4,941	7,390 4,038 3,352	531 312 219	74 46 28	40 26 14	19 8 11	13 8 5	677 400 277	52 30 22	34 12 22	87 44 43	142 71 71	128 74 54	130 67 63	139 78 61	134 81 53	170 90 80	235 125 110	244 136 108	425 228 197	662 378 284	1,097 642 455	2,266 1,193 1,073	703 364 339	65 25 40
ULSTER (part of)	5,638 2,887 2,751	3,968 2,130 1,838	294 158 136	26 15 11	16 8 8	12 9 3	7 3 4	355 193 162	31 19 12	24 12 12	47 17 30	78 39 39	58 26 32	69 27 42	69 38 31	72 37 35	99 53 46	126 65 61	168 97 71	233 124 109	404 218 186	649 328 311	1,142 652 490	321 161 160	23 14 9
LEINSTER.																									
OARLOW	897 478 419	546 303 243	50 30 20	11 7 4	5 3 2	3 1 2	2 1 1	71 42 29	3 . 3	4 2 2	7 2 5	13 8 5	8 2 6	10 6 4	10 3 7	12 7 5	13 9 4	24 12 12	26 13 13	36 20 16	53 26 27	88 50 38	138 89 49	30 12 18	. . .
DUBLIN CO.	2,707 1,396 1,311	1,709 827 882	191 106 85	22 14 8	7 5 2	7 3 4	8 4 4	235 132 103	28 9 19	20 12 8	39 14 25	38 14 24	29 16 13	31 15 16	34 16 18	45 25 20	64 34 30	359 191 168	82 41 41	139 69 70	178 100 78	225 118 107	342 146 196	116 30 86	8 4 4
CITY OF DUBLIN	13,484 6,952 6,532	7,167 3,613 3,554	1,145 666 479	138 72 66	58 32 26	33 23 10	21 7 14	1,395 800 595	67 42 25	61 27 34	129 56 73	135 54 81	151 72 79	138 72 66	177 84 93	191 98 93	238 170 128	359 191 168	504 304 200	626 332 294	697 377 320	855 377 478	1,139 489 650	229 66 163	16 2 14
KILDARE	1,834 948 886	890 485 405	119 68 51	13 7 6	7 5 5	3 1 2	9 4 5	151 85 66	5 . 5	9 4 5	11 5 6	12 5 7	26 16 10	21 11 10	15 9 6	18 9 9	30 15 15	31 20 11	48 26 22	47 29 18	100 58 42	125 67 58	205 110 95	35 16 19	1 . 1
KILKENNY	1,588 823 765	956 503 453	115 62 53	21 10 11	10 4 6	2 1 1	3 1 2	151 78 73	4 3 1	4 1 3	15 6 9	12 4 8	11 4 7	9 7 7	15 8 7	24 15 9	20 10 10	30 17 13	46 27 19	68 33 35	97 55 42	168 101 67	232 116 116	47 22 25	3 1 2
LAOIGHIS	1,094 438 563	770 438 332	80 42 38	10 7 3	4 1 3	1 . 1	1 . 1	96 50 46	8 6 2	2 2 .	7 4 3	10 7 3	8 4 4	13 7 6	15 8 7	20 11 9	23 14 9	22 17 5	30 13 17	58 37 21	83 43 40	124 72 52	204 120 84	44 22 22	3 1 3
LONGFORD	853 461	585 309	57 25	3 2	5 4	2 1	1 1	68 33	4 2	4 2	8 2	8 2	9 4	10 6	7 3	8 1	16 11	25 13	27 17	42 24	61 34	150 82	38 19	38 19	5 1 4

LOUTH	{ Persons Males Females	1,538	966	100	11	9	5	3	128	11	9	11	17	16	18	14	20	20	35	61	78	109	150	218	48
		897	549	66	7	5	3	1	82	4	4	6	10	7	10	6	10	15	26	37	36	61	88	120	25
MEATH	{ Persons Males Females	841	417	31	4	4	2	2	46	7	5	5	7	9	8	8	5	5	9	24	42	48	62	98	23
		1,561	931	105	15	6	3	3	131	6	2	6	9	16	19	13	17	17	32	64	71	93	155	53	
OFFALY	{ Persons Males Females	804	527	53	8	5	2	2	70	3	2	3	1	5	11	8	5	7	17	40	41	54	104	126	24
		757	404	52	7	1	1	3	61	3	1	3	8	11	8	5	5	7	15	24	30	39	51	102	29
WEST- MEATH	{ Persons Males Females	1,349	804	90	7	2	3	5	107	10	3	15	12	14	8	15	23	22	28	40	50	85	115	206	49
		707	439	58	2	2	1	1	64	5	1	9	4	6	3	5	14	13	11	20	33	58	64	110	110
WEXFORD	{ Persons Males Females	642	365	32	5	2	2	43	43	5	6	8	8	8	5	10	9	9	17	20	17	27	51	96	30
		1,338	828	87	11	5	7	1	106	7	8	7	15	23	14	16	22	19	31	40	55	83	117	211	48
WICKLOW	{ Persons Males Females	704	456	48	5	4	1	59	59	2	2	2	6	16	7	12	13	11	14	23	31	48	68	112	22
		634	372	39	6	1	5	47	47	1	5	5	9	7	7	4	9	8	17	17	24	35	49	99	26
MUNSTER.	{ Persons Males Females	2,261	1,514	177	25	11	6	225	225	15	17	17	17	23	24	25	42	35	60	63	98	143	218	425	72
		1,154	773	104	10	5	2	124	124	7	3	9	4	10	12	12	14	19	35	28	37	72	118	202	34
WEXFORD	{ Persons Males Females	1,110	741	73	15	6	4	101	101	8	4	8	13	13	12	11	18	16	25	35	41	71	100	223	38
		900	521	63	6	3	1	103	103	3	4	6	16	17	11	11	17	12	33	57	73	102	132	229	54
WICKLOW	{ Persons Males Females	761	379	28	3	3	1	68	68	1	4	7	8	5	5	12	9	9	13	32	50	60	83	136	17
		721	379	28	3	1	2	35	35	2	6	6	8	12	6	6	5	3	20	25	23	42	49	95	37
CLARE	{ Persons Males Females	1,844	1,244	111	5	1	2	123	123	4	7	16	18	16	23	26	33	26	60	70	69	122	235	381	109
		949	771	63	3	4	6	68	68	4	3	6	9	10	12	12	15	19	11	33	39	81	133	225	56
CORK CO.	{ Persons Males Females	895	573	48	2	2	2	55	55	2	4	10	9	6	11	11	14	15	27	31	24	41	102	158	53
		3,317	4,140	359	33	16	9	426	426	20	22	48	64	68	60	60	87	93	197	147	321	452	714	1,058	27
CORK CO. BOROUGH	{ Persons Males Females	2,823	2,197	207	23	11	6	252	252	9	11	24	35	38	21	54	46	56	81	113	183	268	370	525	108
		2,521	1,966	152	10	5	3	174	174	11	11	24	29	30	39	39	47	51	66	75	138	181	311	535	118
CORK CO. BOROUGH	{ Persons Males Females	1,296	1,292	143	8	8	3	184	184	11	9	8	30	29	15	35	40	44	75	76	132	160	210	304	37
		962	661	75	7	6	3	121	121	9	5	2	14	7	10	16	22	23	40	42	84	102	140	210	37
KERRY	{ Persons Males Females	1,398	900	69	1	2	1	63	63	2	1	6	16	22	5	19	18	21	33	34	62	79	108	145	21
		7,895	2,010	167	15	7	8	202	202	7	14	21	35	30	56	30	41	50	90	89	110	185	358	532	158
LIMERICK CO.	{ Persons Males Females	1,500	1,110	98	7	3	4	116	116	5	7	11	10	20	10	25	24	27	51	46	61	103	171	266	87
		962	661	75	1	2	3	86	86	2	7	10	25	10	23	18	12	23	33	43	49	82	101	273	71
LIMERICK BOROUGH	{ Persons Males Females	1,398	900	69	1	2	1	63	63	2	1	6	16	22	5	19	18	21	33	34	62	79	108	145	21
		7,895	2,010	167	15	7	8	202	202	7	14	21	35	30	56	30	41	50	90	89	110	185	358	532	158
TIPPERARY, N.R.	{ Persons Males Females	1,561	808	64	9	1	4	144	144	4	8	13	13	16	17	14	34	19	31	39	52	80	99	131	18
		641	364	33	7	1	3	76	76	1	4	7	5	3	7	7	10	12	17	19	23	46	50	73	13
TIPPERARY, S.R.	{ Persons Males Females	1,520	1,182	146	20	7	1	100	100	3	6	9	10	11	18	19	19	27	31	41	71	75	125	207	63
		641	364	33	7	1	3	76	76	1	4	7	5	3	7	7	10	12	17	19	23	46	50	73	13
TIPPERARY, S.R.	{ Persons Males Females	1,520	1,182	146	20	7	1	100	100	3	6	9	10	11	18	19	19	27	31	41	71	75	125	207	63
		641	364	33	7	1	3	76	76	1	4	7	5	3	7	7	10	12	17	19	23	46	50	73	13

ABSTRACT III.—continued—BIRTHS, and DEATHS at different Ages registered in the year 1947.

Provinces and Counties.	TOTAL BIRTHS.	TOTAL DEATHS	AGES AT DEATH.																			95 & up- wards		
			Under 1 Year.	1—	2—	3—	4—	Under 5 Years	5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—		70—	75—
WATERFORD CO.	{ Persons Males Females 1,048 562 486	{ 759 403 356	81	10	8	4	5	108	9	6	6	11	9	10	14	9	14	25	36	47	77	129	195	54
			48	4	3	1	3	59	3	4	4	4	3	8	6	8	19	19	26	51	74	87	22	
WATERFORD CO. BOROUGH	{ Persons Males Females 689 358 331	{ 441 226 215	53	3	4	3	1	64	5	6	8	12	4	6	10	15	23	12	25	33	44	68	86	20
			23	1	3	2	1	30	3	4	6	5	.	3	8	7	15	9	14	20	21	35	41	5
CONNAUGHT.	{ Persons Males Females 822 400 422	{ 735 433 302	41	4	.	.	.	46	4	3	4	13	8	13	5	6	22	35	41	85	107	240	51	
			28	4	.	.	.	33	3	2	1	4	6	5	6	7	11	14	21	26	55	70	131	27
GALWAY	{ Persons Males Females 3,821 2,023 1,798	{ 2,344 1,212 1,102	233	34	23	9	7	306	25	7	35	57	36	38	45	42	47	74	64	128	187	317	677	241
			140	17	13	6	2	125	11	1	20	29	19	16	23	23	25	39	38	68	104	168	352	120
LEITRIM	{ Persons Males Females 822 400 422	{ 735 433 302	93	17	10	3	2	13	14	6	15	28	17	22	22	19	22	35	26	60	83	149	325	121
			41	4	.	.	.	46	4	3	4	13	14	18	11	13	21	22	35	41	85	107	240	51
MAYO	{ Persons Males Females 3,170 1,648 1,522	{ 2,173 1,204 969	121	21	11	3	3	159	11	11	20	36	47	47	41	45	51	72	61	133	191	321	678	220
			73	16	8	2	2	101	8	5	9	20	30	23	24	30	29	38	31	73	113	195	353	111
ROSCOMMON	{ Persons Males Females 1,269 658 611	{ 1,083 597 486	48	5	3	1	1	58	3	6	11	16	17	24	17	15	22	34	30	60	78	126	325	109
			47	7	3	3	1	61	3	6	15	19	13	12	24	11	22	37	50	62	101	183	359	96
SLIGO	{ Persons Males Females 1,240 652 588	{ 1,055 562 493	26	5	3	.	.	34	2	3	8	10	6	8	15	7	14	20	30	32	55	106	191	50
			21	2	.	3	1	27	1	3	7	9	7	4	9	4	8	17	20	30	46	77	168	46
ULSTER (part of).	{ Persons Males Females 1,240 652 588	{ 1,055 562 493	89	8	3	4	1	105	9	7	13	17	18	15	18	23	29	30	34	61	98	169	312	95
			45	4	2	.	.	51	6	1	6	8	11	7	11	15	11	14	16	29	51	103	166	56
CAVAN	{ Persons Males Females 1,415 725 690	{ 1,103 612 491	44	4	1	4	1	54	3	6	7	9	7	8	7	8	18	16	18	32	47	66	146	39
			78	6	.	3	1	88	6	9	10	24	12	11	24	18	29	47	33	73	124	194	323	72
DONEGAL	{ Persons Males Females 3,068 1,601 1,467	{ 2,029 1,092 937	37	3	.	1	.	46	4	6	3	11	8	4	16	10	15	22	21	36	65	108	198	35
			91	10	7	3	2	115	15	5	11	21	16	16	16	18	28	31	54	61	87	168	323	87
MONAGHAN	{ Persons Males Females 1,155 661 594	{ 836 426 410	74	6	7	2	2	91	8	6	16	19	22	28	17	18	21	26	40	57	86	138	251	86
			165	16	14	7	4	206	23	11	27	40	38	44	33	36	49	57	94	118	184	306	574	173
	{ Persons Males Females 1,155 661 594	{ 836 426 410	51	4	2	2	2	61	2	4	10	14	8	14	12	18	21	22	41	42	96	149	245	76
			25	2	1	1	1	32	2	1	3	7	2	7	6	9	10	12	22	27	35	62	131	39



ABSTRACT IV.

Causes of Death.

ABSTRACT IV—CAUSES OF DEATH

[illegible]

different Periods of Life in the Year 1947.

TH.

	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	85—	95 & up-wards	Detailed International List Nos.	Intermediate International List Nos.
0	143	264	348	379	385	472	539	669	930	1,218	1,731	2,482	3,576	5,542	1,261	73		
4	148	312	419	390	386	401	457	548	764	960	1,404	1,928	3,057	5,161	1,516	111		
9	53	140	206	224	219	196	162	163	154	138	146	120	105	117	9		(1-44)	(1-17)
0	77	226	308	257	194	154	134	106	84	84	78	106	101	108	12	2		
	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
																	1	1
																	2	1
																	3	2
																	4	17
																	5	17
1	1		1	1	1	2			1								6	17
1	1																7	17
		1															8	3
4																	9	4
3																	10	5
6		1	1		1	1	2	2	1		1	1					11	1
4										2		1		1			12	17
1	1		1	2		1		1				1	1				13	17
7	44	128	189	217	205	181	154	139	134	106	109	59	30	12	3		13-22	(6-7)
7	69	215	300	244	181	115	124	94	73	61	45	52	33	10	1		13	3
3	6	72	145	181	174	163	139	121	120	100	98	53	24	6	2		14	7
5	33	162	261	209	161	129	109	81	62	48	41	42	28	8	1		14-22	
1	38	56	44	36	31	18	15	18	14	6	11	6	6	6	1		14	
2	36	53	39	35	20	16	15	13	11	13	4	10	5	2			14	
0	23	29	13	10	10	7	3	2	1	2			1				14	
1	22	27	13	12	9	7	3	5	2	1		1					14	
5	4	7	4	5	3	3	3	3	2		3		2				15	7
7	3	8	11	2	3	4	4	3	2	1			2				15	
1	2	5	8	7	6	2	3	4		1	2	1		3			16	7
	1	3	2	5		1	2	3		4	1	1		1			16	
	3	1	5	2	1		1	3	3		2		2	2	1		17	7
			4	3			1			2	1	1	2				17	
											1						18	7
												1		1			18	
		1			1				2								19	7
		1	3	1	4	1	1	2	1	2	1	2					19	
			4	4			2	1			1	1					20	7

ABSTRACT IV.—continued—CAUSES OF DEATH

			AGES AT											
Intermediate International List Nos.	Detailed International List Nos.	Causes of Death.	All Ages.	Under 1 Month	1—2 Mths.	2—3 Mths.	3—6 Mths.	6—12 Mths.	Total under 1 year.	1—	2—	3—	4—	Total under 5 years
		Infective and Parasitic Diseases—continued.												
7	21	Tuberculosis of Other { Organs. M. F.	3 3	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·
7	22	Disseminated Tubercu- { losis. M. F.	96 86	· ·	· ·	· ·	3 ·	2 3	5 3	6 2	5 2	3 3	1 2	20 12
17	23	Leprosy ... { M. F.	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·
8	24	Purulent Infection, and { Septicaemia. M. F.	31 13	1 1	1 ·	· ·	1 1	1 1	4 3	3 1	2 ·	· 1	· 1	9 6
17	25	Gonococcal Infections { M. F.	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·
17	26	Other Bacterial { Diseases (Dysentery M. excepted). F.	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·
9	27	Dysentery ... { M. F.	2 1	· ·	· ·	· ·	1 ·	· ·	1 ·	· ·	· ·	· ·	· ·	1 ·
10	28	Malaria ... { M. F.	2 ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·
17	29	Other Diseases due to { Parasitic Protozoa, M. except Spirochaetes F.	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·
11	30	Syphilis* ... { M. F.	40 16	7 1	3 1	1 ·	4 4	2 1	17 7	· ·	· ·	· ·	· ·	17 7
17	31	Relapsing Fever ... { M. F.	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·
17	32	Other Diseases due to { Spirochaetes M. F.	7 2	· ·	· ·	· ·	· ·	1 ·	1 ·	· ·	· ·	· ·	· ·	1 ·
12	33	Influenza ... { M. F.	326 325	1 3	9 2	6 1	5 4	3 3	24 13	4 3	· 4	· 1	· ·	28 21
13	34	Smallpox ... { M. F.	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·
14	35	Measles ... { M. F.	55 51	1 ·	1 ·	2 3	2 4	8 8	14 15	22 20	6 9	2 ·	2 2	46 46
17	36	Acute Poliomyelitis and { Polioencephalitis M. F.	31 25	· ·	· ·	· ·	1 ·	1 ·	2 ·	2 2	3 2	· 1	· 1	7 6
17	37	Acute Infectious En- { cephalitis (Lethargic M. or Epidemic). F.	9 5	· ·	· ·	· ·	1 ·	· ·	1 ·	· ·	· ·	· ·	· ·	1 ·
17	38	Other Diseases due to { Viruses. M. F.	1 1	· ·	· ·	· ·	· ·	· ·	· ·	· ·	1 ·	· ·	· ·	1 ·
15	39	Typhus and Typhus-like { Diseases (Ricketts- M. ioses). F.	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·
16	40	Ankylostomiasis ... { M. F.	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·
16	41	Hydatid Disease ... { M. F.	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·
16	42	Other Diseases due to { Helminths. M. F.	2 1	· ·	· ·	· ·	· ·	· ·	· ·	1 ·	· ·	· ·	1 1	2 1
17	43	Mycoses ... { M. F.	1 1	· 1	· ·	· ·	· ·	· ·	· 1	· ·	· ·	· ·	· ·	· 1
17	44	Other Infective or Para- { sitic Diseases. M. F.	23 12	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	1 ·	· ·	1 ·

* Including deaths from Locomotor ataxia, General Paralysis of the Insane and Aneurysm of aorta.

at different Periods of Life in the Year 1947.

EATH.

	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	85—	95 & up- wards	Detailed International List Nos.	Intermediate International List Nos.
1	.	.	1 1	.	.	1	.	.	.	1	.	1	21	7
5 1	9 7	10 13	10 8	11 9	7 3	4 4	4 3	4 1	5 6	1 4	2	2 4	1 1	1	.	.	22	7
	23	17
2	1 1	2	.	.	2	1	1 1	3 2	1	1 2	1	2	2	4	.	.	24	8
	25	17
	26	17
	1	.	.	.	1	27	9
	1	1	28	10
	29	17
	.	.	1	.	2	.	2	6 1	1 1	5 1	6 1	1	1 1	2	.	.	30	11
	31	17
	.	.	.	1	.	.	1	1	1	1	1	2	32	17
2 3	2	2	4 3	3	3 5	6 3	3 5	8 4	11 9	17 11	22 28	47 53	71 65	96 97	6 11	2	33	12
	34	13
3	2 2	1 1	.	.	1 1	.	.	1	.	1	.	1	35	14
1	3	3 6	6 4	2 5	3 1	1	1	1	.	1 1	3	1	36	17
2	.	1	1	.	.	1 1	.	1	1	1 2	1	.	1	.	.	.	37	17
	1	.	.	38	17
	39	15
	40	16
	41	16
	42	16
	1	43	17
	1	2	1 1	2	1 3	1	1	4 1	2	3 2	5 1	2	.	1	.	.	44	17

ABSTRACT IV.—continued.—CAUSES OF DEATH

[illegible]

at different Periods of Life in the Year 1947.

DEATH.

5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	85—	95 & upwards	Detailed International List Nos.	Intermediate International List Nos.
5 3	8 1	4 4	6 8	9 8	14 24	40 40	62 75	91 121	139 194	218 201	291 309	399 302	435 327	397 300	40 28	2	(45-57)	(18-24)
3 3	5 1	3 2	6 4	8 8	11 20	34 36	51 70	85 116	135 184	206 194	283 302	389 294	430 321	391 289	39 28	2	45-55	18-23
.	1 3	2 1	.	1 2	.	.	.	2 .	2 2	4 3	.	.	56	24
2 .	3 .	1 2	.	1 .	2 1	4 3	11 2	5 3	4 7	12 6	8 4	8 8	3 4	2 8	1 .	.	57	24
4 9	8 7	6 6	7 8	5 7	7 7	6 12	11 16	14 16	18 17	10 29	28 48	37 52	55 58	48 52	3 13	1	(58-71)	(25-30)
2 4	5 5	2 2	2 1	1 4	1 1	1 .	3 .	4 3	3 .	1 1	3 3	1	58	25
1 .	.	.	1 1	.	.	1 3	.	2 3	4 6	4 12	10 17	19 29	35 33	33 25	2 10	1	59	26
.	1 .	.	1 .	.	.	60	26
1 .	2 2	2 3	1 2	2 1	2 1	2 2	4 4	4 5	5 4	4 7	12 17	14 16	18 21	14 22	1 3	.	61	27
.	2	62	29
.	.	1 .	1 2	2 2	2 2	1 5	2 7	4 .	5 .	8 .	1 8	4 .	4 .	2 .	.	.	63	28
1 .	.	1 .	1 .	1 .	1	1	64	29
.	.	1 .	1 2	.	3 1	1 .	2 3	2 1	4 .	1 .	1 2	2 2	2 .	1 .	.	.	65	29
3	1 .	1 .	.	.	1 .	2 1	1 .	1 1	1	66	29
1 .	1	1	67-71	30
.	67	30
.	68	30
.	1	69	30
1	70	30
.	1	71	30

ABSTRACT IV.—continued.—CAUSES OF DEATH

			AGES AT											
Intermediate International List Nos.	Detailed International List Nos.	Causes of Death.	All Ages.	Under 1 Month	1—2 Mths.	2—3 Mths.	3—6 Mths.	6—12 Mths.	Total under 1 year.	1—	2—	3—	4—	Total under 5 years.
(31-32)	(72-76)	IV. Diseases of the Blood and Blood-Forming Organs. { M. F.	169 221	3 1	1 3	1 2	· ·	2 2	7 8	4 4	5 1	· ·	1 ·	17 13
32	72	Hæmorrhagic Con- ditions. { M. F.	15 17	1 ·	· 2	· 1	· ·	2 2	3 5	1 1	2 ·	· ·	· ·	6 6
31	73	Anaemias ... { M. F.	117 175	1 1	· 1	1 1	· ·	· ·	2 3	1 2	2 1	· ·	1 ·	6 6
32	74	Leukæmias and Aleuk- æmias. { M. F.	33 18	· ·	· ·	· ·	· ·	· ·	· ·	1 1	1 ·	· ·	· ·	2 1
32	75	Diseases of the Spleen { M. F.	2 9	1 ·	· ·	· ·	· ·	· ·	1 ·	1 ·	· ·	· ·	· ·	2 ·
32	76	Other Diseases of the Blood and Blood- forming Organs. { M. F.	2 2	· ·	1 ·	· ·	· ·	· ·	1 ·	· ·	· ·	· ·	· ·	1 ·
(33-34)	(77-79)	V. Chronic Poisoning and Intoxication { M. F.	5 ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·
33	77	Alcoholism (Ethylism) { M. F.	4 ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·
34	78	Lead Poisoning ... { M. F.	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·
34	79	Chronic Poisoning by other Mineral and Organic Substances. { M. F.	1 ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·
(35-41)	(80-89)	VI. Diseases of the Ner- vous System and Sense Organs. { M. F.	1,969 2,043	32 26	27 20	20 14	39 24	23 29	141 113	26 15	13 8	9 6	6 7	195 149
40	80	Encephalitis (non- epidemic). { M. F.	21 11	· ·	1 ·	· ·	· ·	1 ·	2 ·	· ·	· ·	· ·	· ·	2 ·
35	81	Meningitis (non- meningococcal). { M. F.	82 56	1 ·	2 ·	5 2	2 4	8 6	18 12	9 8	9 3	3 2	4 1	43 26
36	82	Diseases of the Medulla and Spinal Cord. { M. F.	62 46	· ·	· ·	· ·	· ·	· ·	· ·	· ·	1 ·	· ·	· ·	2 1
37	83	Intra-cranial Lesions of Vascular Origin. { M. F.	1,417 1,607	· ·	· ·	· ·	1 ·	1 ·	2 ·	· ·	· ·	2 1	· ·	4 1
38	84	Mental Disorders and Deficiency. { M. F.	62 78	· ·	1 1	· 1	· ·	1 2	2 4	2 ·	1 ·	· 1	1 5	6 10
39	85	Epilepsy ... { M. F.	61 61	· ·	· ·	· ·	1 ·	· ·	1 ·	· 2	· ·	1 ·	· ·	2 3
40	86	Convulsions (under 5 years). { M. F.	131 101	30 25	22 19	15 11	33 18	12 17	112 90	14 5	3 4	2 1	· 1	131 101
40	87	Other Diseases of the Nervous System. { M. F.	124 70	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·
41	88	Diseases of the Organs of Vision. { M. F.	· 1	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·
41	89	Diseases of the Ear and of the Mastoid An- trum. { M. F.	9 12	1 1	1 ·	· ·	2 2	· 4	4 7	1 ·	· ·	· ·	· ·	5 7

at different Periods of Life in the Year 1947.

ATH.

	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	85—	95 & upwards	Detailed International List Nos.	Intermediate International List Nos.
43	37	45	34	65	34	47	912	913	1312	731	2030	3221	2134	1419	1	.	(72-76)	(31-32)
	11	1	1	.	.	2	12	.	.	2	42	11	.	1	.	.	72	32
21	14	33	2	33	4	34	69	69	1010	527	1427	2617	2030	1218	1	.	73	31
22	11	1	22	31	2	1	2	31	31	21	21	53	13	11	.	.	74	32
	1	1	.	1	.	1	.	2	1	1	.	.	1	.	.	.	75	32
	1	.	1	.	.	1	76	32
	1	.	1	
	1	.	1	1	.	.	1	1	.	.	.	(77-79)	(33-34)
	1	.	1	.	.	.	1	1	.	.	.	77	33
	78	34
	1	79	34
	1410	1513	1513	2111	1629	3731	3928	6367	8497	125143	181197	291279	364420	437442	5988	3	(80-89)	(35-41)
	2	3	1	.	11	1	31	21	22	11	.	31	.	1	.	.	80	40
	45	12	13	41	14	22	31	61	3	11	31	12	21	.	.	.	81	35
	.	22	21	11	1	14	4	65	62	74	65	96	1011	53	1	.	82	36
	31	1	23	72	54	1613	1614	2952	5678	98121	148171	239253	330388	405417	5685	3	83	87
	23	21	41	11	19	25	14	13	78	48	75	146	42	37	1	.	84	38
	21	48	53	62	46	36	64	9	33	12	26	85	33	36	1	.	85	39
	86	40
	1	2	2	24	24	121	64	95	73	126	159	176	1514	207	3	.	87	40
	1	.	.	.	88	41
	11	.	.	1	1	1	.	.	.	1	.	.	89	41

ABSTRACT IV.—continued—CAUSES OF DEATH.

				AGES										
Intermediate International List Nos.	Detailed International List Nos.	Causes of Death.	All Ages.	Under 1 Month	1—2 Mths.	2—3 Mths.	3—6 Mths.	6—12 Mths.	Total under 1 year.	1—	2—	3—	4—	Total under 5 year
(42-48)	(90-103)	VII. Diseases of the Circulatory System. { M. F.	6,454 5,558	.	.	.	1 1	2 .	3 1	.	1	.	.	1 1
42-46	90-95	Heart Diseases ... { M. F.	5990 5128	2 .	2 .	.	1	.	.	1 1
42	90	Pericarditis ... { M. F.	21 12	1 .	1 .	.	1	.	.	1
46	91	Acute Endocarditis ... { M. F.	21 14	1	.	.	.	1
43	92	Chronic Affection of the Valves and Endocardium. { M. F.	722 624
44	93	Diseases of the Myocardium. { M. F.	3,707 3,380	1 .	1
45	94	Diseases of the Coronary Arteries : Angina Pectoris. { M. F.	834 389
46	95	Other Diseases of the Heart. { M. F.	685 709
48	96	Aneurysm (except of Heart and Aorta). { M. F.
47	97	Arterio-sclerosis (exclud. Coron. or Renal Sclerosis or Cereb. Hæm.) { M. F.	218 181
47	98	Gangrene ... { M. F.	73 45
48	99	Other Diseases of the Arteries. { M. F.	14 14
48	100	Diseases of the Veins { M. F.	8 16
48	101	Diseases of the Lymphatic System. { M. F.	2 5	.	.	.	1 1	.	1 1
48	102	High Blood Pressure (Idiopathic). { M. F.	148 164
48	103	Other Diseases of the Circulatory System. { M. F.	1 4
(49-52)	(104-114)	VIII. Diseases of the Respiratory System. { M. F.	2,102 1,704	59 30	60 47	51 42	118 85	127 113	415 317	80 69	33 22	11 17	12 9	5 4
52	104	Diseases of the Nasal Fossæ and Annexa. { M. F.	3 2	.	.	.	1 .	.	1 .	.	.	1 .	.	.
52	105	Diseases of the Larynx { M. F.	13 6	1 .	1 1	.	2 .	1 .	5 2	3 2	2
49	106	Bronchitis ... { M. F.	710 608	8 5	10 9	4 6	16 18	10 18	48 56	7 5	1 2	1 1	1 1	.
50	107-9	Pneumonia, All Forms { M. F.	1020 848	49 25	49 34	46 33	96 63	109 90	349 245	70 59	29 19	10 15	10 8	.
50	107	Broncho pneumonia ... { M. F.	547 495	37 19	34 24	30 20	66 46	74 66	241 175	52 45	24 12	8 11	6 7	.
50	108	Lobar Pneumonia ... { M. F.	167 105	4 3	5 4	2 4	10 1	7 8	28 20	4 1	1 2	1 .	1 .	.
50	109	Pneumonia (un-specified). { M. F.	306 248	8 3	10 6	14 9	20 16	28 16	80 50	14 13	4 5	1 4	3 1	.

at different Periods of Life in the Year 1947.

ATH.

	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	85—	95 & up-wards	Detailed International List Nos.	Intermediate International List Nos.
64	135	2211	2829	3335	4743	5858	9686	158131	263201	423284	613488	1,002763	1,4711,239	1,9171,748	289405	1025	(90-103)	(42-43)
64	135	2211	2728	3335	4438	5550	8981	148116	238182	399260	573448	926690	1,3581,142	1,7741,642	274372	722	90-95	42-46
	2	2	1	.	.	2	2	.	.	3	1	3	2	1	.	.	90	42
	.	.	2	.	.	2	.	1	1	.	2	1	1	1
	1	.	2	2	3	4	.	4	.	2	2	91	46
	.	1	.	3	.	2	3	.	1	.	1	2
54	64	129	1312	1320	1915	1420	3227	2628	3732	5043	7357	11575	145138	148121	1418	.	92	43
1	31	71	87	109	1312	1615	2536	6456	10287	182136	322263	514427	909780	1,2981,224	227307	519	93	44
	.	1	1	2	5	12	21	37	65	106	122	167	153	132	10	.	94	45
	.	.	1	.	1	2	8	18	23	34	55	75	71	90	13	.	.	.
	1	.	2	6	4	7	9	17	34	56	53	127	149	195	23	2	95	46
	.	.	6	3	10	9	7	15	38	47	70	110	152	206	34	2	.	.
	96	48
	1
	1	1	1	1	3	6	11	38	64	79	11	3	97	47
	1	7	14	25	49	60	21	2	.	.
	1	1	.	.	2	2	2	13	17	33	2	.	98	47
	1	.	9	8	24	3	.	.	.
	.	.	1	.	.	.	2	.	.	.	3	.	3	3	2	.	99	48
	1	2	3	.	1	1	5	1
	1	2	2	1	.	1	1	.	.	.	100	48
	.	.	1	.	1	1	1	1	2	1	1	3	2	1	1	.	.	.
	1	101	48
	1	1	.	.	2
	2	1	3	6	18	15	23	24	28	28	.	.	102	48
	2	7	3	10	12	13	24	34	30	20	8	1	.	.
	1	103	48
	1	1	.	.	1	1
1920	410	1618	1210	1515	1914	3619	5632	6928	12554	11084	173109	206157	289257	345377	5565	21	(104-114)	(49-52)
.	.	.	.	1	.	.	.	1	104	52
11	1	1	.	.	105	52
22	1	.	2	2	2	7	10	19	41	41	80	99	131	184	30	1	106	49
1113	38	1211	67	87	97	179	2316	2417	4722	3140	5445	7458	11192	103122	1828	1	107-9	50
312	.	6	.	1	3	6	4	11	16	10	21	36	41	49	8	1	107	50
1	.	4	4	2	3	2	7	10	3	14	17	34	45	66	15	.	.	.
71	3	1	2	5	5	3	11	8	15	10	20	22	44	40	8	.	108	50
1	3	.	1	4	2	3	5	5	11	16	19	15	35	44	11	.	109	50

ABSTRACT IV.—Continued—CAUSES OF DEATH

				AGES AT										
Intermediate International List Nos.	Detailed International List Nos.	Causes of Death.	All Ages.	Under 1 Month	1—2 Mths.	2—3 Mths.	3—6 Mths.	6—12 Mths.	Total under 1 year.	1—	2—	3—	4—	Tot und 5 year
VIII. Diseases of the Respiratory System—contd.														
51	110	Pleurisy ... { M. F.	44 27	· ·	· ·	· ·	· ·	1 1	1 1	· ·	· ·	· ·	· ·	·
52	111	Congestion, Oedema { M. Haemorrhagic Infarc- F. tion and Thrombosis of the Lungs.	119 132	1 ·	· 3	1 2	· 4	6 4	8 13	· 1	1 ·	· ·	· ·	1
52	112	Asthma ... { M. F.	144 61	· ·	· ·	· ·	1 ·	· ·	1 ·	· ·	· 1	· ·	· ·	1
52	113	Pulmonary Emphysema { M. F.	20 1	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	·
52	114	Other Diseases of the { M. Respiratory System. F.	29 19	· ·	· ·	· ·	2 ·	1 ·	3 ·	· 2	· ·	· ·	· ·	·
(53- 60)	(115- 129)	IX. Diseases of the { M. Digestive System. F.	1,174 717	61 48	89 56	102 43	171 96	55 53	478 296	25 22	12 8	4 3	8 1	51 38
60	115	Diseases of the Buccal { M. Cavity and Annexa F. and of the Pharynx and Tonsils.	15 9	1 1	· 1	· ·	1 1	1 ·	3 3	1 ·	1 1	· ·	· ·	·
60	116	Diseases of the Oeso- { M. phagus. F.	5 2	· ·	· ·	· ·	· ·	· ·	· ·	· 1	· ·	· ·	· ·	·
53	117	Ulcer of the Stomach { M. or Duodenum. F.	203 54	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	1 ·	· ·	·
60	118	Other Diseases of the { M. Stomach. F.	86 45	1 ·	6 1	7 1	10 2	3 2	27 6	3 3	· 1	· ·	· ·	·
54- 55	119- 120	Diarrhoea and Enteritis { M. F.	503 343	59 46	81 54	93 42	157 91	42 48	432 281	16 15	5 3	2 1	1 ·	4 2
56	121	Appendicitis ... { M. F.	51 40	· ·	· ·	· ·	· ·	· ·	· ·	2 ·	3 2	· 2	4 ·	·
57	122	Hernia, Intestinal { M. Obstruction. F.	156 118	· 1	1 ·	1 ·	3 2	9 3	14 6	2 2	2 ·	1 ·	1 ·	·
60	123	Other Diseases of the { M. Intestines. F.	23 13	· ·	· ·	· ·	· ·	· ·	· ·	1 ·	1 ·	· ·	· ·	·
8	124	Cirrhosis of the Liver { M. F.	39 18	· ·	1 ·	· ·	· ·	· ·	1 ·	· ·	· ·	· ·	· ·	·
59	125	Other Diseases of the { M. Liver. F.	21 12	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	1 ·	·
59	126	Biliary Calculi ... { M. F.	27 32	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	1 ·	·
59	127	Diseases of the Gall { M. Bladder and Ducts. F.	12 13	· ·	· ·	· ·	· ·	· ·	· ·	1 ·	· ·	· ·	· ·	·
60	128	Diseases of the Pancreas { M. (other than Diabetes). F.	14 6	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	· ·	·
60	129	Peritonitis, without { M. stated cause. F.	19 12	· ·	· ·	1 ·	· ·	· ·	1 ·	· ·	1 ·	· ·	1 ·	·

at different Periods of Life in the Year 1947.

DEATH.

5—	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	85—	95 & up-wards	Detailed International List Nos.	Intermediate
1	1	2	2	.	2	2	3	3	2	6	8	2	5	7	.	.	110	51
4	.	1	2	1	1	4	4	3	5	6	8	12	21	33	5	.	111	52
1	1	.	.	2	1	4	8	16	21	21	19	13	19	15	2	.	112	52
.	1	.	3	2	4	2	2	4	1	1	.	.	113	52
2	.	1	1	1	3	2	5	1	4	3	2	2	1	1	.	.	114	52
16	3	6	15	11	20	32	39	41	48	60	77	85	88	93	13	.	(115	(53-
7	10	10	9	11	12	10	19	20	31	35	45	41	51	64	12	.	-129	60)
2	1	1	2	1	.	.	1	1	1	.	.	.	1	1	.	.	115	60
.	1	2	.	2	.	.	116	60
.	.	.	2	2	8	15	19	17	18	29	30	26	18	15	3	.	117	53
.	1	.	.	1	1	1	2	2	4	6	7	8	8	15	1	.	118	60
3	1	1	1	1	2	4	4	3	3	1	4	5	8	6	1	.	119	54
3	.	1	1	2	4	1	.	2	2	2	4	5	6	8	2	.	120	55
6	2	3	4	3	2	2	3	3	3	1	1	3	1	4	1	.	121	56
1	4	6	2	3	2	2	.	1	3	3	2	3	2	2	.	.	122	57
4	2	1	3	2	5	8	2	6	8	8	13	21	24	27	4	.	123	60
1	.	.	3	1	1	3	6	7	9	10	8	11	20	24	6	.	124	58
.	.	.	.	1	.	1	1	1	2	2	3	4	5	4	.	.	125	59
1	1	1	1	1	4	4	11	6	6	3	2	.	126	59
.	.	1	1	1	1	1	2	1	2	1	4	1	4	2	1	.	127	59
.	1	1	2	1	3	7	8	6	9	1	.	128	60
.	1	.	1	4	1	2	2	1	.	.	129	60
1	1	1	1	1	1	.	1	4	1	1	2	3	2	2	.	.		

ABSTRACT IV.—Continued—CAUSES OF DEATH

[illegible]

[illegible]

at different Periods of Life in the Year 1947.

DEATH.

[illegible]

ABSTRACT IV.—continued—CAUSES OF DEATH

			AGES AT											
Intermediate International List Nos.	Detailed International List Nos.	Causes of Death.	All Ages.	Under 1 Month	1—2 Mths.	2—3 Mths.	3—6 Mths.	6—12 Mths.	Total under 1 year.	1—	2—	3—	4—	Total under 5 years.
		XVII. Deaths from Violence												
		—contd.												
84	174	Accidents in Mines and Quarries. { M. F.	7
84	175	Agricultural and Forestry Accidents. { M. F.	14
84	176	Accidents caused by Machinery. { M. F.	8 1
84	177	Food Poisoning ... { M. F.
84	178	Accidental Absorption of Poisonous Gas. { M. F.	8 5	2 .	. .	2	2 .
84	179	Other Acute Accidental Poisoning (not by Gas). { M. F.	4 1	1	1 .
84	180	Conflagration ... { M. F.
84	181	Accidental Burns (Conflagration excepted). { M. F.	42 58	3 .	3 .	6 1	7 4	2 7	. 5	18 17
84	182	Accidental Mechanical Suffocation. { M. F.	20 11	2 3	7 3	4 2	3 2	. .	16 10	1 1	17 11
84	183	Accidental Drowning ... { M. F.	117 33	1 1	1 .	5 1	2 2	1 1	9 5
84	184	Accidental Injury by Firearms. { M. F.	10
84	185	Accidental Injury by Cutting or Piercing Instruments. { M. F.
84	186	Accidental Injury by Fall, Crushing, Landslide, etc. { M. F.	61 20	1 1	3 2	1 1	1 1	. .	5 5
84	187	Cataclysm ... { M. F.
84	188	Injury by Animals ... { M. F.	5
84	189	Hunger or Thirst ... { M. F.	2
84	190	Excessive Cold ... { M. F.
84	191	Excessive Heat ... { M. F.	3 1	1 .	1	1 .
84	192	Lightning ... { M. F.	1
84	193	Other Accidents due to Electric Currents { M. F.	6
84	194	Attack by Venomous Animals. { M. F.
84	195	Other Accidents ... { M. F.	136 130	5 4	1 .	1 .	7 4	. 2	. .	. 1	1 .	8 7
85	196	Deaths of Persons in Military Service during Operations at War { M. F.	6
85	197	Deaths of Civilians due to Operations of War. { M. F.
86	198	Legal Executions ... { M. F.	1
87	(199-200)	XVIII. Ill-defined Causes of Death. { M. F.	196 152	. 1	2 1	1 2	. 1	. 1	3 6	5 7	5 1	1 1	1 .	15 15
87	199	Sudden Death { M. F.	10 5
87	200	Causes of Death Unstated or Ill-defined. { M. F.	186 147	. 1	2 1	1 2	. 1	. 1	3 6	5 7	5 1	1 1	1 .	15 15

at different Periods of Life in the Year 1947.

ATH.

	10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	85—	95 & up-wards	Detailed International List Nos.	Intermediate International List Nos.
	.	1	2	.	.	1	1	.	.	.	1	.	1	.	.	.	174	84
	.	.	1	3	.	1	2	1	.	1	2	2	1	.	.	.	175	84
	.	1	.	2	1	1	.	1	2	1	.	.	176	84
	177	84
	1	2	.	.	1	.	.	1	.	3	.	.	178	84
	1	1	1	.	.	1	.	.	.	179	84
	180	84
2	1	.	.	.	1	1	.	1	.	.	.	3	3	8	4	.	181	84
6	4	1	1	.	3	.	.	.	6	.	1	4	4	9	2	.	182	84
1	1	1	183	84
12	7	19	11	11	5	8	6	5	4	4	5	4	4	3	.	.	184	84
2	1	1	5	1	1	1	1	3	3	.	2	4	1	2	.	.	185	84
1	.	2	3	1	.	1	.	1	1	186	84
	187	84
3	4	1	5	4	4	6	5	3	2	1	7	4	3	4	.	.	188	84
3	1	.	.	1	2	.	.	.	1	.	.	1	2	2	2	.	189	84
	190	84
	191	84
	192	84
	193	84
	194	84
	195	84
1	3	2	4	5	.	3	4	2	6	4	8	23	21	34	9	.	196	85
	.	.	1	.	.	1	1	3	2	3	8	14	35	38	14	3	197	85
	1	198	86
2	2	3	1	7	2	2	7	8	19	29	48	47	2	2	.	.	(199	87
2	1	1	1	2	2	3	4	13	13	22	27	45	.	1	.	.	-200)	87
	6	3	1	.	.	.	199	87
2	2	3	1	7	2	2	7	8	19	29	42	44	1	2	.	.	200	87
2	1	1	1	2	2	3	4	13	13	21	27	41	.	1	.	.		

ABSTRACT V.

ABSTRACT V.—Causes of Death in ÉIRE, by Sexes, Ages, and Places of Occurrence during the Year 1947.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.							PLACES OF OCCURRENCE					Un-certified Deaths.			
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospls.		Mental Hos-pitals.	County Homes and District Hospls. and Co. Infir-maries.	Else-where.
	ALL CAUSES	44,061	2,3461 20,600	2,693 1,994	576 480	323 312	612 731	764 776	1,011 858	1,599 1,312	2,949 2,364	6,058 4,985	6,876 6,788	2,839 2,246	782 633	5,072 3,760	14,768 13,961	2,892 2,636
1	Typhoid Fever (including Para-typhoid).	15	11 4	.	.	1	3 1	2 1	2 1	.	1	3 1	.	.	1	9 3	2	.
2	Cerebro-spinal Meningitis	38	22 16	8 6	6 6	2 2	1	2	2	1	.	.	.	11 8	.	7 4	4 3	.
3	Scarlet Fever	8	7 1	1 .	4 .	1 1	1	6 1	1	.
4	Whooping Cough	298	137 161	95 110	38 48	4 3	48 53	.	5 7	84 101	7 10
5	Diphtheria	56	26 30	2 .	14 17	6 4	1 1	1	3	1 3	1	1	.	3 5	.	18 21	5 4	.
6	Tuberculosis of the Respiratory System.	2,831	1,432 1,399	10 6	12 13	12 38	217 423	355 370	302 238	241 143	198 89	77 70	8 9	457 462	130 92	285 238	560 607	10 12
7	All other forms of Tuberculosis.	869	472 397	25 20	100 63	79 78	100 92	67 55	33 31	32 24	17 17	12 15	7 2	153 121	13 12	166 128	140 136	2
8	Dysentery	3	2 1	1	1	.	1	.	.	1 .	1 1	.	.	.
9	Influenza	651	326 325	24 13	4 8	2 5	6 3	3 8	9 8	19 13	39 39	118 118	102 110	9 12	16 6	53 46	248 261	53 62
10	Measles	106	55 51	14 15	32 31	5 2	1 1	1 1	.	1	1	1	.	8 10	.	17 11	30 30	5 3
11	Acute Infectious Encephalitis	14	9 5	1 .	.	2 .	2	.	1 1	1 1	1 3	1	.	1 1	1	2	6 3	1
12	Typhus	
13	Cancer	3,962	2,085 1,877	.	6 3	8 4	9 6	19 28	85 106	220 300	489 496	819 615	430 319	295 244	36 24	517 386	1,237 1,223	28 24
14	Diabetes Mellitus	199	88 111	.	.	3 2	3 5	4 2	6 6	9 9	16 24	32 37	15 23	12 17	2 3	26 19	48 72	2 3

ABSTRACT V.—continued—Causes of Death for the PROVINCE OF LEINSTER, by Sexes, Ages, and Places of Occurrence during the Year 1947.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.										PLACES OF OCCURRENCE.					
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospls.	Mental Hos- pitals.	County Homes and District Hospls. and Co. Infirm- aries.	Else- where.	Un- certified Deaths.
	ALL CAUSES	18,566	9,743 8,823	1,388 1,016	299 264	155 154	252 347	334 343	443 395	751 600	1,413 1,116	2,409 2,042	2,299 2,546	1,999 1,622	295 287	2,039 1,486	5,410 5,428	575 453
1	Typhoid Fever (including Para-typhoid).	3	2 1	.	.	1	.	.	1	.	.	1	.	.	.	1 1	1 .	.
2	Cerebro-spinal Meningitis	21	11 10	4 3	4 5	1 1	.	1	1 1	8 6	.	2 1	1 2	.
3	Scarlet Fever	2	2	.	2	2	.	.
4	Whooping Cough	186	83 103	59 68	22 32	2 3	46 53	.	4 1	33 49	1
5	Diphtheria	25	13 12	1 .	10 8	1	.	.	.	1 2	1	1	.	3 3	.	8 9	2 .	.
6	Tuberculosis of the Respiratory System.	1,374	689 685	7 6	6 12	4 12	96 208	161 182	151 132	119 60	108 46	33 24	4 3	293 287	39 39	95 80	262 279	4
7	All other forms of Tuberculosis	419	224 195	10 13	57 39	36 47	46 39	30 21	16 16	16 7	7 5	6 6	2	111 92	4 6	56 33	53 64	.
8	Dysentery	1	1	1	1
9	Influenza	167	87 80	6 4	1 2	2 1	4 1	1	3 2	8 1	20 16	26 22	17 30	7 7	8 2	8 2	64 69	6 9
10	Measles	45	21 24	4 9	15 12	2 1	1 1	.	.	.	1	.	.	7 9	.	3 2	11 13	1
11	Acute Infectious Encephalitis	6	2 4	.	.	1	1	.	1	1	2	.	.	1	1	2	2	.
12	Typhus	
13	Cancer	1,725	876 849	.	3	3	2	5	40 45	103 148	221 237	335 266	164 139	196 174	16 10	209 152	455 513	4 4
14	Diabetes Mellitus	71	31 40	.	1	1	1	1	2 3	2 3	6 0	15 16	4 0	7 10	.	10 0	14 0	.

ABSTRACT V—continued—Causes of Death for the Administrative County of CARLOW, by Sexes, Ages, and Places of Occurrence during the year 1947.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.								PLACES OF OCCURRENCE.					Un-certified Deaths.		
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospls.	Mental Hos-pitals.		County Homes and District Hospls. and Co. Infirm-aries.	Else-where.
	ALL CAUSES	546	303 243	30 20	12 9	2 5	10 10	8 10	10 12	21 16	33 29	76 65	101 67	28 14	12 3	73 41	190 185	36 18
1	Typhoid Fever (including Para-typhoid).	2	1 1	.	.	1	.	.	1	1 1	.	.
2	Cerebro-spinal Meningitis	
3	Scarlet Fever	
4	Whooping Cough	3	3	2	.	1	1	.	1	1	.
5	Diphtheria ...	2	2	.	2	2	.	.
6	Tuberculosis of the Respiratory System.	37	20 17	.	.	.	5 6	5 5	4 3	4 2	2 1	.	.	2 4	3 1	5 4	10 8	.
7	All other forms of Tuberculosis ...	11	5 6	.	2 1	.	1 1	2 2	1	.	.	1	.	1	.	4 3	3	.
8	Dysentery
9	Influenza ...	6	1 5	.	.	.	1	.	.	.	3	1	1	.	.	1	5	.
10	Measles
11	Acute Infectious Encephalitis...	
12	Typhus
13	Cancer ...	36	16 20	.	1	.	1	1	1	1 7	3 5	6 5	5 1	2 3	.	7 3	7 14	.
14	Diabetes Mellitus ...	2	2	2	.	.	1	.	.	1	.

ABSTRACT V—continued—Causes of Death for the Administrative County of DUBLIN, by Sexes, Ages, and Places of Occurrence during the year 1947.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.								PLACES OF OCCURRENCE.				Un-certified Deaths.			
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospls.		Mental Hos-pitals.	County Homes and Hospls. District Hospls. and Co. Infirm-aries.	Else-where.
	ALL CAUSES	1,709	827 882	106 85	26 18	21 27	28 49	31 29	48 42	59 50	110 111	218 185	180 286	251 222	23 32	103 102	450 526	1
1	Typhoid Fever (including Para-typhoid).	{
2	Cerebro-spinal Meningitis	{
3	Scarlet Fever	{	1	.	1	1	.	.
4	Whooping Cough	{	3	2	1	1	.	.	2	.
5	Diphtheria	{	1	.	1	1	1	1	.
6	Tuberculosis of the Respiratory System.	{	76	1	2	.	16	11	20	10	12	3	1	28	5	11	32	.
7	All other forms of Tuberculosis	{	92	1	.	2	26	18	23	9	8	5	.	38	3	8	43	.
8	Dysentery	{	25	1	7	4	4	3	3	2	.	1	.	14	1	2	8	.
9	Influenza	{	17	.	2	9	2	1	1	2	.	.	.	7	.	.	10	.
10	Measles	{
11	Acute Infectious Encephalitis	{	7	1	1	1	3	1	1	2	.	2	5	.
12	Typhus	{	11	1	1	2	3	4	.	1	1	8	.
13	Cancer	{
14	Diabetes Mellitus	{
			80	2	3	11	15	30	19	31	1	7	41	.
			92	1	3	8	24	30	26	23	.	11	58	.
			1	1	.	.	.	1	.
			5	1	2	1	1	4	.	.	1	.

[illegible]

ABSTRACT V—continued.—Causes of Death for the CITY OF DUBLIN, by Sexes, Ages, and Places of Occurrence during the year 1947.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.								PLACES OF OCCURRENCE.					Un-certified Deaths.		
			All Ages.	Under 1 year.	1-5	5-15	15-25	25-35	35-45	45-55	55-65	75 years and up.	General and Special Hospls.	Mental Hos-pitals.	County Homes and District Hospls., and Co. Infir-maries.		Else-where.	
	ALL CAUSES	7,167	3,613 3,554	666 479	134 116	69 59	110 154	144 145	182 186	361 296	636 494	754 798	557 827	1,354 1,070	39 83	628 571	1,542 1,830	73 35
1	Typhoid Fever (including Para-typhoid).	{ M. ... F. }
2	Cerebro-spinal Meningitis	{ M. ... F. }	8 7	2 1	4 4	1 1	1 1	7 4	..	1	2	..
3	Scarlet Fever	{ M. ... F. }
4	Whooping Cough	{ M. ... F. }	54 64	36 43	18 20	44 49	..	1	9 15	..
5	Diphtheria	{ M. ... F. }	3 2	..	3 2	3 2
6	Tuberculosis of the Respiratory System.	{ M. ... F. }	338 312	6 3	3 9	2 4	48 99	73 81	68 65	64 25	57 17	16 8	1 1	194 162	13 6	27 32	104 112	1
7	All other forms of Tuberculosis	{ M. ... F. }	101 95	4 10	31 25	19 22	20 18	8 7	6 5	7 2	3 1	3 3	..	80 66	1 2	2 3	18 24	..
8	Dysentery	{ M. ... F. }	1	1	1
9	Influenza	{ M. ... F. }	20 24	2 1	1 1	..	2	..	1 2	2 1	6 6	1 7	5 4	5 5	15 19	..
10	Measles	{ M. ... F. }	9 10	2 4	6 6	1	7 6	2 4	..
11	Acute Infectious Encephalitis	{ M. ... F. }	1 2	1	1	1	1	1	..
12	Typhus	{ M. ... F. }
13	Cancer	{ M. ... F. }	302 362	..	2	3 3	1	1 5	17 30	47 74	92 107	97 100	42 43	121 116	5 1	47 56	129 189	1
14	Diabetes Mellitus	{ M. ... F. }	5 17	1 2	3 8	1 5	3 4	..	2	2 11	..

15	Intra-cranial Lesions of Vascular Origin.	M. F.	503	203 300	.	.	.	2	1	2	3	17	52	76	50	51	37	110	1
16	Diseases of the Heart	M. F.	1,969	922 1,047	1	.	1	1	5	13	18	83	204	321	274	121	263	498	8
17	Other Diseases of the Circulatory System.	M. F.	188	80 108	1	3	6	19	29	26	13	26	40	1
18	Bronchitis ...	M. F.	274	163 111	5	2	1	1	3	1	7	22	53	45	27	25	33	104	2
19	Pneumonia ...	M. F.	424	210 214	102	31	1	1	2	5	6	16	13	21	13	80	18	106	5
20	Other Diseases of the Respiratory System.	M. F.	152	104 48	4	2	.	.	2	3	11	28	30	17	10	30	23	49	1
21	Ulcer of the Stomach or Duodenum.	M. F.	41	31 10	1	5	6	5	13	1	1	22	1	9	.
22	Diarrhoea and Enteritis	M. F.	273	161 112	158	2	.	.	.	2	1	.	1	1	.	140	2	21	.
23	Appendicitis ...	M. F.	5	4 1	.	1	.	.	1	1	1	1	.	.	.	3	1	1	.
24	Cirrhosis of the Liver	M. F.	15	9 6	1	1	4	3	1	1	7	2	.
25	Diseases of the Liver and Biliary Passages.	M. F.	16	5 11	.	1	1	.	1	1	1	1	1	1	.	1	1	3	.
26	Other Diseases of the Digestive System.	M. F.	81	49 32	5	2	2	1	1	2	1	11	6	15	2	29	10	8	.
27	Nephritis ...	M. F.	177	106 71	.	1	3	2	3	4	6	11	31	29	21	25	40	40	.
28	Puerperal Infection ...	F.	4	4	1	3	2	.	2	.
29	Other Diseases of Childbirth ...	F.	8	8	3	5	8	.	.	.
30	Congenital Debility, etc. (Nos. 157-161).	M. F.	504	312 192	305	3	2	1	1	1	208	24	80	4
31	Senility ...	M. F.	220	83 137	30	53	9	12	58	21
32	Suicide ...	M. F.	8	4 4	1	1	1	1	1	.	.	1	106	10
33	Other Violence ...	M. F.	159	103 56	3	10	23	14	10	10	10	7	12	6	8	49	8	46	.
34	Other Causes ...	M. F.	409	222 187	30	13	10	11	14	10	17	30	37	38	22	80	45	86	30
					28	10	8	9	10	10	11	24	37	28	22	67	34	78	13

ABSTRACT V—continued.—Causes of Death for the Administrative County of KILDARE, by Sexes, Ages, and Places of Occurrence during the year 1947.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.								PLACES OF OCCURRENCE.					Un-certified Deaths.		
			All Ages.	Under 1 year.	1-5	5-10	10-15	15-20	20-25	25-35	35-45	45-55	55-65	65-75 years and up.	General and Special Hospls.		Mental Hos-pitals.	County Homes and District Hospls. and Co. Infirm-aries.
	ALL CAUSES	890 { M. F.	485 405	68 51	17 15	4 10	10 13	27 20	18 15	35 26	55 40	125 100	126 115	41 50	10 9	118 59	316 287	27 7
1	Typhoid Fever (including Para-typhoid).	{ M. F.
2	Cerebro-spinal Meningitis	{ M. F.	1	1	1	.
3	Scarlet Fever	{ M. F.
4	Whooping Cough	{ M. F.	5 8	5 4	5 8	.
5	Diphtheria	{ M. F.	1	1	1	.	.
6	Tuberculosis of the Respiratory System.	{ M. F.	34 33	.	1	2 9	13 12	7 2	5 2	7 2	5 3	2 2	1	8 13	2 1	4 4	20 15	.
7	All other forms of Tuberculosis	{ M. F.	12 7	2 1	2 1	2 2	3 .	.	1 1	.	1	.	.	2 2	1	6 1	4 3	.
8	Dysentery	{ M. F.
9	Influenza	{ M. F.	6 8	1	2	1 1	1 3	1 4	.	1	1	4 8	1
10	Measles	{ M. F.	2 1	1	.	1	2 1	.
11	Acute Infectious Encephalitis	{ M. F.
12	Typhus	{ M. F.
13	Cancer	{ M. F.	39 36	2 2	3 6	7 10	16 12	11 6	5 2	.	14 10	20 23	.
14	Diabetes Mellitus	{ M. F.	3	.	1	.	.	.	1	.	.	1	.	.	.	2	1	.

15	Intra-cranial Lesions of Vascular M. F. Origin.	62	37 25	1	.	.	1	.	.	2	2	5	14	12	1	7	28 18	3
16	Diseases of the Heart ... M. F.	225	123 102	.	.	1 1	3	1 2	7 3	14 12	52 50	2 3	3 4	23 13	95 82	4 1	.	4
17	Other Diseases of the Circulatory M. F. System.	11	8 3	1 1	.	4	1	.	4	4 2	.	.	.
18	Bronchitis ... M. F.	30	17 13	4 3	1	.	.	.	1	3	4	.	.	4	13 12	1	.	.
19	Pneumonia ... M. F.	54	31 23	8 7	7 2	.	.	1	4 1	1 1	5 6	1 4	.	9 4	21 15	1	.	.
20	Other Diseases of the Respiratory M. F. System.	10	4 6	2	.	.	1	.	.	1	2	1 1	.	1	2 5	.	.	.
21	Ulcer of the Stomach or Duo- M. F. denum.	3	1 2	.	.	.	1	.	.	1	.	1	.	.	1 1	.	.	.
22	Diarrhoea and Enteritis ... M. F.	25	14 11	10 8	1	.	.	1	1 1	1	.	3	.	4 2	9 6	.	.	.
23	Appendicitis ... M. F.	3	3	.	.	1	.	.	.	1	.	1	.	2
24	Cirrhosis of the Liver ... M. F.	1	1	.	.	.	1	1	.	.	.
25	Diseases of the Liver and Biliary M. F. Passages.	2	2	1	1	.	.	.	2	.	.	.
26	Other Diseases of the Digestive M. F. System.	9	6 3	.	.	1	.	.	1	2	1 1	1 2	.	4 1	1
27	Nephritis ... M. F.	35	19 16	.	.	.	1	2 1	3 4	4 2	4 2	2 1	.	11 1	6 14	.	.	.
28	Puerperal Infection ... F.
29	Other Diseases of Childbirth ... F.	2	2	.	.	.	1	1	.	.	.	1	.	1
30	Congenital Debility, etc. (Nos. M. F. 157-161).	60	33 27	32 24	1 2	.	1	10 7	.	4 2	19 18	3 1	.	.
31	Senility ... M. F.	64	27 37	21 24	.	.	4 2	23 35	11 2	.	.
32	Suicide ... M. F.	2	1 1	.	.	.	1	.	.	.	1	.	.	.	1 1	.	.	.
33	Other Violence ... M. F.	22	18 4	2	2	1	3	1 1	1 1	1 1	2	3	.	1	17 1	1	.	.
34	Other Causes ... M. F.	74	39 35	2 2	2 5	1 4	4 3	1 4	4 2	8 4	6 5	6 3	.	13 12	17 18	3 2	.	.

ABSTRACT V—continued.—Causes of Death for the Administrative County of KILKENNY, by Sexes, Ages, and Places of Occurrence during the year 1947.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.								PLACES OF OCCURRENCE.				Un-certified Deaths.			
			All Ages.	Under 1 year.	1-5	5-15	15-25	25-35	35-45	45-55	55-65	75 years and up.	General and Special Hospls.	Mental Hos-pitals.		County Homes and District Hospls. and Co. Infirm-aries.	Else-where.	
	ALL CAUSES	956	503 453	62 53	16 20	4 4	10 17	6 14	23 16	27 23	60 54	156 109	139 143	35 47	20 24	126 81	322 301	42 39
1	Typhoid Fever (including Para-typhoid).	{
2	Cerebro-spinal Meningitis	{
3	Scarlet Fever	{
4	Whooping Cough	{	1	1	1	1	.	.	1	.
5	Diphtheria	{	1	1	1	1	.	1	1	.
6	Tuberculosis of the Respiratory System.	{	23 24	.	1 1	.	2 8	4 7	4 2	4 1	5 3	3 2	.	8 9	1 2	4 2	10 11	1
7	All other forms of Tuberculosis	{	7 6	.	1 1	1	2 2	1 1	1 1	1	1	.	.	1 3	1 1	5	2	.
8	Dysentery	{
9	Influenza	{	3 2	3	2	.	2	.	1 2	1
10	Measles	{	4 5	1	4 4	3 1	1 4	.
11	Acute Infectious Encephalitis	{
12	Typhus	{
13	Cancer	{	33 26	1	2	5 9	6 6	15 7	5 3	3 7	.	9 3	21 13	.
14	Diabetes Mellitus	{

ABSTRACT V—continued.—Causes of Death for the Administrative County of LAOIGHIS, by Sexes, Ages, and Places of Occurrence during the year 1947.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.								PLACES OF OCCURRENCE.					Un-certified Deaths.		
			All Ages.	Under 1 year.	1-5	5-15	15-25	25-35	35-45	45-55	55-65	65 years and up.	General and Special Hospls.	Mental Hos-pitals.	County Homes and Hospls., District Hospls. and Co. Infirm-aries.		Else-where.	
	ALL CAUSES	770	438 332	42 38	8 8	8 2	11 6	11 10	19 16	31 14	50 38	115 92	143 108	28 24	15 17	116 54	279 237	49 32
1	Typhoid Fever (including Para-typhoid).	{ M. F. }
2	Cerebro-spinal Meningitis	{ M. F. }
3	Scarlet Fever	{ M. F. }
4	Whooping Cough	{ M. F. }	6	3	2	1	1
5	Diphtheria	{ M. F. }	6	4	2	1
6	Tuberculosis of the Respiratory System.	{ M. F. }	22	.	.	.	4	2	4	5	6	1
7	All other forms of Tuberculosis	{ M. F. }	16	.	.	1	3	5	3	2	1	1
8	Dysentery	{ M. F. }	10	1	.	2	3	2	2	3	1	.	.	.
9	Influenza	{ M. F. }	4	.	.	.	1	1	1	1
10	Measles	{ M. F. }
11	Acute Infectious Encephalitis	{ M. F. }	2	1	.	.	.	2	.
12	Typhus	{ M. F. }	4	2	.	.	.	4	.
13	Cancer	{ M. F. }
14	Diabetes Mellitus	{ M. F. }	35	3	.	9	15	8	1	.	6	28	.
			36	1	4	12	10	9	2	1	.	33	.
			6	.	.	.	1	.	.	1	.	4	2	.

[illegible]

ABSTRACT V—continued.—Causes of Death for the Administrative County of Louth, by Sexes, Ages, and Places of Occurrence during the year 1947

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.								PLACES OF OCCURRENCE.					Un-certified Deaths		
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospls.	Mental Hos-pitals.		County Homes and District Hospls. and Co. Infirm-aries.	Else-where.
	ALL CAUSES	966	549 417	66 34	16 12	8 12	16 12	17 17	16 18	41 14	73 66	149 110	147 122	40 41	24 22	128 74	357 280	22 16
1	Typhoid Fever (including Para-M. typhoid).	{ M. F.
2	Cerebro-spinal Meningitis	{ M F.	1	1	1	.	.
3	Scarlet Fever	{ M. F.	1	.	1	1	.	.
4	Whooping Cough	{ M. F.	6 5	5 2	2	1 1	2	4 5	1
5	Diphtheria	{ M. F.	1 1	.	1	1	1 1	.	.
6	Tuberculosis of the Respiratory System.	{ M. F.	33 33	1	.	1	5 7	10 11	4 5	7	3 6	3 2	1	3 8	2 7	14 7	14 11	.
7	All other forms of Tuberculosis	{ M. F.	11 8	2	4 2	1 4	1 1	2	.	1	.	1	.	3 3	1	3 4	4 1	.
8	Dysentery	{ M. F.
9	Influenza	{ M. F.	7	1	.	1	4 1	1 2	1	.	.	6 3	.
10	Measles	{ M. F.
11	Acute Infectious Encephalitis	{ M. F.
12	Typhus	{ M. F.
13	Cancer	{ M. F.	47 38	4	6 2	13 14	23 17	1 5	6 4	.	11 6	30 28	1
14	Diabetes Mellitus	{ M. F.	1 2	.	.	.	1	1	.	.	.	1	.	2

ABSTRACT V—continued.—Causes of Death for the Administrative County of MEATH, by Sexes, Ages, and Places of Occurrence during the year 1947.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.								PLACES OF OCCURRENCE.					Un-certified Deaths.		
			All Ages.	Under 1 year.	1-5	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and up.	General and Special Hospls.	Mental Hos- pitals.		County Homes and District Hospls., and Co. Infir- maries.	Else- where.
	ALL CAUSES	931	527 404	53 52	17 9	5 4	4 11	16 19	20 10	27 22	81 54	158 90	146 133	43 18	13 19	148 90	318 277	47 31
1	Typhoid Fever (including Para-typhoid).	{ M. F.
2	Cerebro-spinal Meningitis	{ M. F.
3	Scarlet Fever	{ M. F.
4	Whooping Cough	{ M. F.	3 1	3 1	3 1	.
5	Diphtheria	{ M. F.	1 2	.	1 2	1 2	.	.
6	Tuberculosis of the Respiratory System.	{ M. F.	23 28	1 1	.	2 7	8 10	1 3	2 3	1 1	2 1	2 2	.	2 1	5 5	6 9	10 13	1
7	All other forms of Tuberculosis	{ M. F.	11 7	1 1	3 1	2 1	.	2 3	.	2 1	.	.	.	3 1	.	4 6	4	.
8	Dysentery	{ M. F.
9	Influenza	{ M. F.	5 1	1 1	1 1	2 1	1 1	.	.	2 1	3 1	.
10	Measles	{ M. F.
11	Acute Infectious Encephalitis	{ M. F.
12	Typhus	{ M. F.
13	Cancer	{ M. F.	63 41	1 1	6 8	18 10	21 14	17 8	8 4	1 1	.	18 7	36 29	1 1
14	Diabetes Mellitus	{ M. F.	4 2	2 1	1 1	.	.	2 1	1 1	.

No.	Disease	M.	F.	Total
16	Intra-cranial Lesions of Vascular Origin.	70	36	106
17	Diseases of the Heart ... F.	277	34	311
18	Other Diseases of the Circulatory System.	36	158	194
19	Bronchitis ... M.	33	119	152
20	Pneumonia ... F.	30	21	51
21	Other Diseases of the Respiratory System.	10	15	25
22	Ulcer of the Stomach or Duodenum.	4	4	8
23	Diarrhoea and Enteritis ... M.	16	9	25
24	Appendicitis ... F.	2	7	9
25	Cirrhosis of the Liver ... M.	1	1	2
26	Diseases of the Liver and Biliary Passages.	3	2	5
27	Other Diseases of the Digestive System.	13	6	19
28	Nephritis ... M.	36	7	43
29	Puerperal Infection ... F.	1	22	23
30	Other Diseases of Childbirth ... F.	59	14	73
31	Congenital Debility, etc. (Nos. 157-161).	56	37	93
32	Senility ... M.	5	29	34
33	Suicide ... F.	22	18	40
34	Other Violence ... M.	60	35	95
35	Other Causes ... F.	60	25	85

ABSTRACT V—continued.—Causes of Death for the Administrative County of OFFALY, by Sexes, Ages, and Places of Occurrence during the year 1947.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.								PLACES OF OCCURRENCE.					Un-certified Deaths.		
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospls.	Mental Hos-pitals,		County Homes and District Hospls., and Co. Infir-maries.	Else-where.
			439 365	58 32	6 11	6 7	13 14	9 13	19 19	24 26	53 37	122 78	129 128	26 20	10 11	124 69	279 265	66 70
1	Typhoid Fever (including Para-typhoid).	{
2	Cerebro-spinal Meningitis	{	.	1	1	.	.
3	Scarlet Fever	{
4	Whooping Cough	{	1 1	1 1	1 1	.
5	Diphtheria	{	.	.	1	1	.	.
6	Tuberculosis of the Respiratory System.	{	15 23	.	.	1	2 7	4 3	3 8	3 4	3	.	.	5 7	1 1	2 2	7 13	1
7	All other forms of Tuberculosis...	{	4 5	.	2	1	3 1	1	.	1	2 1	2 3	.
8	Dysentery	{
9	Influenza	{	4 5	3 2	1 1	2	.	.	1	3 5	2
10	Measles	{	1 1	1	.	.	1	1 1	.
11	Acute Infectious Encephalitis...	{	1 1	.	.	.	1	.	.	.	1	1	1	.
12	Typhus	{
13	Cancer	{	44 32	1	2 1	5 8	9 8	20 10	7 5	2 1	.	13 8	29 23	1
14	Diabetes Mellitus	{	4	1	3	.	.	1	1	3	.

ABSTRACT V—continued.—Causes of Death for the Administrative County of WEXFORD, by Sexes, Ages, and Places of Occurrence during the year 1947.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.								PLACES OF OCCURRENCE.				Un-certified Deaths.			
			All Ages.	Under 1 year.	1-5	5-15	15-25	25-35	35-45	45-55	55-65	65-75 years and up.	General and Special Hospls.	Mental Hos-pitals.		County Homes and District Hospls. and Co. Infirm-aries.	Else-where.	
	ALL CAUSES	1,514	773 741	104 73	20 23	10 12	13 21	22 25	38 29	54 41	85 76	190 171	237 265	41 40	25 22	169 128	538 551	50 69
1	Typhoid Fever (including Para-M. typhoid).	{
2	Cerebro-spinal Meningitis	2 {	1 1	.	1	1 1
3	Scarlet Fever	{
4	Whooping Cough	10 {	3 7	2 5	1 2	3 7	.
5	Diphtheria	5 {	2 3	.	2 1	1	2 3	.	.
6	Tuberculosis of the Respiratory System.	72 {	36 36	.	.	1 13	11 6	12 8	5 4	6 2	.	1	1	12 16	1 3	2 2	21 15	.
7	All other forms of Tuberculosis	31 {	12 19	.	4 5	.	1 3	1 3	2 1	7 5	5 11	.
8	Dysentery	{
9	Influenza	15 {	8 7	1	.	2	1	3	2	1	2	1	4 5	2
10	Measles	4 {	3 1	1	3	3 1	.
11	Acute Infectious Encephalitis	{
12	Typhus	{
13	Cancer	160 {	90 70	.	.	.	1	3 5	12 10	16 16	38 23	21 15	.	5 5	4	27 17	54 48	1 1
14	Diabetes Mellitus	6 {	2	1	1	2	.

[illegible]

ABSTRACT V—contd.—Causes of Death for the Administrative County of WICKLOW, by Sexes, Ages, and Places of Occurrence during the year 1947.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.								PLACES OF OCCURRENCE.				Un-certified Deaths.		
			All Ages.	Under 1 year.	1-5	5-15	15-25	25-35	35-45	45-55	55-65	65-75 years and up.	General and Special Hospls.	Mental Hos-pitals.		County Homes and Hospls. District Hospls. and Co. Infirm-aries.	Else where.
	ALL CAUSES	521 379	60 28	8 7	5 2	15 14	10 18	21 8	22 30	82 48	143 91	155 133	68 46	14 7	92 55	347 271	34 26
1	Typhoid Fever (including Para-typhoid).	1	1	1	.
2	Cerebro-spinal Meningitis	1	1
3	Scarlet Fever
4	Whooping Cough
5	Diphtheria
6	Tuberculosis of the Respiratory System.	54	27 27	.	.	6 9	5 11	8 3	2 4	4 .	2 .	.	8 14	3 .	4 1	12 12	.
7	All other forms of Tuberculosis	13	7 6	1	1	3 1	1	2	.	1 1	.	.	2 3	.	4 1	1 2	.
8	Dysentery
9	Influenza	9	8 1	1	2 1	3 .	2	8 1	2
10	Measles	3	3	1	1	1	.	.	2	.	.	1	.
11	Acute Infectious Encephalitis
12	Typhus
13	Cancer	85	48 37	.	.	.	1	1	3 4	13 11	19 15	13 5	6 5	2 .	13 8	27 24	.
14	Diabetes Mellitus	6	3	1	.	1	1	.	.	.	2	1	.

ABSTRACT V—contd.—Causes of Death for the PROVINCE OF MUNSTER, by Sexes, Ages, and Places of Occurrence during the year 1947.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.								PLACES OF OCCURRENCE.				Un-certified Deaths.			
			All Ages.	Under 1 year.	1-5	5-	15-20	25-34	45-54	65-74	75 years and up.	General and Special Hospls.	Mental Hos-pitals.	County Homes and District Hospls. and Co. Infirm-aries.		Else-where.		
			7,550 6,587	835 623	154 132	95 90	189 201	236 242	334 283	515 415	951 763	2,073 1,707	2,168 2,131	656 473	273 190	1,855 1,437	4,766 4,487	851 832
1	ALL CAUSES	14,137	3 1	.	.	.	2 .	1 .	1	3 .	.	.
2	Typhoid Fever (including Para-m. typhoid).	4	9 4	4 1	2 1	1 1	.	1 .	1 .	1	3 2	.	3 .	3 .	.
3	Cerebro-spinal Meningitis	13	2 1	.	2 .	1	2 1	.	.
4	Scarlet Fever	3	32 36	23 25	7 11	2	2 .	.	.	30 33	3 4
5	Whooping Cough	68	8 11	1 .	2 7	4 1	1 .	.	1 1	1	1 .	.	7 7	1 3	.
6	Diphtheria	19	464 446	3 .	5 1	4 19	65 119	121 112	99 74	81 57	57 29	27 29	2 6	110 125	61 29	103 95	190 197	4 2
7	Tuberculosis of the Respiratory System.	910	126 96	9 4	27 16	29 15	23 23	13 15	11 8	3 7	7 5	2 3	2 .	33 17	3 4	48 45	42 30	2 .
8	All other forms of Tuberculosis	222	1 1	1 .	1 .	1	1 1	.	.	.
9	Dysentery	2	125 129	8 2	2 2	.	2 1	1 4	3 3	8 8	8 20	52 55	41 34	2 3	4 2	32 28	87 96	14 20
10	Influenza	254	12 8	3 1	6 7	1 .	1	1	1 1	11 7	2 .
11	Measles	20	4 .	1	1 .	1 .	1 .	.	.	1 .	.	.	3 .	1 .
12	Acute Infectious Encephalitis	4
13	Typhus
14	Cancer	1,244	680 564	.	2 1	4 1	4 1	7 8	26 35	71 87	165 148	272 190	129 93	76 57	9 8	199 137	396 362	2 1
15	Diabetes Mellitus	64	28 36	.	.	1 1	1 2	2 .	2 1	3 2	5 11	7 12	7 7	3 7	1 1	7 6	17 22	.

ABSTRACT V—continued.—Causes of Death for the Administrative County of CLARE, by Sexes, Ages, and Places of Occurrence during the year 1947.

No.	CAUSES OF DEATH	Total Deaths.	AGES AT DEATH.							PLACES OF OCCURRENCE.					Un-certified Deaths.			
			All Ages.	Under 1 year.	1-5	5-15	15-25	25-35	35-45	45-55	55-65	65-75 years and up.	General and Special Hospls.	Mental Hos-pitals.		County Homes and Hospls. District Hospls. and Co. Infirm-aries.	Else-where.	
	ALL CAUSES	1,344	771 573	63 48	5 7	7 4	15 19	22 17	34 25	44 42	84 55	214 143	283 213	62 27	28 14	185 133	496 399	143 131
1	Typhoid Fever (including Para-typhoid).	{ M. F. }
2	Cerebro-spinal Meningitis	{ M. F. }	1	1	1	.	.
3	Scarlet Fever	{ M. F. }
4	Whooping Cough	{ M. F. }	1	1	1	.
5	Diphtheria	{ M. F. }	2	.	2	2	.	.
6	Tuberculosis of the Respiratory System.	{ M. F. }	43 32	.	.	.	5 10	14 6	8 6	4 6	7 3	4 .	1 1	11 10	6 1	7 8	19 13	1
7	All other forms of Tuberculosis	{ M. F. }	10 12	1	1	2 2	3 2	3 2	1	2	1	.	1	2 4	.	4 8	.	.
8	Dysentery	{ M. F. }
9	Influenza	{ M. F. }	13 12	3 1	1	1 1	.	2 5	6 3	.	.	1	13 11	7 4
10	Measles	{ M. F. }
11	Acute Infectious Encephalitis	{ M. F. }
12	Typhus	{ M. F. }
13	Cancer	{ M. F. }	57 51	1	5 5	6 9	14 9	19 18	13 9	3 3	1 1	24 13	29 34	.
14	Diabetes Mellitus	{ M. F. }	2 4	1 2	1 .	.	.	1 1	1 2	.

15	Intra-cranial Lesions of Vascular Origin.	M. F.	72	37	35	27	23	10	1	3	15	13	5	2
16	Diseases of the Heart	M. F.	316	199	117	1	26	8	1	7	88	71	9	2
17	Other Diseases of the Circulatory System.	M. F.	23	12	11	1	107	47	15	2	2	64	7	
18	Bronchitis	M. F.	55	31	24	1	8	4	2	1	12	11	6	
19	Pneumonia	M. F.	52	29	23	8	24	3	1	1	8	16	1	
20	Other Diseases of the Respiratory System.	M. F.	12	5	7	1	1	3	1	1	2	6	2	
21	Ulcer of the Stomach or Duodenum.	M. F.	18	12	6	2	4	2	1	5	2	4	2	
22	Diarrhoea and Enteritis	M. F.	20	16	4	1	7	1	1	2	1	2	2	
23	Appendicitis	M. F.	4	1	3	1	1	1	1	1	1	1	1	
24	Cirrhosis of the Liver	M. F.	3	3	3	1	2	1	1	1	1	1	1	
25	Diseases of the Liver and Biliary Passages.	M. F.	1	1	1	1	1	1	1	1	1	1	1	
26	Other Diseases of the Digestive System.	M. F.	17	12	5	1	7	2	1	2	2	2	2	
27	Nephritis	M. F.	36	24	12	1	16	4	1	2	12	5	1	
28	Puerperal Infection	M. F.	.	.	.	1	7	3	1	1	3	3	1	
29	Other Diseases of Childbirth	M. F.	.	.	.	1	5	4	1	1	4	4	1	
30	Congenital Debility etc. (Nos. 157-161).	M. F.	64	34	30	2	20	11	2	9	5	20	2	
31	Senility	M. F.	288	145	143	1	133	140	3	1	8	133	100	
32	Suicide	M. F.	2	2	2	1	2	2	1	1	2	2	107	
33	Other Violence	M. F.	23	17	6	1	16	5	1	1	1	16	5	
34	Other Causes	M. F.	96	62	34	2	32	24	1	8	21	32	8	

ABSTRACT V—continued.—Causes of Death for the Administrative County of CORK, by Sexes, Ages, and Places of Occurrence during the year 1947.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.							PLACES OF OCCURENCE.					Un-certified Deaths.			
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospls.		Mental Hos-pitals.	County Homes and District Hospls. and Co. Infir-maries.	Else-where.
	ALL CAUSES	4,140 {	2,197 1,943	207 152	45 22	20 22	59 53	59 69	100 80	137 117	296 213	638 528	636 687	187 152	88 55	591 451	1,331 1,285	216 211
1	Typhoid Fever (including Para-M. typhoid).	1 {	1					1							1			
2	Cerebro-spinal Meningitis	3 {	1 2	1		1			1							2		
3	Scarlet Fever																	
4	Whooping Cough	11 {	4 7	3 5	1 2											1	4 6	
5	Diphtheria	8 {	4 4	1		3 1	1 1		1	1				1		3 2	1 1	
6	Tuberculosis of the Respiratory System.	230 {	120 110	1	3 1	1 3	22 29	28 29	27 13	20 14	13 5	5 15	1	33 43	19 5	23 21	45 41	1 1
7	All other forms of Tuberculosis	60 {	36 24	5	9 3	7 2	5 7	1 2	2 6	2 1	3 2	1 1	1	7 6	2 1	18 8	9 9	1
8	Dysentery																	
9	Influenza	75 {	39 36	1			1		1	1 1	4 5	24 16	8 13	2		14 8	25 26	3 1
10	Measles	5 {	4 1	1	3	1											4 1	1
11	Acute Infectious Encephalitis	1 {	1								1			1				
12	Typhus																	
13	Cancer	433 {	246 187		2	1	2 1	2 3	8 14	19 30	64 45	112 61	36 33	33 21	3 2	78 51	132 113	1
14	Diabetes Mellitus	25 {	12 13				1 1	1		2 1	1 2	3 6	4 6	2 2		3 3	7 7	

16	Origin.	308	141	167	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
----	---------	-----	-----	-----	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---

ABSTRACT V—continued.—Causes of Death for the Administrative County Borough of Cork, by Sexes, Ages, and Places of Occurrence during the year 1947.

CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.								PLACES OF OCCURRENCE.					Un-certified Deaths		
		All Ages	Under 1 year.	1-5	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 years and up.	General and Special Hospls.	Mental Hos-pitals.		County Homes and District Hospls. and Co. Infirm-aries.	Else-where.
ALL CAUSES	1,292	661 631	104 59	17 4	14 6	16 22	17 27	38 37	63 54	112 96	183 187	97 139	180 129	24 15	156 136	301 351	2
1 Typhoid Fever (including Para-typhoid).	{ M. F. }
2 Cerebro-spinal Meningitis	{ M. F. }	1 1	1 1	1 1
3 Scarlet Fever	{ M. F. }
4 Whooping Cough	{ M. F. }	2 3	2 3	1	.	.	1 3	.
5 Diphtheria	{ M. F. }
6 Tuberculosis of the Respiratory System.	{ M. F. }	59 68	2	.	1 1	7 17	7 15	14 16	14 9	8 5	6 2	.	22 28	6 4	17 12	14 24	.
7 All other forms of Tuberculosis	{ M. F. }	14 8	2	3 1	4 1	2	1 1	2	.	1 1	1 2	.	8 2	.	3 4	3 2	.
8 Dysentery	{ M. F. }
9 Influenza	{ M. F. }	3	1	.	2	1	.	.	2	.
10 Measles	{ M. F. }
11 Acute Infectious Encephalitis	{ M. F. }
12 Typhus	{ M. F. }
13 Cancer	{ M. F. }	53 59	.	1	.	.	2	3 4	4 14	14 18	23 17	8 4	17 13	.	12 15	24 31	.
14 Diabetes Mellitus	{ M. F. }	2 2	1	1	.	1 1	.	.	1 1	.

ABSTRACT V—continued.—Causes of Death for the Administrative County of KERRY, by Sexes, Ages, and Places of Occurrence during the year 1947.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.								PLACES OF OCCURRENCE.				Un-certified Deaths.			
			All Ages.	Under 1 year.	1-5	5-15	15-25	25-35	35-45	45-55	55-65	65-75 years and up.	General and Special Hosps.	Mental Hos- pitals.		County Homes and Hospls. District Hospls. and Co. Infirm- aries.	Else- where.	
			1,110 900	98 69	18 17	12 9	21 35	53 33	47 30	78 62	107 92	277 246	399 307	69 45	43 22	215 162	783 671	260 248
1	ALL CAUSES ... M. F.	2,010 {
2	Typhoid Fever (including Para- M. F. typhoid).
3	Cerebro-spinal Meningitis ... M. F.	2 {	2	1	.	.	1	1	.	.	1	.
4	Scarlet Fever ... M. F.
5	Whooping Cough ... M. F.	16 {	9	7	1	1	9	2
6	Diphtheria ... M. F.	2 {	2	.	2	1	7	4
7	Tuberculosis of the Respiratory M. F. System.	133 {	69	.	.	1	8	29	10	11	6	4	.	25	14	4	26	1
8	All other forms of Tuberculosis ... M. F.	34 {	21	1	6	4	4	2	3	.	1	.	.	27	9	3	25	.
9	Dysentery ... M. F.	2 {	1	1	2	2	3	4	6	1	8	7	1
10	Influenza ... M. F.	62 {	28	2	1	.	.	1	1	2	.	11	11	.	3	13	12	4
11	Measles ... M. F.	2 {	2	1	1	9	.	.	16	18	9
12	Acute Infectious Encephalitis ... M. F.	2	1
13	Typhus ... M. F.
14	Cancer ... M. F.	134 {	75	.	.	1	2	3	3	13	13	26	17	4	1	23	47	1
15	Diabetes Mellitus ... M. F.	10 {	4	2	.	.	26	6	3	.	14	42	.
16			6	.	.	1	2	.	2	1	.	1	3	1

ABSTRACT V—contd.—Causes of Death for the Administrative County of LIMERICK, by Sexes, Ages, and Places of Occurrence during the year 1947.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.								PLACES OF OCCURRENCE.					Un-certified Deaths.		
			All Ages.	Under 1 year.	1-5	5-15	15-25	25-35	35-45	45-55	55-65	75 years and up.	General and Special Hospls.	Mental Hospitals.	County Homes and District Hospls. and Co. Infirmaries.		Elsewhere.	
	ALL CAUSES	1,456	788 668	120 87	16 22	8 14	24 16	25 17	19 31	46 49	87 82	207 152	236 198	35 33	32 24	161 116	560 495	70 88
1	Typhoid Fever (including Paratyphoid).	1	1	.	.	.	1	1	.	.
2	Cerebro-spinal Meningitis
3	Scarlet Fever	1	1	.	1	1	.	.
4	Whooping Cough	13	6 7	4 4	2 3	6 7	1
5	Diphtheria	1	1	.	1	1	.	.
6	Tuberculosis of the Respiratory System.	74	38 36	.	.	2	6 10	11 8	6 7	8 4	5 1	1 3	1 1	2 2	6 5	15 13	15 16	.
7	All other forms of Tuberculosis	21	12 9	1 1	3 2	1 2	2 .	4 1	1 1	1 1	1 1	.	.	4 2	1 .	3 3	4 4	.
8	Dysentery
9	Influenza	51	28 23	1	.	.	2	.	1	1 1	3 3	9 13	12 5	.	.	3 2	25 21	4
10	Measles	4	3 1	1 1	1 1	.	1	1 1	2	.
11	Acute Infectious Encephalitis	1	1	1	1	1
12	Typhus
13	Cancer	120	61 59	.	.	1	1	1 1	1 1	4 17	15 15	20 16	19 8	7 3	.	8 10	46 45	.
14	Diabetes Mellitus	4	3 1	1	.	1	1	3 1	.

ABSTRACT V—continued.—Causes of Death for the Administrative COUNTY BOROUGH OF LIMERICK, by Sexes, Ages, and Places of Occurrence during the year 1947.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.							PLACES OF OCCURRENCE.					Un-certified Deaths.			
			All Ages.	Under 1 year.	1-5	5-15	15-35	35-45	45-55	55-65	75 years and up.	General and Special Hospla.	Mental Hos-pitals.	County Homes and Hospls. District Hospls. and Co. Infirm-aries.		Else-where.		
	ALL CAUSES	685	335 350	64 54	12 14	5 7	15 11	10 23	19 31	29 21	42 40	96 83	43 66	35 29	8 13	113 112	179 196	4 8
1	Typhoid Fever (including Para-typhoid).	2	2	.	.	.	1	.	1	2	.	.
2	Cerebro-spinal Meningitis
3	Scarlet Fever	2	2	.	2	2	.	.
4	Whooping Cough	5	2 3	2 3
5	Diphtheria	3	3	.	3	3	.	.
6	Tuberculosis of the Respiratory System.	66	32 34	.	1	1 3	2 6	6 11	9 9	7 2	4 2	2 1	.	2	2	13 18	15 14	.
7	All other forms of Tuberculosis...	12	4 8	.	1 2	1 1	2 3	2 2	.	1 3	1 3	.
8	Dysentery
9	Influenza	2	2	1	1	.	1	.	.	1	.
10	Measles	3	1 2	1	2	1 2	.
11	Acute Infectious Encephalitis...
12	Typhus
13	Cancer	49	23 26	1	1	5 2	8 6	9 11	1 5	3 6	2	6 4	14 14	.
	Diabetes Mellitus	3	1 2	.	.	1	1 1	.	.

ABSTRACT V—continued.—Causes of Death for the Administrative County of TIPPERARY (N.R.), by Sexes, Ages, and Places of Occurrence during the year 1947.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.								PLACES OF OCCURRENCE.					Un-certified Deaths		
			All Ages.	Under 1 year.	1-5	5-15	15-25	25-35	35-45	45-55	55-65	65-75 years and up.	General and Special Hospls.	Mental Hos-pitals.	County Homes and District Hospls. and Co. Infir-maries.		Else-where.	
			454 374	50 33	9 8	5 4	8 11	17 12	21 8	31 27	60 52	112 88	141 131	28 23	9 5	114 85	303 261	73 64
1	ALL CAUSES	828																
2	Typhoid Fever (including Para-typhoid).	{
3	Cerebro-spinal Meningitis	{ 2	1 1	.	1 1	1	.	.	1	.
4	Scarlet Fever	{
5	Whooping Cough	{ 1	1	1	1	.
6	Diphtheria	{ 1	1	1	1	.	.
7	Tuberculosis of the Respiratory System.	{ 56	31 25	.	.	1	5 7	11 6	8 2	4 4	2 3	1 2	.	11 9	1	2 2	17 14	2
8	All other forms of Tuberculosis	{ 5	3 2	.	1 1	.	1	1	.	1	.	.	.	1	.	1 1	1 1	.
9	Dysentery	{
10	Influenza	{ 20	8 12	1	1	.	.	2	1	2 1	3	1 5	3	1	2	2 1	5 9	1
11	Measles	{
12	Acute Infectious Encephalitis	{ 1	1	1	1	.
13	Typhus	{
14	Cancer	{ 70	37 33	.	.	1	.	.	1 1	4 1	6 14	16 12	9 5	2 2	.	5 7	30 24	1
15	Diabetes Mellitus	{ 2	2	2	2	1

ABSTRACT V—continued—Causes of Death for the Administrative County of WATERFORD, by Sexes, Ages, and Places of Occurrence during the year 1947.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.							PLACES OF OCCURENCE.					Un- certified Deaths.			
			All Ages.	Under 1 year.	1-5	5- 15	15- 25	25- 35	35- 45	45- 55	55- 65	75 years and up	General and Special Hospitals.	Mental Hos- pitals.		County Homes and District Hospitals and Co. Infir- maries.	Else- where.	
	ALL CAUSES	759	403 356	48 33	11 16	9 6	8 9	7 12	14 9	27 12	45 38	125 81	109 140	33 10	10 11	105 74	255 261	39 35
1	Typhoid Fever (including Para-typhoid).	{
2	Cerebro-spinal Meningitis	{	1	1	1
3	Scarlet Fever	{
4	Whooping Cough	{	5 2	2 2	2	1	1	.	1	4 1	.
5	Diphtheria	{
6	Tuberculosis of the Respiratory System.	{	15 15	.	1	1	4	2 3	2 3	2 1	7 2	1 1	.	2 2	2	4 7	7 6	.
7	All other forms of Tuberculosis	{	8 7	.	3	5 1	2 2	1	.	.	1	.	.	2	1	3 3	3 3	.
8	Dysentery	{
9	Influenza	{	1 4	1	.	.	.	1	1	.	1	.	4	1
10	Measles	{	1	.	1	1	.
11	Acute Infectious Encephalitis	{
12	Typhus	{
13	Cancer	{	39 30	1	2 1	7 1	6 11	15 10	8 7	4 2	.	13 8	22 20	.
14	Diabetes Mellitus	{	2	1	1	.	.	1	.	1	.

Origin.	M.	F.	44	20	24	89	72	11	7	12	13	11	15	4	4	1	4	4	8	1	1	2	6	9	5	7	31	23	67	80	1	11	7	49	51
Diseases of the Heart	M.	F.	161																																
Other Diseases of the Circulatory System.	M.	F.	18																																
Phrocladus ...	M.	F.	25																																
Pneumonia ...	M.	F.	26																																
Other Diseases of the Respiratory System.	M.	F.	4																																
Ulcer of the Stomach or Duo- denum.	M.	F.	5																																
Diarrhea and Enteritis	M.	F.	12																																
Appendicitis	M.	F.	2																																
Cirrhosis of the Liver	M.	F.																																	
Diseases of the Liver and Biliary Passages.	M.	F.	7																																
Other Diseases of the Digestive System.	M.	F.	6																																
Nephritis ...	M.	F.	14																																
Puerperal Infection ...	F.																																		
Other Diseases of Childbirth ...	F.		7																																
Congenital Debility, etc. (Nos. 157-161).	M.	F.	54																																
Senility ...	M.	F.	147																																
Suicide ...	M.	F.	1																																
Other Violence	M.	F.	18																																
Other Causes	M.	F.	80																																

ABSTRACT V—continued.—Causes of Death for the Administrative County Borough of WATERFORD, by Sexes, Ages, and Places of Occurrence during the year 1947.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.								PLACES OF OCCURRENCE.				Un-certified Deaths			
			All Ages.	Under 1 year.	1-5	5-15	15-25	25-35	35-45	45-55	55-65	75 years and up.	General and Special Hospls.	Mental Hos-pitals.		County Homes and District Hospls. and Co. Infir-m-aries.	Else-where.	
	ALL CAUSES	441	226 215	23 30	7 4	7 4	11 9	3 7	15 10	24 11	34 24	56 60	46 60	12 4	11 6	69 52	134 153	1
1	Typhoid Fever (including Para-M. typhoid).
2	Cerebro-spinal Meningitis	1	1	.	1	1	.	.
3	Scarlet Fever
4	Whooping Cough	1	1	1	1	.
5	Diphtheria
6	Tuberculosis of the Respiratory System.	43	22 21	.	.	2 2	5 7	2 2	7 6	5 3	2 .	1 1	.	.	1	7 3	14 18	.
7	All other forms of Tuberculosis	8	6 2	1 .	2 .	3 1	.	.	.	1	4 1	2 1	.
8	Dysentery
9	Influenza	4	1	.	3	4	.
10	Measles
11	Acute Infectious Encephalitis	1	1	1	1	.
12	Typhus
13	Cancer	38	21 17	2	3	7	6 10	3 2	1	3	8 4	9 13	1

16	Diseases of the Heart	M. F.	160	84	76	5	3	1	2	1	3	6	16	29	26	1	1	27	12
17	Other Diseases of the Circulatory System.	M. F.	8	5	3	5	3	1	1	1	3	2	13	30	26	1	1	28	47
18	Bronchitis ...	M. F.	12	5	7	1	4	1	1	1	1	1	1	2	1	1	1	4	3
19	Pneumonia ...	M. F.	15	8	7	2	2	2	2	1	1	1	2	1	1	1	1	7	1
20	Other Diseases of the Respiratory System.	M. F.	7	4	3	1	1	1	1	1	1	1	1	4	2	1	1	5	5
21	Ulcer of the Stomach or Duodenum.	M. F.	.	.	.	1	1	1	1	1	1	1	1	1	1	1	1	3	3
22	Diarrhoea and Enteritis	M. F.	19	9	10	8	10	1	1	1	1	1	1	1	1	1	1	8	9
23	Appendicitis	M. F.	.	.	.	1	1	1	1	1	1	1	1	1	1	1	1	1	1
24	Cirrhosis of the Liver	M. F.	.	.	.	1	1	1	1	1	1	1	1	1	1	1	1	1	1
25	Diseases of the Liver and Biliary Passages.	M. F.	.	.	.	1	1	1	1	1	1	1	1	1	1	1	1	1	1
26	Other Diseases of the Digestive System.	M. F.	6	3	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1
27	Nephritis	M. F.	9	6	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1
28	Puerperal Infection	M. F.	.	.	.	1	1	1	1	1	1	1	1	1	1	1	1	1	1
29	Other Diseases of Childbirth	M. F.	.	.	.	1	1	1	1	1	1	1	1	1	1	1	1	1	1
30	Congenital Debility, etc. (Nos. 157-161).	M. F.	24	11	13	11	13	1	1	1	1	1	1	1	1	1	1	1	1
31	Senility	M. F.	33	12	21	12	21	1	1	1	1	1	1	1	1	1	1	1	1
32	Suicide	M. F.	.	.	.	1	1	1	1	1	1	1	1	1	1	1	1	1	1
33	Other Violence	M. F.	7	5	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1
34	Other Causes	M. F.	18	8	10	1	1	1	1	1	1	1	1	1	1	1	1	1	1

ABSTRACT V—continued.—Causes of Death for the PROVINCE OF CONNAUGHT, by Sexes, Ages, and Places of Occurrence during the year 1947.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.								PLACES OF OCCURRENCE.					Un-certified Deaths.		
			All Ages.	Under 1 year.	1-5	5-15	15-25	25-35	35-45	45-55	55-65	65-75 years and up.	General and Special Hospls.	Mental Hos- pits.	County Homes and Hospls. District Hospls. and Co. Infir- maries.		Else- where.	
	ALL CAUSES	7,390 {	4,038 3,352	312 219	88 58	42 44	115 114	141 117	159 114	215 190	364 305	1,020 739	1,582 1,452	115 109	169 122	833 595	2,921 2,526	1,056 923
1	Typhoid Fever (including Para-typhoid).	4 {	2 2	.	.	.	1	2	.	.	.	1	.	.	.	2 2	.	.
2	Cerebro-spinal Meningitis	2 {	2	2	1	1	.
3	Scarlet Fever	3 {	3	1	.	1	2	1	.
4	Whooping Cough	24 {	11 13	7 10	4 3	1 3	10 10	4 3
5	Diphtheria	2 {	1 1	.	.	1	1	1	.
6	Tuberculosis of the Respiratory System.	372 {	201 171	.	1	3 4	38 62	53 45	37 22	33 17	22 7	12 14	2	39 33	22 16	68 47	72 75	7
7	All other forms of Tuberculosis	146 {	84 62	4 2	12 5	7 11	22 18	18 12	2 3	9 5	2 3	4 3	4	6 8	5 2	53 37	20 15	.
8	Dysentery	{
9	Influenza	120 {	58 62	5 4	1 3	.	1	1 2	1 3	1 2	6 2	18 18	25 24	.	4 1	10 12	44 47	16 15
10	Measles	35 {	17 18	6 5	9 12	1	.	1 1	1 1	.	12 8	4 9	2 1
11	Acute Infectious Encephalitis	1 {	1	1	1	.
12	Typhus	{
13	Cancer	605 {	332 273	.	1 1	1	2 1	5 2	14 16	21 35	70 68	134 94	84 56	11 11	8 4	79 70	234 188	14 9

16	Diseases of the Heart	M. F.	844 643	1	6	19	20	14	26	87	71	2	5	27	169	41
17	Other Diseases of the Circulatory System.	M. F.	77 65	1	5	11	10	48 42	103 84	320 209	327 282	10 7	49 44	162 101	623 491	51 52
18	Bronchitis ...	M. F.	104 84	5 1	1	2	3 3	7 8	12 13	25 21	29 18	1	1 6	25 12	51 46	3 4
19	Pneumonia ...	M. F.	164 130	44 19	3 5	4 5	7 5	6 5	5 12	40 24	40 37	1	1	13 9	91 74	28 11
20	Other Diseases of the Respiratory System.	M. F.	49 30	3 1	3 1	4 4	6 4	5 3	10 3	7 4	7 8	3 2	1	10 7	35 21	8
21	Ulcer of the Stomach or Duodenum.	M. F.	20 5	1	1	2	6	2	4	5 2	2 1	1	2	7 3	11 2	2
22	Diarrhoea and Enteritis	M. F.	40 32	28 25	1 1	1 2	2	1 1	1	1 1	3 1	5 2	1	9 7	25 23	1 3
23	Appendicitis	M. F.	8 6	1	2	1	1	2	1	1	4	1	1	6 6	1	1
24	Cirrhosis of the Liver	M. F.	7 3	1	1	1	1	3 1	1	2 2	1	1	1	2	5 3	1
25	Diseases of the Liver and Biliary Passages.	M. F.	11 9	1	1	1	1	1	2 4	5 2	3 3	1 2	1	4 1	6 6	1
26	Other Diseases of the Digestive System.	M. F.	49 42	6 2	3 1	3	1	4 4	5 10	11 12	12 11	2	1	17 19	32 21	5 3
27	Nephritis ...	M. F.	107 76	1	4 2	2 3	6 7	3 7	15 16	40 26	37 14	6 2	1 1	26 29	74 44	3
28	Puerperal Infection ...	F.	8	1	1	4	4	1	1	1	1	1	1	4	4	1
29	Other Diseases of Childbirth	F.	12	1	1	3	8	1	1	1	1	1	1	5	7	1
30	Congenital Debility, etc. (Nos. 157-161).	M. F.	179 125	168 115	5 5	4 5	1	1	1	1	1	9 11	1	61 46	109 68	34 16
31	Senility ...	M. F.	962 966	1	1	1	1	1	1	137 124	825 842	1 1	28 22	47 50	886 893	766 688
32	Suicide ...	M. F.	14 5	1	1	3	4	2 3	1	3 1	1	1	1	1 1	12 4	1
33	Other Violence	M. F.	82 42	3 2	8 3	6 2	5 2	8 5	10 1	15 7	11 13	2 1	2	30 16	48 25	1
34	Other Causes	M. F.	371 235	31 27	22 9	16 15	30 19	32 25	48 39	109 51	61 31	8 14	32 19	105 50	229 152	70 59

ABSTRACT V—continued—Causes of Death for the Administrative County of GALWAY, by Sexes, Ages, and Places of Occurrence during the year 1947.

No.	CAUSES OF DEATH,	Total Deaths.	AGES AT DEATH.							PLACES OF OCCURRENCE.					Un-certified Deaths.			
			All Ages.	Under 1 year.	1-5	5-	15-43	25-39	35-41	45-57	55-86	65-232	75 years and up.	General and Special Hospls.		Mental Hos-pitals.	County Homes and Hospls. and Co. Infirm-aries.	Else-where.
	ALL CAUSES	2,344	1,242 1,102	140 93	41 32	12 20	49 43	35 39	46 41	64 57	106 86	272 232	477 459	24 44	42 29	331 245	845 744	292 305
1	Typhoid Fever (including Para-typhoid).	2	2	.	.	.	1	1	.	.	.	2	.	.
2	Cerebro-spinal Meningitis
3	Scarlet Fever	3	3	1	.	1	1	2	1	.
4	Whooping Cough	8	3 5	2 4	1 1	2	3 3	2
5	Diphtheria	1	1	.	.	1	1	.
6	Tuberculosis of the Respiratory System.	122	66 56	.	1	3 3	17 22	15 13	13 3	9 5	6 1	2 7	.	14 19	5 1	24 13	23 23	1
7	All other forms of Tuberculosis	60	34 26	3 2	8	3 3	9 12	5 3	3 3	3 2	.	2 1	1	1 1	.	27 21	6 4	.
8	Dysentery
9	Influenza	48	27 21	4 2	2	1	1	.	1 2	.	4	6 2	12 11	.	1	5 4	22 15	7 4
10	Measles	25	12 13	4 3	7 10	.	.	1	1 1	.	9 7	2 5	1
11	Acute Infectious Encephalitis
12	Typhus
13	Cancer	130	97 83	.	1 1	.	1	2	4 6	7 7	26 16	32 25	24 28	1 2	1	35 27	60 54	3 3
14	Diabetes Mellitus	.	3	1	.	1	1	.	.	2	1	.

No.	Disease	M.	F.	Total
15	Intra-cranial Lesions of Vascular System.	62	70	132
16	Diseases of the Heart	218	204	452
17	Other Diseases of the Circulatory System.	32	29	61
18	Bronchitis ...	28	28	56
19	Pneumonia ...	57	49	106
20	Other Diseases of the Respiratory System.	16	8	24
21	Ulcer of the Stomach or Duodenum.	3	3	6
22	Diarrhea and Enteritis	15	21	36
23	Appendicitis	3	2	5
24	Cirrhosis of the Liver	3	2	5
25	Diseases of the Liver and Biliary Passages.	3	3	6
26	Other Diseases of the Digestive System.	19	20	39
27	Nephritis	29	28	57
28	Puerperal Infection	2	2	4
29	Other Diseases of Childbirth	3	3	6
30	Conjugal Infertility, etc. (Nos. 157-161).	71	55	129
31	Senility	255	276	531
32	Suicide	6	2	8
33	Other Violence	27	15	42
34	Other Causes	117	66	183

ABSTRACT V—continued.—Causes of Death for the Administrative County of LEITRIM, by Sexes, Ages, and Places of Occurrence during the year 1947.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.										PLACES OF OCCURRENCE.				Un-certified Deaths.
			All Ages.	Under 1 year.	1-5	5-15	15-25	25-35	35-45	45-55	55-65	75 years and up.	General and Special Hospls.	Mental Hos-pitals.	County Homes and Hospls. District Hospls. and Co. Infir-maries.	Else-where.	
	ALL CAUSES	735	433 302	28 13	5 2	5 12	21 11	11 13	25 18	47 29	125 67	161 137	13 12	23 15	71 49	326 226	158 118
1	Typhoid Fever (including Para-typhoid).	1	1	.	.	.	1	1	.	.
2	Cerebro-spinal Meningitis
3	Scarlet Fever
4	Whooping Cough	2	1 1	1 1	1 1	1 1
5	Diphtheria
6	Tuberculosis of the Respiratory System.	31	14 17	.	.	1 5	6 4	3 4	2 2	.	2 2	.	2 1	1 3	6 4	5 9	1
7	All other forms of Tuberculosis	10	4 6	1	.	2 1	2 2	.	1	.	1	.	.	.	2 4	2 2	.
8	Dysentery
9	Influenza	11	6 5	1	2 4	4	.	1	1	4 5	2 1
10	Measles
11	Acute Infectious Encephalitis
12	Typhus
13	Cancer	48	29 19	1	3	6 7	14 6	8 2	3 1	2 1	6 5	18 12	2 1
14	Diabetes Mellitus	4	3 1	2	1	3 1	1

No.	Disease	Origin.	Intra-cranial Lesions of Vascular F.	44{	27 17	1	.	1	4	4	18	5	.	2	4	9 21
16	Diseases of the Heart	M. F.	...	155{	97 58	5 2	1	3	7	18	41 20	25 16	3 1	9 4	20 11	65 42
17	Other Diseases of the Circulatory System.	M. F.	...	8{	3 5	2 2	1 2	.	1	.	3 4
18	Bronchitis ...	M. F.	...	20{	13 7	1	1	5 .	5 5	.	.	1 1	12 6
19	Pneumonia ...	M. F.	...	33{	21 12	6 3	1	1	.	.	.	1 1	1	.	1	1 1	6 3	2 4	2 3	.	3 .	16 9
20	Other Diseases of the Respiratory System.	M. F.	...	5{	4 1	1	.	1	.	.	2 1	.	.	1 1	3 1
21	Ulcer of the Stomach or Duodenum.	M. F.	...	5{	5	1	.	.	.	2 .	1 .	.	.	1 .	4 .
22	Diarrhoea and Enteritis	M. F.	...	6{	5 1	3 1	1	.	.	1	.	.	.	2	.	1 1	2 .
23	Appendicitis	M. F.	...	1{	1	1 .	.	.	1 .	. .
24	Cirrhosis of the Liver	M. F.	...	1{	1	1	1 .
25	Diseases of the Liver and Biliary Passages.	M. F.	...	1{	1	1
26	Other Diseases of the Digestive System.	M. F.	...	5{	2 3	1 2	1	.	.	1	2 1
27	Nephritis	M. F.	...	27{	14 13	1 2	1	.	.	1 2	3 3	9 4	.	.	2 4	12 9
28	Puerperal Infection	F.	...	1	1	1	1 .	. .
29	Other Diseases of Childbirth	F.	...	1	1
30	Congenital Debility, etc. (Nos. 157-161).	M. F.	...	17{	14 3	13 3	1	1	.	3 1	3 1
31	Senility	M. F.	...	220{	112 108	18 16	94 92	1 .	3	9 12	103 92
32	Suicide	M. F.	...	1{	1	1	1	.	. .
33	Other Violence	M. F.	...	6{	5 1	1	.	1 1	1 .	2 .	.	.	1	2 1	. .
34	Other Causes	M. F.	...	71{	49 22	2 1	2 .	4 1	.	.	.	4 .	1 2	4 1	5 1	12 7	11 5	4 4	.	6 3	7 3	36 13

ABSTRACT V—continued.—Causes of Death for the Administrative County of MAYO, by Sexes, Ages, and Places of Occurrence during the year 1947.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.								PLACES OF OCCURRENCE.				Un-certified Deaths			
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.	General and Special Hospls.		Mental Hos- pitals.	County Homes and District Hospls. and Co. Infirm- aries.	Else- where.
	ALL CAUSES	2,173 {	1,204 969	73 48	28 10	13 9	29 27	53 41	54 32	67 56	104 90	308 204	475 452	42 25	58 37	206 126	898 781	327 231
1	Typhoid Fever (including Para-M. typhoid).	1 {	1	1	1
2	Cerebro-spinal Meningitis	2 {	. 2	. 2 1	. 1	. .
3	Scarlet Fever	. {
4	Whooping Cough	6 {	2 4	1 4	2 4	1 1
5	Diphtheria	. {
6	Tuberculosis of the Respiratory System.	124 {	72 52 1	11 14	19 18	12 9	14 7	11 1	4 2	1 .	17 10	9 8	17 10	29 24	. 4
7	All other forms of Tuberculosis	35 {	24 11	. .	3 2	. 1	7 4	7 2	2 .	3 .	2 1	. 1	. .	3 2	3 2	11 4	7 3	. .
8	Dysentery	. {
9	Influenza	34 {	15 19	1 1	. 1	. 1	. .	1 2	. 1	1 1	1 1	4 3	7 8	. 1	3 .	3 3	9 15	4 4
10	Measles	4 {	3 1	1 .	2 1	3 1
11	Acute Infectious Encephalitis	. {
12	Typhus	. {
13	Cancer	189 {	103 86	1 .	2 2	4 4	6 14	15 25	44 26	31 15	3 3	1 1	21 15	78 67	4 1
14	Diabetes Mellitus	13 {	4 9	1	1 .	1 3	. 3	1 3	1 .	. 1	2 1	1 7	. 1

15	Intra-cranial Lesions of Vascular M. F.	103	59 44	.	.	1	.	.	.	5	6	4	4	25	18	.	1	8	50	6
16	Diseases of the Heart	411	237 174	.	.	1	.	9	3	4	4	31	24	91	87	4	15	40	178	9
17	Other Diseases of the Circulatory M. F.	35	17 18	1	1	3	2	3	8	1	.	5	12	1
18	Bronchitis ...	65	34 31	1	1	14	11	57	15	.	.	3	12	1
19	Pneumonia ...	86	49 37	12	5	1	2	2	.	1	2	8	4	10	16	.	4	1	33	4
20	Other Diseases of the Respiratory M. F.	16	10 6	.	.	.	1	1	1	.	.	1	1	.	1	1	.	3	39	1
21	Ulcer of the Stomach or Duo- M. F.	9	8 1	.	1	.	.	.	1	4	.	.	.	1	1	.	2	3	36	2
22	Diarrhea and Enteritis ... M. F.	11	7 4	3	2	.	.	1	1	2	.	1	.	1	1	2	.	1	8	.
23	Appendicitis ... M. F.	6	3 3	.	1	.	.	1	.	.	.	1	1	3	3	1
24	Cirrhosis of the Liver ... M. F.	3	2 1	1	1	.	.	.	2	.
25	Diseases of the Liver and Biliary M. F.	8	5 3	.	1	2	2	2	.	1	.	1	3	1
26	Other Diseases of the Digestive M. F.	28	15 13	.	1	1	1	1	.	1	1	1	4	5	6	.	.	4	11	2
27	Nephritis ... M. F.	57	37 20	.	.	.	2	1	1	4	2	4	5	7	12	2	1	7	28	2
28	Puerperal Infection ... F.	3	3	1	1	2	1	14	.
29	Other Diseases of Childbirth ... F.	5	5	.	.	.	1	1	1	4	3	2	.
30	Congenital Debility, etc. (Nos M. F.	76	50 26	44	3	2	1	3	.	14	33	10
31	Senility ... M. F.	624	304 320	47	257	.	7	14	283	242
32	Suicide ... M. F.	5	3 2	1	1	1	1	.	.	1	303	161
33	Other Violence ... M. F.	45	29 16	.	2	4	3	3	2	3	3	1	1	5	5	.	1	13	15	.
34	Other Causes ... M. F.	169	111 58	11	8	4	3	5	4	10	10	11	7	33	16	4	12	29	66	20
				10	3	.	4	.	.	2	5			11	12	4	6	37		9

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.								PLACES OF OCCURRENCE.					Un-certified Deaths.		
			All Ages.	Under 1 year.	1-5	5-15	15-25	25-35	35-45	45-55	55-65	65-75 years and up.	General and Special Hospls.	Mental Hos-pitals.	County Homes and Hospls. District Hospls. and Co. Infir-maries.		Else-where.	
	ALL CAUSES	1,083	597 486	26 21	8 6	5 4	18 16	14 11	22 13	34 25	62 50	161 123	247 217	23 10	23 21	101 78	450 377	176 164
1	Typhoid Fever (including Para-typhoid).	{
2	Cerebro-spinal Meningitis	{
3	Scarlet Fever	{
4	Whooping Cough	{	3 1	2	1 1	1	2 1	.
5	Diphtheria	{
6	Tuberculosis of the Respiratory System.	{	24 19	.	.	.	5 10	6 4	5 1	6	2 3	1	.	2 1	4 1	11 6	7 11	.
7	All other forms of Tuberculosis	{	10 5	.	1	1 2	4	1	.	2	1	1 1	1	1	1	7 3	1 2	.
8	Dysentery	{
9	Influenza	{	5 7	1	1	1	1 6	2	.	.	1 4	4 3	2
10	Measles	{	1 3	2	1	1	1 3	1
11	Acute Infectious Encephalitis	{	1	1	1	.
12	Typhus	{
13	Cancer	{	48 37	.	.	1	.	.	2 2	4 6	13 7	21 15	7 7	2 1	2 2	6 13	38 21	5 1
14	Diabetes Mellitus	{	5 7	.	.	.	1 1	.	.	.	1	3 2	.	.	.	1 2	4 5	.

No.	Disease	M.	F.	Total
15	Intra-cranial Lesions of Vascular Origin.	64	29	93
16	Diseases of the Heart	237	35	272
17	Other Diseases of the Circulatory System.	22	137	159
18	Bronchitis ...	18	100	118
19	Pneumonia ...	37	15	52
20	Other Diseases of the Respiratory System.	18	9	27
21	Ulcer of the Stomach or Duodenum.	1	9	10
22	Diarrhea and Enteritis ...	2	2	4
23	Appendicitis ...			
24	Cirrhosis of the Liver ...			
25	Diseases of the Liver and Biliary Passages.	2	2	4
26	Other Diseases of the Digestive System.	5	3	8
27	Nephritis ...	16	11	27
28	Puerperal Infection ...	2	5	7
29	Other Diseases of Childbirth ...	2	2	4
30	Congenital Debility, etc. (Nos. 157-161).	28	14	42
31	Seriousness ...	330	14	344
32	Suicide ...	3	173	176
33	Other Violence ...	19	157	176
34	Other Causes ...	101	2	103

ABSTRACT V—continued.—Causes of Death for the Administrative County of SLIGO, by Sexes, Ages, and Places of Occurrence during the year 1947.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.							PLACES OF OCCURRENCE.					Un-certified Deaths.		
			All Ages.	Under 1 year.	1-5	5-15	15-25	25-35	35-45	45-55	55-65	65-75 years and up.	General and Special Hospls.	Mental Hos-pitals.		County Homes and District Hospls. and Co. Infir-maries.	Else-where.
	ALL CAUSES	1,055	562 493	45 44	6 10	7 9	14 16	18 15	26 15	25 34	45 50	154 187	124 99	23 20	13 18	402 356	103 105
1	Typhoid Fever (including Para-M. typhoid).	{
2	Cerebro-spinal Meningitis	{
3	Scarlet Fever	{
4	Whooping Cough	{	2	1	1	2	1
5	Diphtheria	{	1	.	.	1	1	.
6	Tuberculosis of the Respiratory System.	{	25	.	.	4	7	4	2	3	3	1	10	3	4	8	.
7	All other forms of Tuberculosis	{	12	.	1	2	3	.	1	2	.	2	6	1	5	4	.
8	Dysentery	{
9	Influenza	{	5	.	.	1	.	.	.	1	.	5	.	.	.	5	3
10	Measles	{	1	1	3	.	.	.	1	1
11	Acute Infectious Encephalitis	{
12	Typhus	{
13	Cancer	{	55	.	.	1	1	4	3	5	10	23	11	2	2	40	2
14	Diabetes Mellitus	{	4	1	1	4	2	.	.	34	3
		{	4	1	1	1	.	.	.	2	.

15	Intra-cranial Lesions of Vascular Origin.	M. F.	78	41 37	.	.	.	1	.	.	.	1	6	17 17	16 14	2	1	9	29 33	3 8
16	Diseases of the Heart	... M. F.	232	125 107	.	.	.	2 3	1	3	8	5	13 16	48 31	50 49	.	8 12	24 13	93 78	2 4
17	Other Diseases of the Circulatory System.	M. F.	16	10 6	2	.	2	2	2 3	4	.	.	5 4	.	.
18	Bronchitis M. F.	29	18 11	1	3	1	1	.	6 4	7 4	.	.	15 9	3 2	.
19	Pneumonia M. F.	32	15 17	3 5	.	1	1	.	3	2	2	.	2 4	4 1	1	1	12 12	3 3	.
20	Other Diseases of the Respiratory System.	M. F.	16	10 6	1	.	1	2	1	2	.	1	2	.	1 1	.	1	8 6	3	.
21	Ulcer of the Stomach or Duodenum.	M. F.	4	3 1	1	2	.	.	2	1 1	.	.
22	Diarrhoea and Enteritis	... M. F.	17	11 6	9 5	.	1	2	.	1	4 3	6 3	1
23	Appendicitis	... M. F.	2	1 1	1	.	.	.	1	.	.	1 1	.	.
24	Cirrhosis of the Liver	... M. F.	1	1	1	1	.
25	Diseases of the Liver and Biliary Passages.	M. F.	3	1	1	.	.	1	.	.
26	Other Diseases of the Digestive System.	M. F.	14	10 4	2	.	1	.	1	.	1	1	1	2 1	1 1	.	.	3 2	7 2	1
27	Nephritis M. F.	26	16 10	1	1	2	2	8 4	4 2	2	1	2 2	11 8	.
28	Puerperal Infection	... F.
29	Other Diseases of Childbirth	... F.	1	1	.	.	.	1	1	.	.
30	Congenital Debility, etc. (Nos. 157-161).	M. F.	54	27 27	25 24	.	2	1	.	1	1	.	8 10	18 17	.
31	Senility	... M. F.	223	118 105	13 12	105 93	.	1	17 17	100 88	78 69
32	Suicide	... M. F.	2	2	2	1	1	.
33	Other Violence	... M. F.	12	7 5	1	.	2	.	1	.	1	.	.	4	1	.	.	3 4	8 4	1
34	Other Causes	... M. F.	85	42 43	2 7	2	.	2	3	1	2	6	4	17 7	9 9	.	3 3	9 5	30 31	7 9

ABSTRACT V—continued.—Causes of Death for the PROVINCE OF ULSTER (part of), by Sexes, Ages, and Places of Occurrence during the year 1947.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.							PLACES OF OCCURRENCE.				Un-certified Deaths.				
			All Ages.	Under 1 year.	1-5	5-	15-	25-	35-	45-	55-	65-	75 years and up.		General and Special Hospls.	Mental Hos-pitals.	County Homes and District Hospls. and Co. Infirm-aries.	Else-where.
	ALL CAUSES	3,968	2,130 1,838	158 136	35 26	31 24	56 69	53 74	75 66	118 107	221 180	556 497	827 659	69 42	45 34	345 242	1,671 1,520	410 428
1	Typhoid Fever (including Para-typhoid).	4	4	.	.	.	1	.	.	.	1	2	.	.	.	3	1	.
2	Cerebro-spinal Meningitis	2	2	.	.	.	1	.	1	2	.	.
3	Scarlet Fever	
4	Whooping Cough	20	11 9	6 7	5 2	11 9	2
5	Diphtheria	10	4 6	.	2 2	2 1	.	1	2	1	.	2 5	.	.
6	Tuberculosis of the Respiratory System.	175	78 97	.	.	1 3	18 34	20 31	15 10	8 9	11 7	5 3	.	15 17	8 8	19 16	36 56	2 3
7	All other forms of Tuberculosis	82	38 44	2 1	4 3	7 5	9 12	6 7	4 4	4 5	1 4	.	1	3 4	1 13	9 13	25 27	.
8	Dysentery	
9	Influenza	110	56 54	5 3	1 1	.	.	1 1	2	2 2	5 1	22 23	19 22	.	1	3 4	53 49	17 18
10	Measles	6	5 1	1 .	2 .	1 1	.	.	.	1	1	4 1	1 1
11	Acute Infectious Encephalitis	3	2 1	.	.	1	1	.	.	.	1	2 1	.
12	Typhus	
13	Cancer	388	197 191	.	1	.	1 4	2 7	5 10	25 30	33 43	78 65	53 31	12 2	3 2	30 27	152 160	8 10
14	Diabetes Mellitus	18	10 8	2	2	1 1	.	4 4	1 1	1	1	2 1	6 7	1 .

15	Intra-cranial Lesions of Vascular Origin.	M. F.	279	139 140	.	.	1	.	1	1	2	3	2	15	49	67	2	1	23	113	25
16	Diseases of the Heart	... F.	939	527 412	.	1	1	5	6	13	31	13	31	67	201	202	8	21	79	419	20
17	Other Diseases of the Circulatory System.	M. F.	72	35 37	.	.	.	1	.	.	.	1	.	4	18	13	1	3	4	27	.
18	Bronchitis F.	79	35 44	3	9	1	1	.	.	1	.	1	4	13	12	.	.	3	32	1
19	Pneumonia F.	146	85 61	17 15	6 2	2	1	1	5	10	2	10	5	21	19	1	.	14	70	6
20	Other Diseases of the Respiratory System.	M. F.	51	30 21	2	.	.	1	.	2	1	1	1	5	7	10	.	.	2	28	4
21	Ulcer of the Stomach or Duodenum.	M. F.	24	21 3	.	.	.	1	1	4	4	1	1	7	3	1	3	.	6	12	1
22	Diarrhoea and Enteritis	... F.	29	13 16	8 11	.	1	.	.	2	1	.	1	.	.	1	1	1	1	10	1
23	Appendicitis	... F.	7	4 3	.	1	2	.	.	1	1	.	.	.	1	.	1	.	2	1	.
24	Cirrhosis of the Liver	... F.	4	4	3	.	1	.	.	.	4	.
25	Diseases of the Liver and Biliary Passages.	M. F.	15	5 10	1	1	.	1	.	1	1	1	.	.	2	5	1
26	Other Diseases of the Digestive System.	M. F.	51	34 17	5 1	1 2	.	1	2	5	1	1	1	3	6	10	4	.	14	16	4
27	Nephritis F.	104	72 32	.	1	1	1	2	2	9	2	2	13	28	13	2	1	14	55	4
28	Puerperal Infection	... F.	2	2	2	2	.
29	Other Diseases of Childbirth	... F.	15	15	.	.	.	3	3	9	8	7	.
30	Congenital Deformity, etc. (Nos. 157-161).	M. F.	179	96 83	95 79	1 3	1	8	.	27	61	16
31	Senility	... F.	772	410 362	50	300	.	1	38	372	247
32	Selficide	... F.	10	9 1	.	.	.	1	.	.	1	.	.	5	1	1	.	.	1	8	.
33	Other Violence	M. F.	89	56 33	3 3	2 4	7	5	4	3	4	.	.	5	12	11	3	.	14	39	3
34	Other Causes	... F.	283	148 135	11 7	8 5	3 4	8	5	5	11	5	11	31	35	31	4	5	32	107	18
																					39

16	Intra-cranial Lesions of Vascular Origin.	M. F.	76	38	38	1	1	1	1	6	14	15	11	27	6
16	Diseases of the Heart	M. F.	280	164	116	1	1	1	1	20	74	52	36	121	10
17	Other Diseases of the Circulatory System.	M. F.	20	6	14	1	1	1	1	1	3	2	1	4	13
18	Bronchitis	M. F.	17	11	6	1	1	1	1	1	4	6	11	11	1
19	Pneumonia	M. F.	34	21	13	1	2	1	1	1	6	4	3	17	1
20	Other Diseases of the Respiratory System.	M. F.	8	4	4	1	1	1	1	1	1	2	1	11	1
21	Ulcer of the Stomach or Duodenum.	M. F.	9	7	2	1	1	1	1	1	2	1	1	3	1
22	Diarrhoea and Enteritis	M. F.	9	3	6	1	1	1	1	1	1	1	1	2	1
23	Appendicitis	M. F.	1	1	1	1	1	1	1	1	1	1	1	2	1
24	Cirrhosis of the Liver	M. F.	2	1	1	1	1	1	1	1	1	1	1	2	1
25	Diseases of the Liver and Biliary Passages.	M. F.	2	2	2	1	1	1	1	1	1	1	1	2	1
26	Other Diseases of the Digestive System.	M. F.	17	13	4	1	1	1	1	2	2	6	3	7	1
27	Nephritis	M. F.	32	22	10	1	1	1	1	6	6	4	7	14	3
28	Puerperal Infection	M. F.	5	5	5	1	1	1	1	1	1	1	1	8	1
29	Other Diseases of Childbirth	M. F.	51	30	21	1	1	1	1	1	1	1	1	2	1
30	Congenital Debility, etc. (Nos. 157-161).	M. F.	229	127	102	1	1	1	1	1	14	113	26	101	66
31	Senility	M. F.	5	4	1	1	1	1	1	1	1	1	1	3	1
32	Suicide	M. F.	24	16	8	1	1	1	1	1	2	3	6	8	1
33	Other Violence	M. F.	76	44	32	1	1	1	1	1	13	10	7	32	4
34	Other Causes	M. F.	76	44	32	1	1	1	1	1	7	4	2	24	8

ABSTRACT V—continued.—Causes of Death for the Administrative County of DONEGAL, by Sexes, Ages, and Places of Occurrence during the year 1947.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.								PLACES OF OCCURRENCE.					Un-certified Deaths.		
			All Ages.	Under 1 year.	1-5	5-15	15-25	25-35	35-45	45-55	55-65	75 years and up.	General and Special Hospls.	Mental Hos-pitals.	County Homes and District Hospls. and Co. Infir-maries.		Else-where.	
	ALL CAUSES	2,029	1,092 937	91 74	24 17	20 14	32 35	32 50	34 35	59 47	115 97	266 224	419 344	18 8	23 17	137 98	914 814	260 273
1	Typhoid Fever (including Para-typhoid).	3	3	.	.	.	1	.	.	.	1	1	.	.	.	2	1	.
2	Cerebro-spinal Meningitis	1	1	.	.	.	1	1	.	.
3	Scarlet Fever
4	Whooping Cough	12	6 6	2 5	4 1	6 6	2
5	Diphtheria	7	4 3	.	2 2	2 1	2 3	2	.
6	Tuberculosis of the Respiratory System.	105	42 63	.	.	1 2	11 20	12 24	6 7	6 4	4 5	2 1	.	1 1	5 3	15 16	21 43	1 3
7	All other forms of Tuberculosis	51	21 30	.	3 3	5 5	6 4	4 5	2 4	1 2	4	3	.	1	.	4 9	17 20	.
8	Dysentery
9	Influenza	82	39 43	4 2	1 1	.	.	1 1	2	2	2	15 16	13 19	.	.	2 3	37 40	10 17
10	Measles	2	2	1	1	1	1	.
11	Acute Infectious Encephalitis	3	2 1	.	.	1	1	.	.	.	1	2 1	.
12	Typhus
13	Cancer	183	92 91	.	.	.	1 2	1 3	2 4	13 12	21 25	30 30	24 15	3 1	1 1	13 6	75 81	6 6
14	Diabetes Mellitus	10	7 3	1	1	.	.	4 1	1 1	.	1	.	7 3	1

No.	Disease	Males	Females	Total
15	Intra-cranial Lesions of Vascular Origin.	61	64	125
16	Diseases of the Heart	258	193	451
17	Other Diseases of the Circulatory System.	20	12	32
18	Bronchitis	12	26	38
19	Pneumonia	53	34	87
20	Other Diseases of the Respiratory System.	20	10	30
21	Ulcer of the Stomach or Duodenum.	13	1	14
22	Diarrhoea and Enteritis	8	7	15
23	Appendicitis	4	1	5
24	Cirrhosis of the Liver	1	.	1
25	Diseases of the Liver and Biliary Passages.	5	6	11
26	Other Diseases of the Digestive System.	15	10	25
27	Nephritis	40	15	55
28	Puerperal Infection	2	.	2
29	Other Diseases of Childbirth	5	.	5
30	Congenital Debility, etc. (Nos. 167-161).	52	41	93
31	Senility	213	183	396
32	Suicide	2	.	2
33	Other Violence	32	13	45
34	Other Causes	64	71	138

ABSTRACT V—*contd.*—Causes of Death for the Administrative County of MONAGHAN, by Sexes, Ages, and Places of Occurrence during the year 1947.

No.	CAUSES OF DEATH.	Total Deaths.	AGES AT DEATH.								PLACES OF OCCURRENCE.				Un-certified Deaths.		
			All Ages.	Under 1 year.	1-5	5-15	15-25	25-35	35-45	45-55	55-65	65 years and up.	General and Special Hospls.	Mental Hos-pitals.		County Homes and District Hospls. and Co. Infirm-aries.	Else-where.
	ALL CAUSES	836	426 410	26 25	6 4	1 5	10 14	9 13	15 15	22 21	49 34	117 151	15 7	12 4	78 69	321 330	49 64
1	Typhoid Fever (including Para-M. typhoid).
2	Cerebro-spinal Meningitis	1	1	1	1	.	.
3	Scarlet Fever
4	Whooping Cough	4	3 1	2 .	1 1	3 1	.
5	Diphtheria	1	1	1	1	.	.
6	Tuberculosis of the Respiratory System.	26	14 12	.	.	.	3 6	2 2	2 1	1 2	5 1	.	6 2	1 .	1 .	6 10	.
7	All other forms of Tuberculosis	15	9 6	.	.	.	2 3	1 1	2 .	2 2	1 .	1 .	2 .	1 .	1 2	5 4	.
8	Dysentery
9	Influenza	12	9 3	1	1 .	3 1	.	.	1 .	8 3	2
10	Measles	2	1 1	.	1 .	1	1 1	1 1
11	Acute Infectious Encephalitis
12	Typhus
13	Cancer	85	47 38	.	1 .	.	.	2 .	2 4	5 4	6 6	12 9	3 1	2 .	8 9	34 28	1 4
14	Diabetes Mellitus	5	2 3	1 .	.	1	1 1	1 2	.

[illegible]

ABSTRACT VI.—CAUSES OF DEATH for each of the Fourteen Principal Towns during the year 1947.

No.	CAUSES OF DEATH.	Total	City of Dublin	Borough of Dun Laoghaire	Cork County Borough	Limerick County Borough	Waterford County Borough	Galway Borough	Dundalk	Drogheda	Sligo	Wexford	Kilkenny	Bray	Tralee	Clonmel
	All Causes	5,938 5,889	3,613 3,554	266 345	661 631	335 350	226 215	109 111	138 117	116 80	99 110	98 107	72 70	78 73	80 69	47 57
1	Typhoid Fever (including Paratyphoid). M. } F. }	2	.	.	.	2
2	Cerebro-spinal Meningitis M. } F. }	10 8	8 7	.	1 1	.	1
3	Scarlet Fever M. } F. }	2	.	.	.	2
4	Whooping Cough M. } F. }	66 80	54 64	1	2 3	2 3	1	.	3 3	2 1	.	1 3	.	.	2	1
5	Diphtheria ... M. } F. }	5 6	3 2	.	.	3	.	.	1	.	.	1	1	.	.	.
6	Tuberculosis of the Respiratory System. M. } F. }	545 521	338 312	21 20	59 68	32 34	22 21	14 13	14 8	4 9	7 11	10 4	7 6	6 5	6 7	5 3
7	All other forms of Tuberculosis M. } F. }	164 135	101 95	6 2	14 8	4 8	6 2	9 4	5 1	4 2	6 7	4 4	.	1	2 2	2
8	Dysentery ... M. } F. }	1 1	1	1	.
9	Influenza ... M. } F. }	38 40	20 24	3 5	3	2	4	1 1	4 3	.	1 2	1	.	.	2 2	.
10	Measles ... M. } F. }	16 19	9 10	1	.	1 2	.	1	.	.	1 1	.	4 5	.	.	.
11	Acute Infectious Encephalitis M. } F. }	2 3	1 2	1	.	.	1
12	Typhus ... M. } F. }
13	Cancer ... M. } F. }	495 576	302 362	25 45	53 59	23 26	21 17	8 9	8 16	14 4	7 5	14 10	4 4	7 6	7 8	2 5
14	Diabetes Mellitus ... M. } F. }	12 30	5 17	3	2 2	1 2	1	2 2	.	1	1	1	2	.	.	.

15	Intra-cranial Lesions of Vascular Origin.	M. } F. }	335 506	205 300	12 42	46 60	12 22	10 16	7 8	11 7	6 8	1 7	5 14	8 7	6 7	4 4	4 4
16	Diseases of the Heart	M. } F. }	1,554 1,689	922 1,047	82 104	167 189	104 71	84 76	23 26	33 34	31 24	25 20	15 22	16 12	19 25	25 19	8 20
17	Other Diseases of the Circulatory System.	M. } F. }	127 153	80 108	7 12	10 9	4 3	5 3	1 4	5 .	1 1	1 2	4 4	4 .	3 4	1 2	1 1
18	Bronchitis ...	M. } F. }	263 181	163 111	4 6	45 31	24 14	5 7	3 2	.	2 1	5 1	4 .	4 2	2 .	5 3	2 3
19	Pneumonia ...	M. } F. }	335 316	210 214	14 7	36 26	21 26	8 7	7 4	8 5	5 2	4 5	7 8	1 1	8 6	2 3	4 2
20	Other Diseases of the Respiratory System.	M. } F. }	140 81	104 48	3 3	13 10	2 5	4 3	1 .	1 1	1 1	1 1	2 .	2 3	6 5	1 .	1 .
21	Ulcer of the Stomach or Duodenum.	M. } F. }	53 16	31 10	5 1	10 4	1 .	.	1 .	4	1 .	.	1 .	.
22	Diarrhoea and Enteritis	M. } F. }	235 176	161 112	9 11	20 10	17 15	9 10	3 4	1 5	1 1	5 4	2 2	4 1	1 1	2 .	.
23	Appendicitis	M. } F. }	6 10	4 1	1 1	1 2	2	1 .	.	1 .	.	.	2 .	2 .
24	Cirrhosis of the Liver	M. } F. }	12 7	9 6	1	1 .	.	1 .	1 .	1 .
25	Diseases of the Liver and Biliary Passages.	M. } F. }	9 18	5 11	3 .	3 2	2 .	.	1 .	3 .	2 .	.	.	1 .	1 .	1 .	1 .
26	Other Diseases of the Digestive System.	M. } F. }	81 60	49 32	3 4	11 6	4 3	3 3	1 4	1 2	2 1	5 1	2 .	1 1	1 2	1 .	1 .
27	Nephritis ...	M. } F. }	161 127	106 71	9 10	13 14	5 7	6 3	2 7	4 4	5 4	4 1	2 1	1 2	2 1	2 .	2 .
28	Puerperal Infection	... F.	6	4	.	.	1	.	.	1
29	Other Diseases of Childbirth	... F.	18	8	.	1	6	.	1	.	.	1	.	.	.	1	.
30	Congenital Debility, etc. (Nos. 157-161).	M. } F. }	479 332	312 192	27 12	47 32	19 21	11 13	9 10	12 7	11 3	8 16	6 9	5 6	6 3	3 6	3 2
31	Senility	M. } F. }	213 342	83 137	7 19	30 41	24 38	12 21	3 6	5 4	9 12	11 16	9 17	6 12	4 2	5 5	5 9
32	Suicide	M. } F. }	7 6	4 4	.	3 .	1 .	.	.	1
33	Other Violence	M. } F. }	170 86	103 56	10 6	22 7	10 9	5 2	5 .	4 1	4 1	4 .	3 1	1 1	1 1	1 1	1 .
34	Other Causes	M. } F. }	395 340	222 187	18 28	53 40	19 28	8 10	8 5	14 11	15 3	6 9	7 6	3 4	4 4	9 3	9 2

APPENDIX I.

Table showing the number of searches made, certificates issued, and the total amount received as fees for same at the General Register Office, Dublin, during the 84 years 1864-1947.

YEARS.	Number of Searches in the Registers.	Number of Certificates.	Amount received as Fees for Searches and Certificates.	YEARS.	Number of Searches in the Registers.	Number of Certificates.	Amount received as Fees for Searches and Certificates.
1864	15	3	£ 1 10 6	1906	5,714	4,409	£ 849 6 0
1865	41	20	4 12 0	1907	5,877	4,544	875 0 2
1866	55	34	7 0 0	1908	5,984	4,670	894 19 7
1867	46	26	5 12 0	1909	6,220	4,761	920 8 0
1868	69	42	9 13 0	1910	6,387	4,903	944 18 4
1869	80	34	8 15 0	1911	6,128	4,778	914 9 11
1870	93	54	11 10 0	1912	6,811	5,160	998 7 2
1871	112	67	14 6 6	1913	6,462	4,972	957 9 0
1872	120	76	15 14 0	1914	7,552	6,140	1,157 10 0
1873	100	106	21 14 0	1915	7,398	5,898	1,118 7 0
1874	166	107	22 6 6	1916	7,729	6,198	1,172 1 2
1875	244	166	33 15 0	1917	8,151	6,475	1,225 13 6
1876	270	185	36 16 0	1918	10,702	8,499	1,611 11 6
1877	312	202	42 14 0	1919	11,513	8,998	1,712 16 0
1878	391	286	55 15 0	1920	11,484	8,810	1,688 2 0
1879	522	399	78 0 0	1921	11,419	8,499	1,646 0 6
1880	753	596	111 8 6	1922	18,413	7,675	1,892 9 6
1881	743	583	129 11 0	1923	19,377	8,808	2,076 0 0
1882	852	688	149 1 6	1924	23,947	14,367	3,003 0 6
1883	1,036	773	185 1 6	1925	33,945	45,435	8,940 12 0
1884	1,254	966	212 3 0	1926	48,193	77,347	13,493 5 6
1885	1,412	1,173	225 7 4	1927	45,802	72,665	12,391 17 6
1886	1,527	1,307	251 7 0	1928	37,462	56,365	9,804 0 6
1887	1,693	1,404	266 9 0	1929	39,650	61,182	10,412 2 6
1888	1,778	1,561	297 4 6	1930	29,901	41,744	7,384 14 6
1889	1,986	2,042	383 2 9	1931	16,540	14,548	3,162 2 6
1890	2,448	2,297	489 17 6	1932	19,265	12,031	2,951 16 0
1891	2,815	2,534	532 2 2	1933	23,360	11,477	3,032 16 6
1892	3,209	2,733	532 2 2	1934	25,611	12,445	3,329 5 0
1893	3,559	2,678	508 8 0	1935	29,463	13,024	3,649 4 6
1894	3,492	2,618	596 10 6	1936	27,778	13,552	3,673 0 0
1895	3,482	3,103	613 1 2	1937	32,502	16,191	4,376 2 0
1896	4,046	2,960	672 7 6	1938	32,595	17,327	4,529 4 0
1897	3,917	3,207	716 16 6	1939	34,803	20,876	5,181 12 0
1898	4,132	3,201	731 12 6	1940	33,704	18,570	4,818 11 0
1899	4,133	3,201	731 12 6	1941	29,601	16,237	4,243 4 6
1900	4,558	3,481	759 19 7	1942	30,587	18,639	4,529 7 0
1901	4,843	3,733	759 19 7	1943	32,061	20,562	4,851 11 0
1902	4,871	3,719	759 19 7	1944	32,777	18,918	4,639 0 6
1903	4,944	3,796	759 19 7	1945	38,311	25,475	6,048 12 6
1904	5,183	3,958	759 19 7	1946	52,577	35,982	8,351 12 0
1905	5,110	3,954	759 19 7	1947	52,228	46,706	9,875 10 6

N.B.—The above figures do not include a large number of searches made and certificates issued, free of charge, for the use of Government Departments.

APPENDIX II.

CASES OF INFECTIOUS DISEASES.

Summary of Cases of Infectious Diseases notified to the Department of Health during the Year 1947.

This Summary has been prepared from the Department's Weekly Returns but adjustments have been made in respect of any corrections of these returns received after their issue.

The letters in the last column denote the following diseases:—A—Acute Anterior Poliomyelitis. B—Cerebro-spinal Fever. C—Encephalitis Lethargica. D—Diarrhoea and Enteritis. E—Paratyphoid A. F—Paratyphoid B. G—Trachoma. H—Erysipelas. J—Ophthalmia Neonatorum. K—Pemphigus Neonatorum. L—Undulant Fever. M—Continued Fever. N—Dysentery (Bacillary). O—Dysentery (Amoebic). P—Malaria. Q—Membranous Croup. U—Scabies.

COUNTY BOROUGHES.

County Boroughs	Ty-phus	Ty-phoid	Diph-theria	Scarlet Fever	Measles	Whoop-ing Cough	Puer-peral Sepsis	Pneumonia		Other Diseases
								Pri-mary	Influ-enzal	
Cork	18	63	41	119	.	64	.	A. 1. D. 111. H. 19. J. 1. U. 273.
Dublin ..	.	10	185	476	3,440	2,293	9	565	68	A. 28 B. 32. D. 1868. G. 22. H. 200. J. 6. L. 1. M. 1. N. 7. O. 1. P. 1. U. 1473.
Limerick ..	.	7	30	247	330	49	1	20	.	A. 1. B. 1. D. 27. H. 6. J. 1. Q. 1. U. 96.
Waterford	2	6	44	50	.	23	.	A. 1. B. 1. D. 45. G. 20. H. 6. N. 3. U. 106.
TOTAL ..	.	17	235	792	3,855	2,511	10	672	68	A. 31. B. 34. D. 2051. G. 42. H. 231. J. 8. L. 1. M. 1. N. 10. O. 1. P. 1. Q. 1. U. 1948.

URBAN DISTRICTS.

County	Urban Districts	Ty-phus	Ty-phoid	Diph-theria	Scarlet Fever	Measles	Whoop-ing Cough	Puer-peral Sepsis	Pneumonia		Other Diseases
									Pri-mary	Influ-enzal	
Carlow ...	Carlow	2	2	15	9	.	1	.	.	A. 2. B. 1. U. 3.
Cavan ...	Belturbet	A. 1. D. 7. N. 1. U. 3.
	Cavan	13	.	.	7	.	
	Cootehill	15	.	2	.	
Clare ...	Ennis	2	3	8	7	1	.	.	.	A. 2. B. 1. D. 1.
	Kilrush	2	
Cork ...	Clonakilty	D. 1.
	Cobh	5	.	1	2	.	1	.	D. 4.
	Fermoy	2	2	.	1	12	1	H. 1.
	Kinsale	D. 2.
	Macroom	2	
	Mallow	1	1	2	D. 1.
	Midleton	2	.	17	6	.	.	.	U. 5.
	Skibbereen	3	.	.	.	L. 1.
	Youghal	12	.	7	2	.	.	.	U. 4.
Donegal ...	Buncrana	3	.	.	1	.	1	.	A. 3. D. 1. U. 5.
	Bundoran	1	.	1	
	Letterkenny	1	3	1	.	
Dublin ...	Dun Laoghaire	.	.	19	31	88	30	.	21	17	A. 7. B. 1. D. 136. H. 2. U. 169.

CASES OF INFECTIOUS DISEASES—contd.

URBAN DISTRICTS—continued.

County	Urban Districts	Ty-phus	Ty-phoid	Diph-theria	Scarlet Fever	Meas-les	Whoop-ing Cough	Puer-peral Sepsis	Pneumonia		Other Diseases
									Pri-mary	Influ-enzal	
Galway ...	Ballinasloe	2	1	2	10	D. 1. U. 18.
	Galway	3	6	97	121	7	.	4	1	A. 2. B. 2. D. 20. H. 13. J. 1. U. 83.
Kerry ...	Killarney	1	.	6	.	.	.	1	D. 2. H. 3. U. 4
	Listowel	1	8	3
	Tralee	4	3	3	.	1	2	.	B. 1. L. 1. H. 3. U. 17.
Kildare ...	Athy	3	1
	Naas	8	.	2	.	4	1	A. 2. H. 3.
Kilkenny ...	Kilkenny	1	5	23	B. 1.
Longford ...	Granard
	Longford	4	2	53	7	.	1	.	D. 1. U. 2.
Louth ...	Drogheda	10	4
	Dundalk	6	32	9	13	18	.	6	.	A. 1. B. 1. D. 3. U. 11.
Mayo ...	Ballina	1	1	.	.	3	1	A. 1. H. 1. U. 7.
	Castlebar	3	.	1	11	.	.	1	.	.
	Westport	1	.	.	1	.	.
Meath ...	An Uaimh	2	1	2
	Ceannanus Mor	1	2
	Trim	2
Monaghan	Carrickmacross	2	2	.	.	4	.	U. 3.
	Castleblayney	1	5
	Clones	2	1	2	.	1	1	.
	Monaghan	9	.	1	1	A. 3. H. 2.
Offaly ...	Birr	2	1	1	.	.	1	7	U. 4.
	Tullamore	3	4	1	.	.	2	.	A. 2.
Sligo ...	Sligo	3	5	43	3	.	.	.	D. 5. H. 1. J. 1. U. 18.
Tipperary N.R.	Nenagh	3	3	.	2	.	1	1	H. 1. J. 1. U. 2.
	Templemore	3	1	.	.	D. 1.
	Thurles	2	.	9	9	.	3	2	B. 1.
Tipperary S.R.	Carrick-on-Suir	3	.	16	B. 1.
	Cashel	1	.	1	B. 1.
	Clonmel	52	16	.	.	1	.	H. 3. N. 3. U. 1.
	Tipperary	5	.	2	7	.	2	3	A. 1. H. 1. U. 20.
Waterford	Dungarvan	11	1	60	14	.	1	.	.
Westmeath	Athlone	1	.	26	1	.	.	1	A. 1. U. 8.
Wexford ...	Enniscorthy	8	11
	New Ross	2	3	71	A. 3. D. 1. H. 2 U. 53.
	Wexford	1	1	7	16	1	13	1	A. 2. D. 5. H. 4. U. 22.
Wicklow ...	Arklow	3
	Bray	5	8	184	29	.	4	22	A. 1. B. 1. D. 8. H. 4. P. 3. U. 74.
	Wicklow	2	5	.	7	5	.	.	2	A. 1.
TOTAL	35	169	292	854	187	6	100	63	A. 35. B. 12. D. 200. H. 44. J. 3. L. 2. N. 4. P. 3. U. 536.

County	Rural Districts	Ty-phus	Ty-phoid	Diph-theria	Scarlet Fever	Meas-les	Whoop-ing Cough	Puer-peral Sepsis	Pneumonia		Other Diseases
									Pri-mary	Influ-enzal	
Carlow	Carlow	.	11	2	1	3	5	.	.	.	D. 3.
	Carlow No. 2	.	.	1	.	9	.	.	1	1	A. 2. D. 1.
	Idrone
Cavan	Bailieboro'	.	.	6	.	.	12	.	2	1	A. 2.
	Bawnboy	.	1	.	.	3	2	.	5	3	A. 1. N. 4.
	Castlerahan	.	1	.	.	3	H. 1.
	Cavan	.	2	4	5	88	5	.	32	.	A. 3. B. 6. J. 1.
	Enniskillen No. 2	.	.	2	.	2	1
	Mullaghoran	.	.	1	.	8	.	.	5	.	.
Clare	Ballyvaughan	1
	Corofin	.	1	2	1	.	12	.	1	3	.
	Ennis	.	3	6	9	4	38	.	4	.	A. 3. D. 1.
	Ennistymon	.	.	10	4
	Killadysert	.	.	5	A. 1. H. 2.
	Kilrush	.	.	5	4	.	.	1	.	.	A. 2.
	Meelick	.	.	1	2	.	1	.	.	.	G. 1.
	Scarriff	.	1	6	1	.	.	.	1	.	A. 2. H. 1.
Tulla	.	1	1	11	53	.	.	3	.	.	
Cork	Bandon	.	.	3	1	.	1
	Bantry	.	.	.	3	11	13	.	7	3	.
	Castletown	.	1	7	.	69	.	1	7	20	D. 2.
	Clonakilty	.	.	1
	Cork	.	1	10	24	76	32	.	21	5	A. 2. D. 46. E. 1. H. 10.
	Dunmanway	.	.	3	1	5	D. 1.
	Fermoy	.	.	9	1	10	.	.	7	2	D. 1. H. 2. L. 1.
	Kanturk	.	.	12	2	42	15	.	.	.	B. 1. H. 2.
	Kinsale	.	.	.	4	21	19	.	11	2	D. 1. H. 1.
	Macroon	8	.	.	.	1	D. 1. H. 1.
	Mallow	.	.	2	.	14	.	2	.	.	.
	Midleton	.	.	2	3	21	8	.	.	.	B. 1. D. 2. H. 3.
	Millstreet	.	.	2	1	32
	Mitchelstown No. 1	.	.	1	B. 1. C. 1.
	Rathluirc	12	4	.
	Skibbereen	.	.	.	1	.	2
	Skull
Youghal No. 1	.	.	3	.	.	1	
Donegal	Ballyshannon	A. 1.
	Donegal	.	1	2	2	18	A. 1.
	Dunfanaghy	.	1	2	A. 2.
	Glenties	.	.	6	6	6	1	.	7	46	A. 4. B. 2. H. 2.
	Inishowen	.	10	13	4	5	8	.	23	3	A. 2. D. 2. H. 1.
	Letterkenny	.	.	7	1	A. 6.
	Milford	.	5	5	.	.	.	1	1	.	A. 8.
	Stranorlar	.	3	28	7	.	30	.	7	.	A. 5. B. 2. D. 1. F. 1. J. 1.
Dublin	Balrothery	.	.	10	5	57	35	.	7	18	B. 1. D. 14. H. 4. K. 1. P. 1.
	Cill Droichead, No. 2	.	.	1	2	10	4	.	2	1	B. 2. D. 4.
	Dublin, Nth.	.	1	3	19	20	1	.	2	.	A. 2. B. 2. D. 11. H. 1.
	Dublin, Sth.	.	.	11	11	74	53	.	7	.	A. 1. B. 2. C. 1. D. 21. H. 9.
	Rathdown No. 1	.	.	19	27	91	9	.	7	9	A. 2. B. 4. D. 13. G. 1. H. 4.
Galway	Ballinasloe	.	.	.	5	29	1	.	1	.	A. 1. H. 4.
	Clifden	.	2	1	1	11	3	.	3	1	D. 1. H. 5.
	Galway	.	.	3	26	26	2	.	1	10	A. 1. H. 4.
	Glenamaddy	.	.	1	1	5	.	1	.	1	.
	Gort	.	2	2	5	A. 2. F. 2.
	Loughrea	.	.	3	17	5	6	.	2	.	A. 1. B. 3. D. 1.

CASES OF INFECTIOUS DISEASES—contd.

RURAL DISTRICTS—continued.

County	Rural Districts	Ty-phus	Ty-phoid	Diph-theria	Scarlet Fever	Meas-les	Whoop-ing Cough	Puer-peral Sepsis	Pneumonia		Other Diseases
									Primary	Influenzal	
Kilkenny ...	Callan	4	.	1	
	Carrick-on-Suir No. 3	1	8	
	Castlecomer	1	1	
	Ida	4	.	1	.	.	
	Kilkenny	2	2	12	3	.	.	.	A. 1.
	Thomastown	1	.	4	
	Urlingford No. 1	
	Waterford No. 2	A. 1.
Laoighis ...	Abbeyleix	4	.	4	5	.	10	3	A. 1. G. 2. L. 1.
	Athy No. 2	3	1	.	1	.	12	3	H. 1. L. 1.
	Mountmellick	9	9	10	45	.	29	8	H. 8.
	Roscrea No. 3	1	1	.	3	4	H. 2.
	Slievemargy	
Leitrim ...	Ballinamore	1	2	.	.	.	A. 1.
	Carrick-on-Shannon No. 1	3	.	.	1	.	A. 1. B. 1.
	Kinlough	1	
	Manorhamilton	1	.	6	3	.	.	.	A. 4.
	Mohill	
Limerick ...	Croom	4	16	4	A. 3.
	Glin	1	2	2	1	.	24	.	D. 4.
	Kilmallock	3	40	.	.	2	1	
	Limerick No. 1	.	15	5	29	24	11	.	.	.	A. 3. D. 1.
	Mitchelstown No. 2	1	.	13	.	.	3	.	
	Newcastle	15	2	.	38	3	.	.	.	
	Rathkeale	2	7	4	3	.	3	1	D. 4.
	Tipperary No. 2	.	.	1	2	3	4	.	1	.	A. 1. D. 1. H. 1.
Longford ...	Ballymahon	1	.	1	.	.	1	.	A. 1.
	Granard No. 1	.	.	1	.	7	.	.	1	1	A. 5. B. 1. H. 1.
	Longford	2	14	.	.	3	.	A. 1.
Louth ...	Ardee No. 1	H. 4.
	Dundalk	2	7	9	4	5	.	3	.	B. 2. H. 1.
	Louth	5	1	3	3	.	.	.	
Mayo ...	Ballina	3	3	1	.	8	6	A. 3. H. 1.
	Ballinrobe	2	1	1	.	2	.	1	1	A. 2.
	Belmullet	24	.	.	2	2	A. 1. H. 1. K. 1.
	Castlebar	4	8	.	1	13	3	A. 2.
	Claremorris	1	1	9	41	35	.	4	5	A. 8. E. 1. H. 1.
	Swineford	1	6	11	11	.	2	3	A. 1. H. 2.
	Westport	8	.	.	3	.	A. 2.
Meath ...	Ardee No. 2	2	1	.	.	1	.	.	A. 1.
	Ceannanus Mor	3	2	
	Dunshaughlin	2	16	9	26	.	1	.	A. 1. H. 4. L. 1.
	Meath	2	18	1	1	.	.	.	A. 1.
	Navan	1	10	5	1	.	1	.	.	L. 1.
	Oldcastle	7	
	Trim	1	3	1	21	19	1	1	.	A. 2. B. 2. H. 1.
Monaghan	Carrickmacross	.	1	1	3	3	1	1	14	.	A. 1. B. 1.
	Castleblayney	.	12	1	1	1	A. 2. B. 1.
	Clones No. 1	1	3	.	4	.	A. 1. B. 1.
	Monaghan	2	2	7	2	.	7	.	A. 2. J. 1. H. 1.
Offaly ...	Birr	3	1	29	1	3	.	7	A. 1. D. 3.
	Edenderry No. 1	.	.	11	2	4	.	.	1	.	J. 1.
	Roscrea No. 2	.	.	4	.	.	3	.	1	.	H. 1.
	Tullamore	1	4	1	7	7	.	1	.	A. 1. D. 1. H. 3.
Roscommon	Athlone No. 2	.	.	3	
	Boyle No. 1	1	2	2	16	1	.	2	.	A. 9. B. 4. D. 1.
	Carrick-on-Shannon No. 2	.	1	.	.	.	1	.	.	.	B. 1.
	Castlereagh	1	.	3	51	1	.	7	17	A. 10. B. 2. C. 1.
											H. 3.
Sligo ...	Roscommon	2	7	5	44	13	1	4	3	A. 5. B. 7. D. 1.
	Coolavin	1	.	.	7	A. 3.
	Dromore West	.	.	2	1	.	A. 1. H. 3.
	Sligo	.	1	9	2	24	A. 1. H. 1.
	Tobercurry	4	1	3	19	2	.	1	6	
Tipperary N.R.	Borrisokane	.	.	1	.	2	.	.	1	.	A. 1.
	Nenagh	1	.	8	2	.	11	6	A. 3. C. 1. D. 1. L. 1.
	Roscrea No. 1.	.	2	8	4	.	81	.	5	1	A. 2. H. 1.
	Thurles	1	12	.	5	.	A. 1. B. 5. D. 2. H. 1.

CASES OF INFECTIOUS DISEASES—contd.

RURAL DISTRICTS—continued.

County	Rural Districts	Ty-phus	Ty-phoid	Diph-theria	Scarlet Fever	Meas-les	Whoop-ing Cough	Puer-peral Sepsis	Pneumonia		Other Diseases
									Pri-mary	Influ-enzal	
Tipperary S.R.	Carrick-on Suir No. 1	7	D. 1.
	Cashel	3	5	.	.	7	.	A. 2. B. 2. H. 1.
	Clogheen	2	.	2	.	.	.	3	.	A. 1. H. 1.
	Clonmel No. 1	.	1	.	3	8	4	.	2	2	
	Slievardagh	2	4	2	1	.	5	1	D. 3. H. 1.
	Tipperary No. 1	.	1	1	16	8	13	.	3	2	A. 4. B. 1. H. 3.
Waterford	Carrick-on-Suir No. 2	3	1	.	.	.	
	Clonmel No. 2	.	.	.	6	5	4	.	1	.	
	Dungarvan	1	16	1	1	.	.	A. 2.
	Kilmacthomas	1	.	6	20	7	.	6	1	D. 1. H. 2.
	Lismore	1	45	1	.	1	.	A. 1. C. 1. D. 1. H. 5.
	Waterford No. 1	.	.	.	3	2	.	.	2	1	
Westmeath	Youghal No. 2	2	
	Athlone No. 1	.	.	1	.	2	5	.	5	.	A. 4.
	Ballymore	
	Coole	4	.	.	16	.	.	.	H. 1.
	Delvin	2	2	2	.	.	1	.	A. 1.
	Mullingar	1	5	5	70	13	.	10	.	A. 5. B. 1. F. 1. H. 3.
Wexford ...	Enniscorthy	8	4	32	.	1	.	.	A. 12. D. 3.
	Gorey	2	1	A. 3.
	New Ross	4	.	14	.	1	.	.	A. 1. B. 1. H. 9. Q. 1.
	Wexford	2	1	66	12	.	7	.	A. 3. D. 2 H. 9.
		.	.								
Wicklow ...	Baltinglass	.	.	7	3	36	1	.	2	.	B. 2. D. 4.
	Rathdown No. 2	.	.	3	.	5	.	.	.	1	
	Rathdrum	1	5	.	19	.	.	2	.	B. 1.
	Shillelagh	1	.	.	3	1	.	.	.	B. 1. D. 2. F. 1.
	TOTAL	134	447	576	1,970	739	23	473	241	A. 225. B. 73. C. 5. D. 165. E. 2. F. 5. G. 6. H. 151. J. 4. K. 2. L. 7. N. 4. P 1. Q. 1.

SUMMARY, 1947.

	Ty-phus	Ty-phoid	Diph-theria	Scarlet Fever	Measles	Whoop-ing Cough	Puer-peral Sepsis	Pneumonia		Other Diseases
								Pri-mary	Influ-enzal	
County Boroughs	.	17	235	792	3,855	2,511	10	672	68	A. 31. B. 34. D. 2,051. G. 42. H. 231. J. 8. L. 1. M. 1. N. 10. O. 1. P. 1. Q. 1. U. 1,948.
Urban Districts	35	169	292	854	187	6	100	63	A. 35. B. 12. D. 200. H. 44. J. 3. L. 2. N. 4. P. 3 U. 536.
Rural Districts	134	447	576	1,970	739	23	473	241	A. 225. B. 73. C. 5. D. 165. E. 2. F. 5. G. 6. H. 151. J. 4. K. 2. L. 7. N. 4. P. 1. Q. 1.
TOTAL	186	851	1,660	6,679	3,437	39	1,245	372	A. 291. B. 119. C. 5. D. 2,416. E. 2. F. 5. G. 48. H. 426. J. 15. K. 2. L. 10. M. 1. N. 18. O. 1. P. 5. Q. 2. U. 2,484.

